

Lung Cancer Mortality Rates For 30 Countries

Country Index

| | |
|-----------|-----------------------|
| 1 | Australia |
| 2 | Austria |
| 3 | Belgium |
| 4 | Bulgaria |
| 5 | Canada |
| 6 | Czechoslovakia |
| 7 | Denmark |
| 8 | Finland |
| 9 | France |
| 10 | Germany |
| 11 | Greece |
| 12 | Hungary |
| 13 | Iceland |
| 14 | Ireland |
| 15 | Israel |
| 16 | Italy |
| 17 | Japan |
| 18 | Netherlands |
| 19 | New Zealand |
| 20 | Norway |
| 21 | Poland |
| 22 | Portugal |
| 23 | Romania |
| 24 | Spain |
| 25 | Sweden |
| 26 | Switzerland |
| 27 | UK |
| 28 | USA |
| 29 | USSR |
| 30 | Yugoslavia |

Table L1.1
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex

Australia



| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 0.65 | 1.58 | 5.58 | 14.75 | 30.29 | 54.57 | 79.56 | 103.77 | 70.07 | 58.48 | 58.18 | 33.85 |
| 1951-1955 | 0.85 | 2.39 | 6.71 | 18.86 | 38.24 | 64.71 | 96.30 | 119.26 | 129.25 | 109.00 | 67.80 | 44.46 |
| 1956-1960 | 1.29 | 2.74 | 9.17 | 21.72 | 47.40 | 85.32 | 137.54 | 160.69 | 177.26 | 171.68 | 135.55 | 61.24 |
| 1961-1965 | 1.73 | 3.48 | 9.80 | 23.79 | 54.01 | 107.15 | 179.69 | 236.55 | 255.83 | 243.15 | 217.34 | 82.29 |
| 1966-1970 | 1.44 | 3.67 | 11.90 | 29.24 | 58.97 | 117.55 | 204.65 | 291.00 | 347.68 | 357.12 | 296.02 | 101.47 |
| 1971-1975 | 1.00 | 4.44 | 11.13 | 34.85 | 68.37 | 122.41 | 219.55 | 316.73 | 414.34 | 465.85 | 374.65 | 115.84 |
| 1976-1980 | 0.76 | 2.90 | 10.84 | 32.11 | 69.77 | 124.52 | 215.50 | 321.91 | 424.48 | 528.39 | 469.19 | 120.11 |
| 1981-1985 | 0.76 | 2.63 | 10.36 | 26.83 | 70.05 | 134.81 | 210.21 | 318.85 | 429.70 | 515.07 | 540.65 | 120.89 |
| 1986-1990 | 0.72 | 2.05 | 8.08 | 23.72 | 53.00 | 114.29 | 199.78 | 300.26 | 390.70 | 494.09 | 519.67 | 110.33 |
| 1991-1995 | 0.61 | 2.05 | 6.24 | 17.80 | 43.49 | 92.93 | 174.85 | 277.81 | 378.45 | 437.70 | 494.85 | 98.93 |
| 1996-2000 | 0.39 | 1.55 | 4.91 | 14.37 | 36.21 | 74.22 | 146.82 | 242.23 | 353.04 | 427.15 | 466.94 | 88.05 |

| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 1.32 | 1.31 | 3.05 | 3.88 | 3.17 | 8.11 | 14.29 | 13.60 | 17.91 | 21.94 | 24.13 | 6.88 |
| 1951-1955 | 0.42 | 0.76 | 2.52 | 3.28 | 5.47 | 9.23 | 12.05 | 16.61 | 22.70 | 26.33 | 36.38 | 7.61 |
| 1956-1960 | 1.07 | 1.09 | 2.22 | 3.52 | 6.48 | 8.33 | 14.30 | 18.43 | 23.07 | 25.74 | 31.77 | 8.00 |
| 1961-1965 | 0.29 | 1.30 | 1.97 | 5.43 | 9.45 | 12.26 | 16.06 | 19.26 | 26.60 | 34.00 | 31.81 | 9.63 |
| 1966-1970 | 0.40 | 1.17 | 3.69 | 7.11 | 12.56 | 19.78 | 22.74 | 27.72 | 32.15 | 37.20 | 37.83 | 12.97 |
| 1971-1975 | 0.48 | 1.29 | 3.57 | 9.72 | 16.07 | 22.81 | 32.90 | 38.13 | 44.80 | 43.53 | 47.21 | 16.79 |
| 1976-1980 | 0.42 | 1.67 | 4.65 | 10.19 | 18.00 | 29.10 | 46.48 | 56.96 | 62.86 | 56.41 | 56.43 | 22.09 |
| 1981-1985 | 0.75 | 1.85 | 4.29 | 9.71 | 21.09 | 35.14 | 52.77 | 73.58 | 78.82 | 80.19 | 71.30 | 26.80 |
| 1986-1990 | 0.48 | 2.10 | 5.96 | 10.81 | 20.16 | 36.38 | 59.01 | 78.38 | 101.28 | 102.10 | 102.14 | 30.60 |
| 1991-1995 | 0.39 | 1.40 | 3.94 | 10.53 | 23.60 | 35.19 | 59.57 | 87.85 | 115.87 | 134.47 | 119.77 | 33.49 |
| 1996-2000 | 0.46 | 1.35 | 4.35 | 9.30 | 21.77 | 37.62 | 56.18 | 89.39 | 117.66 | 138.57 | 135.10 | 33.75 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.1
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Australia



Birth Cohort Legend




Table L1.2
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex

Austria


| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 1.39 | 2.12 | 11.68 | 37.02 | 90.05 | 184.99 | 238.50 | 280.35 | 273.50 | 281.97 | 161.40 | 106.53 |
| 1956-1960 | 1.82 | 3.43 | 9.71 | 32.99 | 86.36 | 182.55 | 279.86 | 325.54 | 338.00 | 294.00 | 241.78 | 117.51 |
| 1961-1965 | 1.71 | 4.07 | 10.31 | 25.73 | 69.69 | 161.76 | 297.19 | 386.11 | 423.69 | 362.18 | 285.11 | 126.11 |
| 1966-1970 | 1.70 | 4.65 | 11.78 | 27.87 | 59.34 | 132.86 | 262.49 | 427.23 | 499.63 | 454.83 | 345.54 | 130.54 |
| 1971-1975 | 1.47 | 4.86 | 12.77 | 32.97 | 65.70 | 118.89 | 219.67 | 389.24 | 528.19 | 555.46 | 415.19 | 130.43 |
| 1976-1980 | 1.12 | 4.13 | 12.36 | 35.95 | 76.63 | 124.33 | 205.64 | 327.96 | 482.23 | 595.99 | 534.18 | 128.04 |
| 1981-1985 | 1.01 | 4.53 | 13.10 | 31.69 | 76.84 | 142.72 | 205.44 | 283.36 | 410.80 | 524.37 | 606.10 | 121.33 |
| 1986-1990 | 1.14 | 5.05 | 16.88 | 35.18 | 64.64 | 130.46 | 218.06 | 283.82 | 352.90 | 447.74 | 539.07 | 113.60 |
| 1991-1995 | 0.92 | 3.53 | 15.01 | 35.95 | 66.18 | 109.31 | 199.06 | 295.62 | 346.93 | 408.09 | 436.29 | 106.75 |
| 1996-2000 | 1.04 | 2.81 | 10.73 | 30.87 | 67.48 | 106.41 | 160.85 | 260.87 | 335.49 | 363.64 | 378.14 | 96.22 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.34 | 1.05 | 1.46 | 5.55 | 11.90 | 15.83 | 17.79 | 26.08 | 37.74 | 38.92 | 51.69 | 12.02 |
| 1956-1960 | 0.69 | 1.48 | 4.77 | 5.07 | 10.40 | 18.67 | 25.98 | 32.79 | 45.53 | 52.02 | 52.08 | 14.69 |
| 1961-1965 | 0.55 | 1.32 | 3.03 | 6.08 | 10.96 | 16.13 | 24.18 | 33.84 | 45.72 | 54.55 | 54.59 | 14.42 |
| 1966-1970 | 0.68 | 1.47 | 3.13 | 5.30 | 11.53 | 16.63 | 25.69 | 38.82 | 48.97 | 55.81 | 51.27 | 15.15 |
| 1971-1975 | 0.75 | 1.26 | 2.92 | 5.57 | 11.45 | 18.44 | 27.57 | 41.76 | 55.12 | 60.31 | 67.77 | 16.48 |
| 1976-1980 | 0.41 | 1.27 | 3.30 | 4.52 | 9.94 | 18.97 | 29.59 | 40.22 | 59.86 | 74.67 | 76.21 | 17.21 |
| 1981-1985 | 0.71 | 2.22 | 3.08 | 6.46 | 14.51 | 22.31 | 33.82 | 46.56 | 60.50 | 78.54 | 95.23 | 19.86 |
| 1986-1990 | 0.94 | 2.76 | 5.62 | 9.62 | 15.27 | 21.98 | 37.49 | 50.79 | 63.45 | 75.05 | 91.88 | 21.33 |
| 1991-1995 | 0.73 | 2.26 | 7.42 | 13.96 | 17.07 | 24.04 | 37.43 | 52.98 | 69.99 | 84.94 | 105.56 | 23.55 |
| 1996-2000 | 0.69 | 1.51 | 7.06 | 14.34 | 26.46 | 33.52 | 39.50 | 57.94 | 79.75 | 84.52 | 101.46 | 26.62 |

[E Std] : Adjusted to age distribution of European Standard Population


Figure L1.2
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Austria

Males



Females



Birth Cohort Legend




Table L1.3
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Belgium

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 1.43 | 4.04 | 13.86 | 32.75 | 74.39 | 113.96 | 145.72 | 154.17 | 139.94 | 124.42 | 95.01 | 65.68 |
| 1956-1960 | 1.94 | 3.86 | 14.10 | 36.80 | 81.10 | 140.12 | 192.08 | 207.53 | 187.38 | 143.46 | 112.18 | 81.38 |
| 1961-1965 | 1.71 | 5.92 | 13.20 | 39.80 | 89.55 | 172.34 | 265.81 | 320.68 | 285.48 | 244.13 | 179.80 | 111.10 |
| 1966-1970 | 1.56 | 5.48 | 16.80 | 39.97 | 93.45 | 184.58 | 299.20 | 397.89 | 424.99 | 374.83 | 252.43 | 135.23 |
| 1971-1975 | 2.23 | 6.96 | 20.28 | 49.14 | 94.47 | 200.24 | 331.51 | 489.28 | 601.33 | 550.70 | 434.89 | 167.28 |
| 1976-1980 | 1.68 | 7.79 | 20.82 | 49.18 | 110.42 | 206.50 | 358.21 | 532.24 | 698.48 | 745.05 | 641.40 | 191.34 |
| 1981-1985 | 1.94 | 6.85 | 21.05 | 49.85 | 108.58 | 209.59 | 356.41 | 528.54 | 719.87 | 852.97 | 816.23 | 199.17 |
| 1986-1990 | 1.59 | 6.26 | 20.69 | 50.36 | 92.19 | 201.30 | 335.41 | 471.45 | 679.82 | 839.72 | 857.66 | 188.30 |
| 1991-1995 | 1.02 | 4.73 | 16.73 | 44.55 | 91.70 | 175.92 | 302.81 | 468.16 | 617.64 | 802.39 | 852.21 | 176.13 |
| 1996-2000 | | | | | | | | | | | | |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.60 | 1.52 | 2.07 | 5.40 | 5.60 | 12.56 | 14.44 | 18.78 | 23.03 | 36.63 | 25.79 | 8.88 |
| 1956-1960 | 0.73 | 0.86 | 2.60 | 5.09 | 6.45 | 10.46 | 15.29 | 20.08 | 27.06 | 30.56 | 28.19 | 8.93 |
| 1961-1965 | 0.93 | 1.45 | 3.13 | 5.30 | 8.59 | 11.78 | 16.38 | 23.69 | 27.91 | 36.01 | 49.15 | 10.50 |
| 1966-1970 | 0.80 | 1.29 | 2.86 | 4.72 | 8.04 | 13.08 | 18.20 | 24.81 | 30.86 | 35.44 | 41.09 | 10.66 |
| 1971-1975 | 0.57 | 1.66 | 3.34 | 6.21 | 10.59 | 15.64 | 19.07 | 25.36 | 38.23 | 46.94 | 56.54 | 12.72 |
| 1976-1980 | 0.55 | 1.37 | 3.87 | 7.61 | 11.94 | 17.42 | 24.00 | 33.25 | 39.93 | 44.04 | 50.55 | 14.17 |
| 1981-1985 | 0.84 | 1.25 | 3.70 | 7.94 | 13.48 | 19.71 | 28.41 | 35.47 | 46.47 | 51.25 | 60.45 | 15.98 |
| 1986-1990 | 1.01 | 1.87 | 5.13 | 9.69 | 14.59 | 25.56 | 35.63 | 42.19 | 50.63 | 55.71 | 60.69 | 18.75 |
| 1991-1995 | 0.81 | 2.81 | 6.24 | 11.72 | 18.80 | 28.63 | 41.03 | 53.96 | 61.55 | 66.46 | 77.52 | 22.69 |
| 1996-2000 | | | | | | | | | | | | |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.3
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Belgium



Birth Cohort Legend




Table L1.4
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Bulgaria

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | | | | | | | | | | | | |
| 1956-1960 | | | | | | | | | | | | |
| 1961-1965 | 1.38 | 4.66 | 11.57 | 27.05 | 59.66 | 116.00 | 193.36 | 247.08 | 310.19 | 276.95 | 203.88 | 90.53 |
| 1966-1970 | 1.75 | 4.85 | 12.70 | 30.62 | 57.39 | 108.20 | 192.16 | 257.13 | 279.34 | 260.74 | 207.91 | 88.52 |
| 1971-1975 | 2.07 | 6.15 | 16.77 | 35.60 | 68.97 | 114.61 | 174.33 | 253.96 | 268.44 | 262.92 | 192.00 | 89.38 |
| 1976-1980 | 2.41 | 7.55 | 18.17 | 40.57 | 77.36 | 119.51 | 166.07 | 220.36 | 255.82 | 229.33 | 161.87 | 86.41 |
| 1981-1985 | 3.12 | 8.48 | 23.50 | 52.52 | 85.61 | 144.10 | 194.10 | 228.00 | 238.42 | 226.73 | 170.53 | 94.62 |
| 1986-1990 | 2.57 | 9.08 | 25.73 | 54.70 | 104.05 | 154.81 | 207.17 | 239.80 | 210.67 | 202.10 | 161.78 | 98.12 |
| 1991-1995 | 2.98 | 10.77 | 28.66 | 62.23 | 106.81 | 167.99 | 210.37 | 239.73 | 229.46 | 203.19 | 142.60 | 102.43 |
| 1996-2000 | 2.31 | 8.90 | 26.86 | 59.18 | 107.04 | 167.80 | 202.48 | 214.34 | 224.51 | 193.67 | 125.45 | 98.09 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | | | | | | | | | | | | |
| 1956-1960 | | | | | | | | | | | | |
| 1961-1965 | 0.93 | 2.29 | 5.84 | 7.90 | 11.61 | 20.80 | 31.82 | 39.05 | 56.55 | 64.39 | 51.83 | 17.68 |
| 1966-1970 | 1.18 | 2.12 | 4.51 | 7.62 | 11.70 | 15.72 | 26.79 | 41.36 | 50.81 | 48.91 | 46.09 | 15.71 |
| 1971-1975 | 1.22 | 1.65 | 3.59 | 6.80 | 11.63 | 17.06 | 26.96 | 35.21 | 46.93 | 52.74 | 44.14 | 15.05 |
| 1976-1980 | 1.09 | 1.16 | 3.67 | 7.42 | 11.14 | 15.99 | 25.23 | 37.23 | 46.54 | 50.64 | 38.84 | 14.68 |
| 1981-1985 | 1.15 | 1.47 | 3.71 | 6.83 | 11.90 | 18.92 | 26.51 | 35.37 | 45.19 | 54.24 | 45.64 | 15.23 |
| 1986-1990 | 1.20 | 2.23 | 4.23 | 5.95 | 11.82 | 17.70 | 26.58 | 35.64 | 44.34 | 47.06 | 47.55 | 14.90 |
| 1991-1995 | 0.91 | 2.07 | 4.38 | 8.29 | 14.69 | 19.18 | 26.59 | 37.88 | 43.85 | 54.92 | 47.95 | 16.09 |
| 1996-2000 | 0.94 | 2.85 | 5.25 | 9.18 | 13.07 | 17.01 | 27.44 | 32.55 | 44.05 | 56.27 | 44.70 | 15.68 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.4
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Bulgaria



Birth Cohort Legend




Table L1.5
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex

Canada



| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 1.17 | 2.47 | 5.58 | 21.52 | 35.64 | 55.18 | 76.34 | 95.04 | 76.23 | 64.13 | 43.86 | 34.97 |
| 1951-1955 | 0.71 | 3.28 | 7.47 | 17.42 | 41.84 | 70.07 | 89.09 | 117.65 | 111.56 | 105.48 | 97.88 | 44.20 |
| 1956-1960 | 1.31 | 3.12 | 7.24 | 22.05 | 46.38 | 88.19 | 126.78 | 156.83 | 161.89 | 153.00 | 127.64 | 58.40 |
| 1961-1965 | 1.07 | 3.19 | 10.90 | 24.84 | 54.84 | 98.87 | 158.04 | 206.35 | 230.02 | 214.17 | 169.34 | 74.29 |
| 1966-1970 | 1.25 | 4.24 | 13.13 | 31.17 | 63.44 | 114.95 | 187.57 | 266.83 | 304.42 | 285.98 | 264.57 | 93.52 |
| 1971-1975 | 0.91 | 4.82 | 15.61 | 33.98 | 74.35 | 131.34 | 215.39 | 297.20 | 388.24 | 398.42 | 369.42 | 112.37 |
| 1976-1980 | 1.32 | 4.05 | 13.53 | 35.84 | 85.28 | 150.72 | 233.02 | 335.34 | 434.12 | 496.30 | 482.40 | 128.01 |
| 1981-1985 | 1.22 | 4.09 | 13.74 | 32.91 | 80.61 | 161.96 | 257.99 | 367.97 | 475.80 | 547.95 | 557.46 | 138.26 |
| 1986-1990 | 0.83 | 3.51 | 11.49 | 34.03 | 78.35 | 155.21 | 264.15 | 380.29 | 492.79 | 584.62 | 636.76 | 142.05 |
| 1991-1995 | 0.86 | 3.11 | 10.02 | 27.44 | 63.64 | 132.28 | 236.52 | 357.77 | 474.93 | 566.50 | 622.06 | 130.76 |
| 1996-2000 | 0.78 | 2.75 | 8.39 | 20.63 | 52.30 | 112.03 | 207.57 | 328.87 | 458.24 | 548.12 | 610.64 | 119.66 |

| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 0.39 | 1.05 | 1.47 | 3.69 | 5.69 | 7.99 | 12.17 | 14.77 | 19.09 | 33.77 | 21.91 | 7.15 |
| 1951-1955 | 0.47 | 1.04 | 2.64 | 4.03 | 6.86 | 8.56 | 13.68 | 21.83 | 24.21 | 31.45 | 38.43 | 8.68 |
| 1956-1960 | 0.35 | 1.02 | 2.19 | 4.22 | 7.13 | 10.66 | 13.62 | 20.12 | 23.30 | 31.93 | 31.90 | 8.62 |
| 1961-1965 | 0.82 | 1.63 | 3.31 | 5.86 | 10.65 | 12.60 | 18.92 | 23.48 | 28.90 | 33.07 | 35.13 | 10.86 |
| 1966-1970 | 0.61 | 2.34 | 4.83 | 7.80 | 14.36 | 21.03 | 22.41 | 30.38 | 34.83 | 36.81 | 46.22 | 14.17 |
| 1971-1975 | 0.68 | 2.05 | 5.22 | 12.12 | 19.97 | 30.05 | 38.77 | 42.36 | 48.28 | 52.43 | 55.89 | 20.17 |
| 1976-1980 | 0.52 | 2.62 | 7.01 | 15.34 | 28.03 | 39.89 | 56.02 | 66.29 | 74.44 | 69.47 | 72.03 | 28.46 |
| 1981-1985 | 1.06 | 3.06 | 9.39 | 18.82 | 35.21 | 55.72 | 76.81 | 95.35 | 107.11 | 101.50 | 97.26 | 39.18 |
| 1986-1990 | 1.14 | 3.11 | 9.16 | 21.71 | 43.26 | 64.94 | 92.09 | 125.53 | 144.28 | 151.47 | 134.38 | 49.48 |
| 1991-1995 | 1.26 | 3.85 | 9.42 | 21.82 | 41.69 | 71.42 | 106.40 | 146.02 | 175.57 | 185.76 | 172.63 | 56.46 |
| 1996-2000 | 0.83 | 3.76 | 10.82 | 20.83 | 40.61 | 71.62 | 110.45 | 155.59 | 192.17 | 207.05 | 203.17 | 59.57 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.5
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Canada



Birth Cohort Legend




Table L1.6
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Czechoslovakia

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 1.71 | 3.89 | 9.80 | 27.42 | 76.38 | 140.36 | 186.65 | 208.16 | 185.70 | 141.56 | 76.29 | 77.84 |
| 1956-1960 | 1.63 | 4.45 | 10.03 | 27.76 | 79.79 | 166.52 | 256.23 | 301.28 | 288.02 | 218.07 | 128.77 | 103.21 |
| 1961-1965 | 1.95 | 6.27 | 14.49 | 33.54 | 77.65 | 177.66 | 317.73 | 431.55 | 442.81 | 359.99 | 253.79 | 136.08 |
| 1966-1970 | 2.07 | 6.59 | 18.64 | 41.36 | 82.04 | 166.52 | 319.46 | 492.46 | 546.64 | 492.47 | 346.37 | 153.44 |
| 1971-1975 | 2.44 | 8.69 | 23.10 | 52.62 | 100.37 | 184.87 | 289.19 | 461.90 | 582.17 | 585.70 | 439.57 | 161.98 |
| 1976-1980 | 2.45 | 8.67 | 29.99 | 68.87 | 135.50 | 211.39 | 286.01 | 425.88 | 556.73 | 635.23 | 534.26 | 171.34 |
| 1981-1985 | 1.86 | 8.74 | 29.33 | 73.24 | 150.67 | 252.79 | 345.56 | 411.71 | 506.83 | 587.36 | 564.96 | 178.54 |
| 1986-1990 | 1.70 | 8.49 | 28.33 | 72.96 | 158.45 | 266.36 | 379.86 | 474.99 | 497.67 | 519.43 | 511.11 | 184.46 |
| 1991-1995 | | | | | | | | | | | | |
| 1996-2000 | | | | | | | | | | | | |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 1.04 | 1.37 | 3.89 | 4.99 | 10.36 | 14.45 | 22.38 | 36.43 | 39.37 | 35.57 | 33.24 | 12.83 |
| 1956-1960 | 0.63 | 1.66 | 3.02 | 5.93 | 9.02 | 15.15 | 23.26 | 34.64 | 40.18 | 48.80 | 42.51 | 13.36 |
| 1961-1965 | 1.01 | 1.70 | 2.62 | 6.13 | 10.15 | 13.74 | 22.66 | 33.48 | 46.23 | 49.28 | 50.12 | 13.72 |
| 1966-1970 | 0.66 | 1.40 | 3.16 | 4.47 | 10.50 | 14.63 | 22.21 | 33.72 | 48.32 | 58.08 | 54.86 | 14.13 |
| 1971-1975 | 0.65 | 1.55 | 3.21 | 5.87 | 9.05 | 15.76 | 21.50 | 28.25 | 41.77 | 57.98 | 55.05 | 13.46 |
| 1976-1980 | 0.57 | 2.05 | 3.83 | 7.63 | 13.05 | 20.04 | 25.43 | 34.22 | 45.00 | 54.86 | 61.36 | 15.72 |
| 1981-1985 | 0.94 | 2.08 | 4.15 | 8.51 | 13.99 | 20.16 | 31.77 | 42.90 | 49.98 | 55.98 | 59.93 | 17.52 |
| 1986-1990 | 0.81 | 1.88 | 5.58 | 9.56 | 16.22 | 25.62 | 38.46 | 47.69 | 54.47 | 64.39 | 65.86 | 20.23 |
| 1991-1995 | | | | | | | | | | | | |
| 1996-2000 | | | | | | | | | | | | |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.6
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Czechoslovakia



Birth Cohort Legend




Table L1.7
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Denmark

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.77 | 2.76 | 7.60 | 23.41 | 52.07 | 84.32 | 99.41 | 98.51 | 93.89 | 96.27 | 80.66 | 45.68 |
| 1956-1960 | 1.51 | 3.50 | 8.85 | 24.47 | 59.39 | 107.39 | 145.41 | 169.19 | 159.10 | 119.13 | 130.79 | 63.90 |
| 1961-1965 | 1.01 | 3.29 | 11.62 | 28.86 | 61.58 | 122.41 | 190.48 | 240.68 | 252.58 | 219.75 | 181.07 | 85.22 |
| 1966-1970 | 1.23 | 3.45 | 10.88 | 26.89 | 61.65 | 131.05 | 220.79 | 304.09 | 330.57 | 268.16 | 233.86 | 99.95 |
| 1971-1975 | 0.82 | 2.74 | 11.92 | 27.58 | 69.81 | 126.16 | 234.98 | 354.08 | 416.52 | 414.99 | 324.25 | 116.82 |
| 1976-1980 | 1.22 | 2.57 | 8.71 | 31.64 | 73.10 | 143.21 | 236.67 | 354.06 | 483.71 | 522.98 | 443.75 | 128.93 |
| 1981-1985 | 0.51 | 3.79 | 7.93 | 25.96 | 76.27 | 150.00 | 268.91 | 371.10 | 506.09 | 611.96 | 547.82 | 139.65 |
| 1986-1990 | 0.73 | 3.10 | 10.34 | 25.06 | 67.67 | 147.27 | 241.20 | 391.83 | 493.20 | 578.59 | 550.56 | 135.58 |
| 1991-1995 | 0.61 | 2.85 | 9.73 | 24.26 | 51.21 | 121.95 | 230.52 | 352.39 | 479.98 | 553.23 | 558.81 | 125.35 |
| 1996-2000 | 1.22 | 3.59 | 10.23 | 23.13 | 50.76 | 102.06 | 198.61 | 332.04 | 452.03 | 522.90 | 524.96 | 115.77 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.62 | 1.55 | 2.79 | 3.80 | 7.00 | 10.07 | 23.09 | 24.16 | 27.39 | 28.88 | 45.45 | 10.15 |
| 1956-1960 | 0.13 | 1.01 | 2.89 | 4.00 | 9.59 | 15.58 | 20.53 | 26.55 | 35.54 | 39.95 | 46.31 | 11.76 |
| 1961-1965 | 0.85 | 2.41 | 2.42 | 5.32 | 12.38 | 18.66 | 20.57 | 39.57 | 47.61 | 48.47 | 64.62 | 15.02 |
| 1966-1970 | 1.39 | 3.85 | 5.12 | 10.07 | 14.13 | 23.76 | 31.41 | 43.06 | 53.56 | 58.69 | 70.59 | 18.97 |
| 1971-1975 | 0.49 | 3.21 | 7.00 | 15.18 | 21.63 | 32.63 | 40.54 | 51.62 | 63.71 | 75.23 | 73.62 | 24.16 |
| 1976-1980 | 0.89 | 2.55 | 9.35 | 22.08 | 29.82 | 46.43 | 57.93 | 71.40 | 90.14 | 88.60 | 78.21 | 32.72 |
| 1981-1985 | 1.39 | 2.69 | 7.58 | 28.28 | 44.95 | 68.79 | 93.35 | 103.32 | 111.98 | 110.20 | 111.98 | 45.63 |
| 1986-1990 | 1.21 | 2.79 | 9.30 | 23.24 | 46.05 | 90.80 | 108.76 | 148.86 | 145.96 | 154.39 | 117.75 | 55.83 |
| 1991-1995 | 0.64 | 2.64 | 10.68 | 24.82 | 46.58 | 93.34 | 140.56 | 177.93 | 197.85 | 181.00 | 130.12 | 65.32 |
| 1996-2000 | 1.77 | 3.21 | 9.11 | 24.92 | 44.18 | 78.05 | 147.48 | 226.62 | 207.55 | 212.70 | 162.37 | 69.73 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.7
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Denmark



Birth Cohort Legend




Table L1.8
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Finland

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.74 | 5.49 | 14.87 | 41.77 | 97.27 | 184.95 | 245.61 | 323.47 | 281.97 | 269.82 | 187.12 | 112.95 |
| 1956-1960 | 1.33 | 4.78 | 16.78 | 48.15 | 106.23 | 193.82 | 307.38 | 382.86 | 383.67 | 316.01 | 215.73 | 133.41 |
| 1961-1965 | 1.33 | 6.68 | 18.55 | 50.42 | 112.02 | 214.18 | 328.24 | 424.36 | 452.20 | 425.43 | 323.77 | 151.39 |
| 1966-1970 | 0.97 | 3.82 | 17.82 | 49.51 | 96.91 | 223.49 | 359.25 | 461.54 | 527.96 | 498.73 | 435.99 | 164.00 |
| 1971-1975 | 0.64 | 2.25 | 12.58 | 38.42 | 97.06 | 196.74 | 335.85 | 496.66 | 577.30 | 554.43 | 466.23 | 164.46 |
| 1976-1980 | 1.27 | 2.19 | 9.40 | 30.46 | 97.65 | 186.66 | 328.41 | 465.40 | 624.33 | 674.54 | 606.10 | 168.55 |
| 1981-1985 | 1.10 | 2.46 | 7.71 | 23.62 | 68.62 | 166.02 | 305.71 | 414.10 | 563.09 | 652.05 | 616.74 | 152.07 |
| 1986-1990 | 0.30 | 2.48 | 7.05 | 24.13 | 47.05 | 116.35 | 249.55 | 371.85 | 474.14 | 573.51 | 574.15 | 127.57 |
| 1991-1995 | 0.51 | 2.18 | 6.58 | 16.67 | 43.66 | 86.83 | 186.23 | 327.06 | 460.59 | 508.89 | 512.69 | 110.00 |
| 1996-2000 | 0.66 | 1.16 | 5.46 | 13.09 | 40.30 | 73.25 | 144.80 | 249.94 | 406.00 | 498.25 | 497.79 | 94.65 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.49 | 0.52 | 2.61 | 4.74 | 8.39 | 13.46 | 20.05 | 20.40 | 35.00 | 43.05 | 21.37 | 10.58 |
| 1956-1960 | 0.39 | 1.61 | 1.55 | 4.53 | 5.41 | 9.65 | 13.78 | 20.87 | 29.38 | 43.14 | 38.29 | 9.24 |
| 1961-1965 | 0.14 | 0.92 | 1.50 | 4.74 | 6.02 | 12.47 | 16.12 | 21.40 | 28.67 | 37.98 | 40.12 | 9.58 |
| 1966-1970 | 0.14 | 0.55 | 1.47 | 5.85 | 7.08 | 11.35 | 15.58 | 20.97 | 29.87 | 35.14 | 43.40 | 9.62 |
| 1971-1975 | 0.27 | 0.72 | 2.39 | 4.35 | 6.55 | 13.55 | 17.88 | 21.85 | 29.81 | 44.35 | 44.99 | 10.38 |
| 1976-1980 | 0.52 | 0.93 | 2.32 | 4.54 | 11.47 | 14.62 | 26.36 | 29.55 | 39.84 | 48.49 | 52.40 | 13.31 |
| 1981-1985 | 0.29 | 1.25 | 2.28 | 3.80 | 9.22 | 17.38 | 30.17 | 37.83 | 44.07 | 49.26 | 66.07 | 14.66 |
| 1986-1990 | 0.31 | 1.07 | 2.29 | 4.47 | 9.33 | 17.48 | 28.60 | 45.56 | 51.65 | 59.81 | 65.03 | 15.93 |
| 1991-1995 | 0.64 | 1.03 | 3.10 | 6.70 | 12.31 | 14.30 | 28.08 | 45.35 | 59.93 | 69.11 | 70.35 | 17.19 |
| 1996-2000 | 0.14 | 1.20 | 2.43 | 6.16 | 10.62 | 20.16 | 29.14 | 44.60 | 60.29 | 79.41 | 82.81 | 18.06 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.8
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Finland



Birth Cohort Legend




Table L1.9
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex

France



| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 1.22 | 2.22 | 5.92 | 15.92 | 29.83 | 43.44 | 51.06 | 58.50 | 59.93 | 45.36 | 36.67 | 25.76 |
| 1951-1955 | 1.09 | 2.97 | 6.64 | 17.87 | 36.00 | 58.38 | 71.85 | 80.74 | 82.98 | 73.12 | 60.09 | 34.64 |
| 1956-1960 | 1.35 | 2.84 | 8.27 | 20.49 | 43.76 | 78.33 | 110.05 | 118.97 | 125.66 | 113.04 | 91.27 | 48.70 |
| 1961-1965 | 1.47 | 4.15 | 9.53 | 23.15 | 49.37 | 89.91 | 136.79 | 174.01 | 169.64 | 161.43 | 134.59 | 62.49 |
| 1966-1970 | 1.26 | 4.02 | 12.31 | 26.70 | 52.13 | 94.67 | 154.44 | 207.91 | 228.18 | 209.56 | 174.82 | 73.66 |
| 1971-1975 | 1.31 | 4.65 | 15.44 | 33.08 | 61.53 | 107.33 | 164.35 | 228.47 | 269.74 | 270.89 | 227.17 | 85.18 |
| 1976-1980 | 1.64 | 5.80 | 16.70 | 42.53 | 79.45 | 120.47 | 187.90 | 256.49 | 311.59 | 337.04 | 323.08 | 100.77 |
| 1981-1985 | 1.46 | 6.11 | 18.23 | 42.31 | 84.59 | 142.84 | 191.03 | 269.52 | 328.57 | 372.89 | 362.70 | 108.09 |
| 1986-1990 | 2.05 | 7.35 | 20.49 | 45.19 | 87.31 | 147.76 | 220.93 | 276.65 | 341.37 | 396.17 | 406.21 | 115.31 |
| 1991-1995 | 1.52 | 7.66 | 22.70 | 50.31 | 88.85 | 141.03 | 222.20 | 288.35 | 330.73 | 392.82 | 403.69 | 115.88 |
| 1996-2000 | 1.17 | 6.72 | 25.06 | 52.38 | 89.82 | 142.06 | 200.73 | 281.21 | 344.56 | 376.95 | 411.29 | 114.39 |

| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 0.91 | 1.72 | 2.59 | 4.71 | 7.51 | 8.90 | 13.98 | 15.70 | 18.40 | 16.46 | 15.35 | 7.35 |
| 1951-1955 | 0.62 | 1.33 | 2.71 | 4.18 | 6.50 | 10.07 | 14.85 | 17.13 | 21.97 | 23.09 | 20.95 | 7.92 |
| 1956-1960 | 0.67 | 1.11 | 2.39 | 3.70 | 6.16 | 8.97 | 15.01 | 18.09 | 25.14 | 28.21 | 28.86 | 8.22 |
| 1961-1965 | 0.42 | 1.21 | 1.87 | 3.83 | 6.46 | 10.02 | 14.46 | 19.97 | 26.34 | 32.79 | 34.23 | 8.71 |
| 1966-1970 | 0.60 | 0.96 | 1.96 | 3.15 | 6.67 | 9.35 | 14.25 | 19.74 | 26.96 | 31.98 | 36.92 | 8.60 |
| 1971-1975 | 0.35 | 0.72 | 1.70 | 3.72 | 6.04 | 9.91 | 13.40 | 19.59 | 25.44 | 32.02 | 38.66 | 8.42 |
| 1976-1980 | 0.35 | 1.06 | 2.13 | 3.94 | 7.34 | 9.69 | 14.52 | 19.82 | 25.04 | 31.78 | 39.62 | 8.79 |
| 1981-1985 | 0.36 | 0.96 | 1.76 | 3.96 | 7.89 | 12.01 | 17.09 | 22.99 | 28.92 | 37.30 | 41.47 | 9.94 |
| 1986-1990 | 0.52 | 1.14 | 3.17 | 5.08 | 9.06 | 14.36 | 21.04 | 27.53 | 33.42 | 41.37 | 47.21 | 11.86 |
| 1991-1995 | 0.64 | 2.33 | 4.74 | 7.29 | 10.94 | 14.69 | 22.58 | 31.86 | 37.96 | 46.10 | 52.43 | 13.72 |
| 1996-2000 | 0.59 | 2.72 | 7.03 | 9.46 | 13.60 | 18.46 | 24.34 | 35.73 | 44.34 | 51.26 | 60.84 | 16.17 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.9
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

France



Birth Cohort Legend




Table L1.10
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Germany

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 1.07 | 3.35 | 9.13 | 26.99 | 60.53 | 112.78 | 140.90 | 143.17 | 133.70 | 112.69 | 82.28 | 60.18 |
| 1956-1960 | 1.38 | 3.84 | 9.11 | 26.69 | 66.80 | 131.59 | 195.82 | 220.37 | 202.20 | 163.37 | 124.74 | 79.69 |
| 1961-1965 | 1.74 | 3.64 | 9.90 | 26.75 | 62.74 | 135.82 | 232.83 | 309.84 | 298.32 | 250.31 | 190.31 | 98.89 |
| 1966-1970 | 1.21 | 3.98 | 10.54 | 26.41 | 62.08 | 123.26 | 229.10 | 343.23 | 401.48 | 351.27 | 259.60 | 109.90 |
| 1971-1975 | 1.15 | 4.20 | 12.38 | 29.91 | 62.04 | 120.90 | 215.71 | 341.81 | 449.69 | 473.93 | 358.83 | 117.76 |
| 1976-1980 | 1.57 | 4.46 | 13.03 | 34.83 | 67.52 | 124.35 | 212.49 | 328.05 | 463.58 | 541.89 | 500.42 | 124.03 |
| 1981-1985 | 1.29 | 4.83 | 14.22 | 31.05 | 76.11 | 133.09 | 212.68 | 313.83 | 435.31 | 540.23 | 542.14 | 123.90 |
| 1986-1990 | 1.24 | 4.47 | 14.41 | 34.82 | 68.86 | 141.71 | 221.12 | 315.39 | 401.77 | 487.03 | 539.70 | 121.48 |
| 1991-1995 | 1.02 | 3.73 | 12.52 | 32.01 | 68.61 | 126.10 | 226.89 | 317.78 | 402.35 | 461.60 | 480.86 | 117.83 |
| 1996-2000 | 0.79 | 3.28 | 11.18 | 29.47 | 64.32 | 115.39 | 187.18 | 301.80 | 381.41 | 440.37 | 446.91 | 108.40 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.87 | 1.21 | 2.62 | 4.59 | 7.82 | 11.90 | 16.80 | 23.08 | 28.93 | 31.03 | 23.99 | 9.65 |
| 1956-1960 | 0.59 | 1.35 | 2.74 | 5.03 | 7.86 | 13.00 | 17.77 | 25.18 | 31.42 | 34.99 | 30.44 | 10.45 |
| 1961-1965 | 0.62 | 1.47 | 2.93 | 5.21 | 8.88 | 14.10 | 22.03 | 29.24 | 37.42 | 40.86 | 39.51 | 12.12 |
| 1966-1970 | 0.50 | 1.08 | 2.70 | 5.00 | 8.76 | 13.40 | 20.64 | 30.04 | 35.50 | 43.70 | 44.47 | 11.93 |
| 1971-1975 | 0.42 | 0.97 | 2.40 | 5.01 | 7.96 | 14.19 | 20.78 | 29.16 | 36.70 | 44.49 | 47.55 | 11.96 |
| 1976-1980 | 0.52 | 1.17 | 2.60 | 5.37 | 8.78 | 15.61 | 23.40 | 31.00 | 41.60 | 53.09 | 56.94 | 13.42 |
| 1981-1985 | 0.67 | 1.63 | 2.92 | 5.80 | 11.72 | 17.82 | 28.46 | 37.38 | 46.25 | 56.53 | 63.33 | 15.59 |
| 1986-1990 | 0.68 | 2.15 | 5.18 | 7.84 | 12.01 | 22.68 | 33.19 | 46.57 | 59.12 | 62.39 | 70.45 | 18.85 |
| 1991-1995 | 0.68 | 2.19 | 5.42 | 11.25 | 15.97 | 22.19 | 38.26 | 52.04 | 65.13 | 74.17 | 76.49 | 21.45 |
| 1996-2000 | 0.58 | 2.34 | 6.32 | 12.99 | 21.73 | 26.76 | 38.18 | 57.20 | 71.51 | 84.61 | 89.70 | 24.31 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.10
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Germany



Birth Cohort Legend




Table L1.11
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Greece

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | | | | | | | | | | | | |
| 1956-1960 | | | | | | | | | | | | |
| 1961-1965 | 1.33 | 3.22 | 9.27 | 21.71 | 41.74 | 85.13 | 147.20 | 207.49 | 223.99 | 208.47 | 188.01 | 69.55 |
| 1966-1970 | 1.75 | 3.41 | 10.01 | 22.90 | 48.48 | 92.96 | 150.26 | 239.11 | 282.82 | 279.35 | 238.43 | 80.66 |
| 1971-1975 | 1.93 | 3.78 | 11.02 | 26.56 | 60.04 | 103.55 | 167.93 | 255.06 | 327.31 | 355.03 | 311.07 | 92.99 |
| 1976-1980 | 2.35 | 6.21 | 12.12 | 30.06 | 67.68 | 126.18 | 206.59 | 294.25 | 376.34 | 416.70 | 385.44 | 109.71 |
| 1981-1985 | 3.10 | 6.05 | 15.16 | 31.70 | 67.50 | 141.32 | 222.36 | 305.31 | 394.19 | 434.26 | 401.28 | 116.03 |
| 1986-1990 | 2.56 | 8.46 | 20.77 | 36.82 | 68.91 | 132.88 | 224.92 | 317.79 | 420.96 | 479.50 | 443.11 | 121.80 |
| 1991-1995 | 2.39 | 8.74 | 20.85 | 42.15 | 72.86 | 130.25 | 216.28 | 325.67 | 428.71 | 509.68 | 478.44 | 124.62 |
| 1996-2000 | 1.96 | 5.84 | 19.78 | 45.56 | 82.92 | 130.52 | 198.95 | 318.34 | 422.41 | 473.49 | 545.94 | 123.28 |
| | | | | | | | | | | | | |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | | | | | | | | | | | | |
| 1956-1960 | | | | | | | | | | | | |
| 1961-1965 | 0.99 | 2.75 | 4.84 | 7.63 | 11.31 | 15.83 | 20.64 | 25.75 | 32.63 | 35.45 | 33.61 | 12.43 |
| 1966-1970 | 1.08 | 2.61 | 4.67 | 9.20 | 13.13 | 16.51 | 23.65 | 31.15 | 36.83 | 43.03 | 43.29 | 14.23 |
| 1971-1975 | 1.05 | 2.52 | 4.25 | 7.87 | 12.88 | 15.95 | 25.85 | 33.11 | 37.65 | 42.97 | 50.98 | 14.42 |
| 1976-1980 | 1.41 | 2.21 | 4.39 | 7.07 | 13.18 | 18.25 | 25.80 | 34.95 | 45.47 | 55.06 | 68.14 | 15.91 |
| 1981-1985 | 0.79 | 1.68 | 4.48 | 5.68 | 10.14 | 19.44 | 26.42 | 36.96 | 47.91 | 51.29 | 62.73 | 15.45 |
| 1986-1990 | 0.64 | 1.63 | 4.11 | 6.42 | 10.50 | 17.94 | 27.40 | 37.33 | 53.86 | 65.64 | 64.53 | 16.33 |
| 1991-1995 | 0.54 | 1.74 | 4.87 | 7.47 | 10.73 | 17.29 | 28.32 | 36.15 | 56.25 | 68.53 | 79.32 | 17.01 |
| 1996-2000 | 0.94 | 1.78 | 5.75 | 6.98 | 12.92 | 19.26 | 25.22 | 37.11 | 55.25 | 69.46 | 91.90 | 17.59 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.11
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Greece



Birth Cohort Legend




Table L1.12
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex

Hungary

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.80 | 3.90 | 8.26 | 23.76 | 46.75 | 82.32 | 133.89 | 129.63 | 126.07 | 82.79 | 50.91 | 51.09 |
| 1956-1960 | 1.52 | 3.58 | 8.07 | 18.51 | 49.76 | 102.23 | 146.33 | 175.62 | 160.35 | 130.50 | 89.26 | 61.59 |
| 1961-1965 | 1.62 | 4.58 | 9.36 | 21.57 | 51.93 | 106.20 | 180.59 | 248.54 | 251.73 | 212.67 | 149.69 | 80.14 |
| 1966-1970 | 2.73 | 5.37 | 12.70 | 25.74 | 55.12 | 107.04 | 205.57 | 304.24 | 342.21 | 332.98 | 229.07 | 98.58 |
| 1971-1975 | 2.10 | 6.16 | 17.04 | 34.84 | 64.57 | 113.64 | 200.46 | 319.98 | 416.74 | 441.77 | 347.65 | 112.83 |
| 1976-1980 | 2.75 | 8.78 | 24.86 | 54.12 | 95.82 | 150.45 | 223.97 | 331.23 | 469.04 | 538.51 | 484.80 | 136.09 |
| 1981-1985 | 3.42 | 12.63 | 30.93 | 71.32 | 136.34 | 214.84 | 280.06 | 355.68 | 477.34 | 562.11 | 551.01 | 160.75 |
| 1986-1990 | 5.21 | 14.41 | 38.73 | 86.74 | 170.80 | 258.19 | 350.50 | 428.56 | 479.93 | 532.86 | 559.30 | 183.78 |
| 1991-1995 | 2.95 | 15.33 | 50.31 | 101.44 | 191.08 | 295.04 | 387.81 | 490.87 | 530.33 | 542.24 | 535.97 | 203.78 |
| 1996-2000 | 2.34 | 13.19 | 46.13 | 108.89 | 181.32 | 279.19 | 425.16 | 504.54 | 578.66 | 555.19 | 532.09 | 208.23 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.49 | 1.92 | 3.18 | 4.75 | 13.21 | 18.01 | 24.70 | 28.39 | 32.67 | 41.06 | 21.28 | 12.70 |
| 1956-1960 | 0.77 | 2.42 | 4.14 | 6.26 | 10.30 | 20.23 | 25.65 | 33.88 | 45.82 | 42.98 | 37.55 | 14.52 |
| 1961-1965 | 1.45 | 2.48 | 4.09 | 8.86 | 12.57 | 18.50 | 31.03 | 37.83 | 53.63 | 58.61 | 67.91 | 17.31 |
| 1966-1970 | 1.14 | 1.95 | 4.28 | 7.89 | 12.17 | 20.40 | 29.24 | 41.66 | 56.79 | 67.21 | 71.30 | 17.92 |
| 1971-1975 | 1.01 | 2.70 | 4.22 | 7.65 | 13.46 | 24.08 | 30.35 | 43.97 | 64.23 | 81.27 | 89.29 | 20.00 |
| 1976-1980 | 1.40 | 2.37 | 5.82 | 11.74 | 16.49 | 26.11 | 37.58 | 50.31 | 65.86 | 83.93 | 94.34 | 22.68 |
| 1981-1985 | 1.62 | 4.05 | 8.25 | 15.18 | 21.86 | 32.07 | 40.18 | 59.67 | 73.57 | 89.32 | 99.98 | 26.57 |
| 1986-1990 | 2.08 | 5.71 | 11.28 | 18.65 | 29.42 | 42.33 | 56.41 | 69.45 | 88.96 | 97.27 | 125.65 | 33.41 |
| 1991-1995 | 2.61 | 8.04 | 17.29 | 27.98 | 37.53 | 52.67 | 73.14 | 80.36 | 102.85 | 122.77 | 137.35 | 41.94 |
| 1996-2000 | 1.65 | 8.69 | 21.78 | 36.50 | 51.31 | 63.69 | 80.95 | 101.39 | 117.09 | 132.24 | 161.23 | 50.16 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.12
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Hungary






Table L1.13
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Iceland

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.00 | 4.15 | 4.55 | 4.90 | 28.41 | 25.00 | 15.38 | 31.58 | 30.77 | 61.22 | 0.00 | 15.39 |
| 1956-1960 | 3.44 | 3.73 | 4.20 | 14.02 | 25.13 | 58.82 | 39.74 | 42.02 | 36.59 | 39.22 | 0.00 | 22.53 |
| 1961-1965 | 0.00 | 3.50 | 11.32 | 21.55 | 43.06 | 68.78 | 50.63 | 21.90 | 38.46 | 48.39 | 64.52 | 28.32 |
| 1966-1970 | 0.00 | 0.00 | 7.07 | 19.38 | 40.36 | 50.76 | 94.67 | 70.92 | 104.35 | 101.27 | 51.28 | 37.43 |
| 1971-1975 | 0.00 | 0.00 | 10.17 | 14.55 | 44.53 | 61.32 | 54.64 | 116.13 | 76.27 | 166.67 | 78.43 | 39.84 |
| 1976-1980 | 0.00 | 3.36 | 7.38 | 17.42 | 45.11 | 55.32 | 116.75 | 96.97 | 172.93 | 247.31 | 83.33 | 52.02 |
| 1981-1985 | 0.00 | 0.00 | 13.61 | 34.09 | 32.14 | 90.55 | 159.09 | 221.59 | 221.43 | 163.46 | 203.13 | 71.04 |
| 1986-1990 | 0.00 | 0.00 | 2.56 | 6.90 | 38.46 | 77.78 | 133.33 | 220.00 | 251.66 | 339.45 | 285.71 | 72.65 |
| 1991-1995 | 0.00 | 0.00 | 15.22 | 13.02 | 28.07 | 79.68 | 85.94 | 222.73 | 320.00 | 310.92 | 328.77 | 73.28 |
| 1996-2000 | 0.00 | 0.00 | 15.46 | 17.44 | 14.71 | 80.00 | 153.06 | 308.51 | 297.30 | 461.54 | 468.75 | 91.01 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.00 | 4.27 | 0.00 | 5.10 | 16.95 | 0.00 | 21.58 | 0.00 | 12.50 | 44.78 | 0.00 | 7.49 |
| 1956-1960 | 0.00 | 3.89 | 0.00 | 14.29 | 10.47 | 5.85 | 25.00 | 53.44 | 53.76 | 46.88 | 44.44 | 15.60 |
| 1961-1965 | 0.00 | 3.66 | 3.95 | 8.77 | 9.62 | 26.88 | 6.13 | 20.00 | 51.72 | 52.63 | 22.73 | 13.16 |
| 1966-1970 | 0.00 | 0.00 | 3.70 | 12.05 | 17.94 | 64.04 | 33.90 | 26.32 | 22.56 | 41.67 | 75.47 | 20.02 |
| 1971-1975 | 0.00 | 7.35 | 3.52 | 18.87 | 36.89 | 27.65 | 51.81 | 36.14 | 94.89 | 45.05 | 57.97 | 26.23 |
| 1976-1980 | 0.00 | 6.83 | 11.15 | 10.71 | 23.08 | 59.07 | 72.12 | 82.87 | 112.58 | 84.75 | 83.33 | 35.70 |
| 1981-1985 | 0.00 | 5.46 | 17.30 | 37.59 | 25.27 | 35.43 | 100.00 | 134.02 | 182.93 | 132.81 | 130.43 | 49.87 |
| 1986-1990 | 0.00 | 2.30 | 8.22 | 20.83 | 64.64 | 84.25 | 97.56 | 119.82 | 173.18 | 184.40 | 171.72 | 57.22 |
| 1991-1995 | 3.80 | 2.03 | 11.52 | 32.97 | 49.47 | 54.26 | 125.00 | 170.94 | 140.00 | 259.74 | 211.01 | 62.20 |
| 1996-2000 | 4.72 | 0.00 | 10.75 | 6.17 | 75.76 | 88.24 | 117.65 | 160.00 | 178.57 | 287.88 | 260.87 | 68.07 |

[E Std] : Adjusted to age distribution of European Standard Population
Zero values can not be plotted in corresponding figures opposite due to log scale

Figure L1.13
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Iceland



Birth Cohort Legend




Table L1.14
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex

Ireland



| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 3.05 | 4.91 | 9.74 | 22.73 | 32.26 | 50.15 | 50.57 | 38.04 | 34.34 | 9.55 | 7.04 | 24.00 |
| 1951-1955 | 3.23 | 3.90 | 14.40 | 28.12 | 50.26 | 77.36 | 81.81 | 77.43 | 59.09 | 44.97 | 38.87 | 39.08 |
| 1956-1960 | 1.71 | 6.51 | 11.97 | 34.91 | 57.06 | 108.14 | 135.58 | 135.97 | 106.30 | 72.34 | 45.57 | 56.52 |
| 1961-1965 | 1.61 | 5.77 | 14.38 | 26.90 | 62.76 | 114.31 | 170.03 | 197.50 | 162.14 | 127.38 | 83.13 | 70.18 |
| 1966-1970 | 2.94 | 5.80 | 14.45 | 37.45 | 72.40 | 130.88 | 205.51 | 257.78 | 259.53 | 217.27 | 152.87 | 91.81 |
| 1971-1975 | 2.45 | 7.03 | 14.74 | 31.74 | 76.51 | 126.26 | 215.77 | 313.74 | 349.80 | 314.58 | 253.56 | 106.26 |
| 1976-1980 | 1.86 | 3.56 | 12.53 | 31.71 | 74.59 | 133.42 | 228.66 | 329.23 | 401.48 | 495.86 | 327.15 | 118.82 |
| 1981-1985 | 0.83 | 3.93 | 9.92 | 32.21 | 74.48 | 141.87 | 233.70 | 336.19 | 437.12 | 506.58 | 528.13 | 126.19 |
| 1986-1990 | 0.98 | 2.73 | 8.20 | 24.48 | 58.98 | 116.01 | 225.94 | 334.86 | 434.62 | 553.68 | 597.59 | 122.17 |
| 1991-1995 | 0.32 | 2.98 | 7.23 | 22.31 | 48.59 | 106.16 | 195.39 | 320.00 | 428.86 | 533.56 | 579.10 | 114.23 |
| 1996-2000 | 0.52 | 1.83 | 5.19 | 13.62 | 46.24 | 86.65 | 157.49 | 302.13 | 349.77 | 480.00 | 533.65 | 98.76 |

| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 2.07 | 0.00 | 3.51 | 3.74 | 3.86 | 12.38 | 11.55 | 27.73 | 17.68 | 6.13 | 0.00 | 7.15 |
| 1951-1955 | 0.65 | 3.52 | 4.76 | 8.66 | 13.55 | 18.10 | 22.58 | 24.61 | 23.69 | 16.83 | 14.35 | 11.73 |
| 1956-1960 | 0.95 | 2.01 | 4.07 | 8.31 | 14.27 | 21.42 | 27.09 | 29.43 | 35.79 | 25.66 | 32.36 | 13.93 |
| 1961-1965 | 1.06 | 2.43 | 4.03 | 9.46 | 20.38 | 23.76 | 32.66 | 42.48 | 36.35 | 29.03 | 34.69 | 16.77 |
| 1966-1970 | 0.82 | 1.05 | 6.02 | 11.25 | 21.32 | 32.05 | 47.29 | 56.62 | 45.73 | 53.07 | 40.80 | 21.83 |
| 1971-1975 | 0.76 | 1.87 | 6.10 | 14.18 | 28.28 | 46.09 | 59.44 | 77.63 | 93.71 | 75.26 | 86.91 | 31.45 |
| 1976-1980 | 0.58 | 1.87 | 7.45 | 12.96 | 31.87 | 41.22 | 78.89 | 85.62 | 112.11 | 104.23 | 97.73 | 35.89 |
| 1981-1985 | 1.03 | 2.73 | 4.18 | 11.53 | 31.16 | 57.82 | 83.87 | 116.06 | 139.91 | 151.72 | 124.61 | 43.44 |
| 1986-1990 | 0.49 | 1.22 | 2.91 | 12.55 | 25.48 | 52.47 | 93.66 | 116.38 | 164.04 | 182.69 | 169.55 | 45.97 |
| 1991-1995 | 0.62 | 1.14 | 5.03 | 13.37 | 22.66 | 41.17 | 75.65 | 126.03 | 163.32 | 203.42 | 200.74 | 45.12 |
| 1996-2000 | 0.50 | 2.29 | 6.50 | 8.21 | 25.40 | 36.05 | 64.45 | 117.05 | 163.45 | 225.63 | 211.39 | 43.93 |

[E Std] : Adjusted to age distribution of European Standard Population
Zero values can not be plotted in corresponding figures opposite due to log scale

Figure L1.14
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Ireland



Birth Cohort Legend




Table L1.15
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex

Israel



| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 2.44 | 0.00 | 6.41 | 8.38 | 45.80 | 34.88 | 31.25 | 60.24 | 140.00 | 156.25 | 125.00 | 34.02 |
| 1951-1955 | 1.43 | 2.06 | 4.86 | 10.60 | 26.11 | 42.77 | 52.47 | 125.97 | 108.96 | 107.14 | 80.36 | 35.00 |
| 1956-1960 | 1.35 | 1.01 | 6.58 | 8.28 | 34.40 | 56.10 | 98.21 | 112.20 | 133.21 | 162.34 | 136.36 | 44.62 |
| 1961-1965 | 0.63 | 3.50 | 5.94 | 14.01 | 27.06 | 56.40 | 92.02 | 127.24 | 160.15 | 169.64 | 189.57 | 47.76 |
| 1966-1970 | 0.58 | 3.08 | 7.70 | 15.75 | 22.96 | 53.90 | 97.15 | 155.32 | 214.16 | 213.38 | 248.30 | 55.33 |
| 1971-1975 | 1.05 | 3.54 | 10.61 | 20.87 | 34.94 | 60.63 | 101.49 | 158.18 | 233.25 | 277.45 | 221.15 | 62.09 |
| 1976-1980 | 1.79 | 3.49 | 10.45 | 24.48 | 45.88 | 70.14 | 88.07 | 148.11 | 232.40 | 266.93 | 272.88 | 63.57 |
| 1981-1985 | 0.90 | 1.81 | 8.55 | 25.16 | 40.85 | 71.49 | 101.37 | 129.80 | 184.75 | 231.22 | 266.27 | 58.55 |
| 1986-1990 | 1.25 | 1.82 | 7.77 | 23.39 | 43.18 | 78.55 | 106.61 | 155.15 | 182.09 | 214.15 | 266.43 | 60.85 |
| 1991-1995 | 0.78 | 1.95 | 7.77 | 18.79 | 42.27 | 80.67 | 117.77 | 184.23 | 212.40 | 234.42 | 260.23 | 65.66 |
| 1996-2000 | 1.08 | 2.23 | 6.25 | 15.33 | 34.78 | 72.97 | 119.01 | 189.74 | 202.49 | 254.07 | 276.09 | 64.31 |

| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 2.48 | 0.00 | 4.98 | 23.49 | 13.22 | 6.62 | 29.63 | 21.05 | 46.88 | 30.30 | 0.00 | 13.97 |
| 1951-1955 | 1.13 | 1.96 | 4.68 | 5.71 | 6.30 | 13.79 | 20.08 | 26.50 | 59.43 | 46.33 | 20.13 | 12.83 |
| 1956-1960 | 0.31 | 1.39 | 4.03 | 7.92 | 15.50 | 18.86 | 25.30 | 54.29 | 53.29 | 88.89 | 48.31 | 18.69 |
| 1961-1965 | 1.48 | 1.72 | 3.48 | 6.46 | 8.42 | 16.53 | 22.58 | 35.97 | 48.07 | 72.27 | 55.97 | 15.21 |
| 1966-1970 | 0.56 | 2.27 | 3.54 | 9.01 | 12.10 | 17.68 | 30.22 | 41.48 | 61.01 | 66.67 | 90.91 | 18.26 |
| 1971-1975 | 0.78 | 2.08 | 2.90 | 7.63 | 17.92 | 25.77 | 29.10 | 41.54 | 54.82 | 64.38 | 89.17 | 19.07 |
| 1976-1980 | 0.32 | 0.45 | 4.33 | 9.39 | 9.76 | 23.71 | 37.45 | 47.09 | 61.15 | 73.31 | 99.56 | 19.95 |
| 1981-1985 | 0.77 | 1.13 | 1.57 | 4.73 | 13.59 | 19.80 | 30.29 | 49.22 | 57.84 | 88.91 | 84.24 | 18.84 |
| 1986-1990 | 0.74 | 1.02 | 2.73 | 6.92 | 12.68 | 19.57 | 36.75 | 39.80 | 64.71 | 99.92 | 92.86 | 19.92 |
| 1991-1995 | 0.78 | 1.11 | 2.68 | 6.01 | 12.03 | 21.21 | 34.48 | 52.67 | 68.18 | 96.85 | 112.87 | 21.07 |
| 1996-2000 | 1.06 | 0.80 | 3.76 | 8.24 | 14.48 | 14.70 | 33.30 | 39.51 | 76.76 | 91.92 | 114.06 | 20.34 |

[E Std] : Adjusted to age distribution of European Standard Population
Zero values can not be plotted in corresponding figures opposite due to log scale

Figure L1.15
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Israel



Birth Cohort Legend




Table L1.16
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Italy

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 1.15 | 3.27 | 9.15 | 23.07 | 43.63 | 58.82 | 58.59 | 51.61 | 44.85 | 39.61 | 29.09 | 29.59 |
| 1956-1960 | 1.80 | 3.73 | 10.18 | 24.43 | 55.47 | 90.42 | 109.25 | 100.65 | 78.04 | 63.29 | 47.38 | 45.87 |
| 1961-1965 | 1.83 | 6.24 | 12.89 | 28.05 | 58.64 | 111.44 | 159.10 | 170.01 | 136.05 | 100.56 | 66.65 | 63.81 |
| 1966-1970 | 1.94 | 6.03 | 16.77 | 36.24 | 68.19 | 118.23 | 199.51 | 249.99 | 242.31 | 168.73 | 108.09 | 85.42 |
| 1971-1975 | 2.05 | 6.33 | 19.28 | 46.76 | 85.38 | 134.73 | 209.06 | 293.72 | 325.04 | 287.58 | 171.68 | 104.81 |
| 1976-1980 | 2.14 | 7.04 | 19.65 | 51.35 | 106.29 | 167.99 | 244.21 | 322.26 | 377.17 | 367.93 | 289.62 | 124.65 |
| 1981-1985 | 1.93 | 6.16 | 18.46 | 47.69 | 107.16 | 193.55 | 279.93 | 362.27 | 428.44 | 470.79 | 418.96 | 141.53 |
| 1986-1990 | 1.41 | 4.91 | 16.36 | 42.62 | 88.45 | 183.17 | 299.09 | 395.13 | 472.76 | 508.26 | 494.56 | 146.08 |
| 1991-1995 | 1.24 | 3.73 | 13.35 | 34.67 | 75.95 | 146.94 | 264.73 | 398.07 | 484.34 | 517.85 | 504.68 | 137.38 |
| 1996-2000 | 0.81 | 2.95 | 10.18 | 29.14 | 66.97 | 122.18 | 217.59 | 358.67 | 484.90 | 542.08 | 523.16 | 126.57 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.65 | 1.26 | 2.67 | 4.06 | 6.22 | 9.27 | 12.71 | 15.64 | 18.91 | 18.37 | 13.31 | 7.01 |
| 1956-1960 | 0.64 | 1.35 | 2.65 | 4.68 | 7.68 | 11.39 | 15.51 | 19.57 | 23.64 | 24.10 | 19.86 | 8.61 |
| 1961-1965 | 0.94 | 1.47 | 2.94 | 5.46 | 7.79 | 12.78 | 17.47 | 23.09 | 29.98 | 34.11 | 27.32 | 10.22 |
| 1966-1970 | 0.72 | 1.56 | 2.97 | 5.19 | 9.43 | 13.03 | 20.76 | 27.04 | 32.96 | 36.26 | 35.05 | 11.35 |
| 1971-1975 | 0.81 | 1.40 | 3.34 | 5.82 | 9.93 | 14.78 | 20.11 | 28.84 | 35.94 | 43.85 | 43.97 | 12.38 |
| 1976-1980 | 0.72 | 1.67 | 3.07 | 5.76 | 10.84 | 17.00 | 25.46 | 33.06 | 40.71 | 49.10 | 54.58 | 14.12 |
| 1981-1985 | 0.59 | 1.42 | 3.23 | 6.16 | 11.03 | 18.34 | 28.28 | 38.16 | 48.59 | 59.17 | 63.84 | 15.88 |
| 1986-1990 | 0.64 | 1.84 | 3.47 | 6.67 | 11.09 | 19.64 | 31.60 | 43.28 | 58.06 | 66.59 | 72.20 | 17.76 |
| 1991-1995 | 0.72 | 2.09 | 3.58 | 7.74 | 11.62 | 20.06 | 31.09 | 46.81 | 61.30 | 76.20 | 82.51 | 18.97 |
| 1996-2000 | 0.75 | 1.65 | 4.32 | 7.65 | 14.20 | 19.27 | 29.06 | 47.22 | 65.26 | 78.77 | 88.41 | 19.49 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.16
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Italy



Birth Cohort Legend




Table L1.17
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex

Japan



| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 0.13 | 0.42 | 0.86 | 2.13 | 4.89 | 7.69 | 13.70 | 21.86 | 20.36 | 21.29 | 8.37 | 6.66 |
| 1951-1955 | 0.47 | 0.70 | 1.70 | 3.88 | 8.03 | 13.37 | 20.99 | 31.13 | 31.30 | 24.79 | 15.23 | 10.21 |
| 1956-1960 | 0.67 | 1.15 | 2.66 | 6.32 | 13.59 | 26.23 | 41.42 | 59.38 | 75.79 | 62.10 | 45.86 | 20.90 |
| 1961-1965 | 0.86 | 1.73 | 3.42 | 7.93 | 17.67 | 33.15 | 59.11 | 82.61 | 107.76 | 108.83 | 78.69 | 29.75 |
| 1966-1970 | 0.77 | 1.90 | 4.25 | 8.11 | 19.21 | 39.24 | 70.54 | 111.73 | 146.81 | 144.51 | 120.68 | 37.94 |
| 1971-1975 | 0.90 | 2.02 | 4.69 | 9.78 | 19.84 | 41.79 | 77.87 | 134.90 | 188.92 | 207.12 | 175.08 | 46.36 |
| 1976-1980 | 0.98 | 2.10 | 4.70 | 11.48 | 23.35 | 46.96 | 89.16 | 151.63 | 239.82 | 290.23 | 277.52 | 57.32 |
| 1981-1985 | 1.13 | 2.48 | 5.14 | 11.13 | 26.10 | 52.51 | 97.60 | 175.01 | 273.69 | 373.36 | 393.47 | 67.61 |
| 1986-1990 | 1.05 | 2.95 | 6.28 | 11.53 | 23.44 | 55.43 | 106.14 | 185.36 | 295.24 | 408.25 | 494.56 | 73.54 |
| 1991-1995 | 1.07 | 3.02 | 7.25 | 13.87 | 24.67 | 49.59 | 109.18 | 195.79 | 309.55 | 443.63 | 539.67 | 77.34 |
| 1996-2000 | 0.91 | 2.77 | 7.45 | 14.88 | 28.21 | 49.64 | 93.76 | 191.24 | 317.13 | 460.26 | 592.85 | 78.14 |

| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 0.21 | 0.37 | 0.83 | 1.11 | 2.70 | 3.58 | 4.10 | 5.03 | 5.94 | 4.55 | 3.33 | 2.30 |
| 1951-1955 | 0.37 | 0.68 | 1.36 | 2.22 | 3.67 | 4.71 | 7.56 | 9.66 | 9.45 | 7.69 | 4.92 | 3.77 |
| 1956-1960 | 0.57 | 1.13 | 2.13 | 4.05 | 6.27 | 9.44 | 14.07 | 19.26 | 20.90 | 20.43 | 13.58 | 7.50 |
| 1961-1965 | 0.74 | 1.47 | 2.53 | 4.61 | 8.42 | 12.86 | 19.15 | 26.01 | 31.17 | 33.49 | 26.92 | 10.51 |
| 1966-1970 | 0.71 | 1.42 | 2.93 | 5.08 | 9.24 | 14.01 | 23.13 | 31.02 | 40.81 | 43.43 | 36.73 | 12.60 |
| 1971-1975 | 0.73 | 1.56 | 2.55 | 5.17 | 8.70 | 15.07 | 22.44 | 35.21 | 48.84 | 54.69 | 50.12 | 13.94 |
| 1976-1980 | 0.78 | 1.53 | 2.79 | 5.46 | 8.89 | 15.41 | 25.76 | 39.84 | 58.56 | 75.48 | 78.59 | 16.46 |
| 1981-1985 | 0.80 | 1.77 | 3.45 | 5.40 | 9.33 | 15.86 | 26.98 | 43.70 | 66.96 | 91.97 | 106.77 | 18.60 |
| 1986-1990 | 0.81 | 1.94 | 3.42 | 5.62 | 10.20 | 16.47 | 25.57 | 44.16 | 69.10 | 99.27 | 123.85 | 19.41 |
| 1991-1995 | 0.70 | 1.70 | 3.86 | 6.81 | 10.79 | 17.16 | 26.68 | 42.42 | 68.46 | 105.62 | 138.33 | 20.14 |
| 1996-2000 | 0.69 | 1.80 | 3.68 | 7.17 | 12.10 | 17.34 | 27.83 | 42.16 | 65.60 | 104.38 | 148.10 | 20.42 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.17
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Japan



Birth Cohort Legend




Table L1.18
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex

Netherlands



| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 1.47 | 3.58 | 16.39 | 30.12 | 65.85 | 93.66 | 121.11 | 107.65 | 139.01 | 119.71 | 79.51 | 56.36 |
| 1951-1955 | 2.18 | 6.40 | 15.51 | 34.90 | 70.39 | 118.65 | 143.39 | 156.45 | 165.94 | 159.00 | 116.48 | 69.51 |
| 1956-1960 | 1.92 | 5.41 | 16.05 | 39.30 | 85.88 | 149.18 | 213.14 | 227.99 | 228.42 | 213.27 | 168.39 | 92.73 |
| 1961-1965 | 1.95 | 5.40 | 15.86 | 43.55 | 97.96 | 182.97 | 278.80 | 355.15 | 333.88 | 295.81 | 244.55 | 123.27 |
| 1966-1970 | 1.72 | 5.41 | 16.08 | 43.58 | 100.68 | 195.96 | 330.41 | 444.49 | 508.01 | 441.10 | 352.92 | 152.45 |
| 1971-1975 | 1.09 | 5.32 | 16.39 | 41.04 | 96.77 | 205.49 | 348.52 | 522.75 | 604.18 | 637.70 | 543.28 | 175.39 |
| 1976-1980 | 1.11 | 4.61 | 15.55 | 44.50 | 91.47 | 185.69 | 348.92 | 551.81 | 746.03 | 834.13 | 760.88 | 193.46 |
| 1981-1985 | 0.90 | 4.48 | 13.58 | 36.23 | 91.45 | 179.72 | 328.55 | 541.80 | 762.42 | 929.44 | 902.37 | 195.77 |
| 1986-1990 | 0.79 | 3.56 | 12.37 | 34.80 | 82.69 | 172.66 | 294.20 | 483.81 | 711.60 | 930.82 | 1006.21 | 185.44 |
| 1991-1995 | 0.82 | 3.42 | 11.17 | 27.91 | 62.34 | 143.23 | 272.53 | 423.83 | 617.79 | 820.12 | 959.27 | 162.68 |
| 1996-2000 | 0.78 | 2.89 | 11.12 | 25.51 | 58.43 | 110.80 | 229.77 | 387.60 | 541.90 | 729.78 | 844.76 | 142.59 |

| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 0.00 | 1.44 | 2.41 | 4.93 | 2.98 | 6.07 | 13.45 | 17.83 | 23.37 | 23.65 | 18.28 | 7.02 |
| 1951-1955 | 0.63 | 1.10 | 2.13 | 2.44 | 4.69 | 7.92 | 11.06 | 19.56 | 23.81 | 34.50 | 25.94 | 7.58 |
| 1956-1960 | 0.57 | 0.48 | 1.53 | 3.06 | 5.22 | 8.91 | 13.55 | 17.15 | 22.44 | 27.77 | 34.03 | 7.55 |
| 1961-1965 | 0.52 | 1.42 | 1.99 | 4.98 | 5.16 | 8.87 | 13.09 | 17.60 | 25.66 | 31.67 | 38.98 | 8.34 |
| 1966-1970 | 0.68 | 1.26 | 1.95 | 3.36 | 7.21 | 9.39 | 15.12 | 17.78 | 25.30 | 30.75 | 33.31 | 8.48 |
| 1971-1975 | 0.43 | 2.04 | 2.89 | 5.08 | 8.13 | 12.41 | 14.44 | 19.94 | 28.46 | 34.63 | 43.07 | 9.90 |
| 1976-1980 | 0.67 | 1.57 | 3.18 | 8.01 | 12.73 | 15.97 | 19.56 | 26.88 | 32.19 | 44.02 | 49.44 | 12.83 |
| 1981-1985 | 0.74 | 1.98 | 5.37 | 10.72 | 20.31 | 24.09 | 30.47 | 33.24 | 41.22 | 50.01 | 61.07 | 17.65 |
| 1986-1990 | 1.06 | 2.86 | 6.47 | 14.23 | 21.28 | 35.54 | 45.09 | 49.73 | 54.13 | 60.46 | 67.07 | 23.38 |
| 1991-1995 | 1.21 | 3.78 | 8.02 | 16.10 | 26.78 | 43.14 | 65.99 | 72.52 | 69.71 | 72.01 | 70.76 | 30.25 |
| 1996-2000 | 0.74 | 4.74 | 10.48 | 20.37 | 30.88 | 45.80 | 68.47 | 97.86 | 94.55 | 92.51 | 90.65 | 36.40 |

[E Std] : Adjusted to age distribution of European Standard Population
Zero values can not be plotted in corresponding figures opposite due to log scale

Figure L1.18
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Netherlands



Birth Cohort Legend




Table L1.19
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex

New Zealand



| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 0.00 | 4.33 | 6.15 | 19.43 | 40.08 | 57.93 | 71.43 | 125.00 | 98.43 | 86.33 | 76.92 | 39.99 |
| 1951-1955 | 0.55 | 2.60 | 7.60 | 26.14 | 42.91 | 96.54 | 122.32 | 147.34 | 148.87 | 135.14 | 78.95 | 55.98 |
| 1956-1960 | 1.98 | 1.07 | 8.20 | 27.77 | 48.65 | 85.71 | 152.04 | 212.95 | 216.64 | 226.64 | 146.19 | 71.24 |
| 1961-1965 | 1.24 | 6.99 | 10.66 | 29.24 | 49.03 | 99.02 | 191.56 | 252.12 | 266.56 | 286.64 | 235.74 | 86.59 |
| 1966-1970 | 0.77 | 3.72 | 12.30 | 30.95 | 68.68 | 117.80 | 220.56 | 288.38 | 372.37 | 403.02 | 339.22 | 107.87 |
| 1971-1975 | 1.27 | 3.26 | 13.25 | 28.25 | 65.49 | 137.91 | 212.79 | 332.45 | 402.68 | 482.88 | 382.72 | 117.11 |
| 1976-1980 | 0.72 | 4.26 | 7.82 | 31.52 | 71.03 | 129.02 | 229.16 | 331.49 | 463.04 | 521.26 | 508.77 | 124.89 |
| 1981-1985 | 0.83 | 2.19 | 8.78 | 26.80 | 66.81 | 136.90 | 215.98 | 324.60 | 414.78 | 542.00 | 577.11 | 122.20 |
| 1986-1990 | 0.62 | 0.67 | 5.66 | 21.61 | 49.42 | 124.97 | 213.77 | 311.71 | 389.44 | 514.66 | 552.97 | 113.61 |
| 1991-1995 | 0.42 | 1.66 | 5.35 | 16.55 | 45.14 | 87.84 | 173.80 | 264.97 | 376.81 | 445.82 | 533.55 | 98.13 |
| 1996-2000 | 0.23 | 2.48 | 4.00 | 13.07 | 35.73 | 71.63 | 162.62 | 244.53 | 341.58 | 409.51 | 435.82 | 87.31 |

| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 0.00 | 1.47 | 3.21 | 0.00 | 4.12 | 9.30 | 12.38 | 16.85 | 7.25 | 25.97 | 25.32 | 6.17 |
| 1951-1955 | 0.27 | 0.86 | 2.10 | 5.83 | 5.50 | 12.99 | 9.30 | 14.63 | 19.10 | 29.19 | 34.63 | 7.77 |
| 1956-1960 | 0.26 | 0.80 | 2.80 | 3.91 | 8.36 | 13.81 | 15.90 | 22.60 | 31.49 | 39.68 | 35.00 | 10.26 |
| 1961-1965 | 0.53 | 1.54 | 1.57 | 8.71 | 11.24 | 15.81 | 23.74 | 30.56 | 33.65 | 26.48 | 25.71 | 12.15 |
| 1966-1970 | 0.79 | 2.09 | 5.09 | 6.33 | 18.22 | 26.13 | 28.26 | 35.39 | 44.68 | 37.58 | 39.41 | 16.36 |
| 1971-1975 | 0.22 | 2.84 | 7.23 | 12.39 | 24.72 | 33.98 | 49.40 | 59.93 | 64.73 | 68.44 | 46.49 | 25.00 |
| 1976-1980 | 0.37 | 1.53 | 7.99 | 14.97 | 23.55 | 43.22 | 60.94 | 78.64 | 75.89 | 84.50 | 74.58 | 30.16 |
| 1981-1985 | 0.00 | 1.66 | 4.87 | 12.49 | 26.83 | 50.29 | 65.99 | 99.37 | 105.88 | 102.44 | 92.35 | 35.09 |
| 1986-1990 | 0.76 | 2.48 | 6.17 | 17.25 | 28.07 | 52.56 | 81.25 | 112.18 | 141.69 | 115.49 | 121.61 | 41.63 |
| 1991-1995 | 0.93 | 3.23 | 7.05 | 12.85 | 30.81 | 49.00 | 89.74 | 120.67 | 139.13 | 140.31 | 136.78 | 43.65 |
| 1996-2000 | 0.65 | 3.67 | 6.33 | 11.74 | 33.27 | 48.34 | 83.97 | 127.75 | 165.07 | 158.24 | 145.89 | 45.86 |

[E Std] : Adjusted to age distribution of European Standard Population
Zero values can not be plotted in corresponding figures opposite due to log scale

Figure L1.19
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

New Zealand



Birth Cohort Legend




Table L1.20
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Norway

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.89 | 1.26 | 4.46 | 10.30 | 24.47 | 34.66 | 40.46 | 43.40 | 30.76 | 34.53 | 31.89 | 19.05 |
| 1956-1960 | 0.32 | 1.50 | 4.77 | 10.04 | 20.76 | 50.98 | 67.31 | 64.11 | 53.79 | 51.71 | 50.21 | 26.35 |
| 1961-1965 | 0.37 | 1.83 | 6.41 | 12.49 | 25.95 | 51.39 | 79.77 | 87.68 | 93.36 | 66.47 | 57.79 | 33.18 |
| 1966-1970 | 0.80 | 1.70 | 6.72 | 16.90 | 29.35 | 53.66 | 91.30 | 136.78 | 130.85 | 114.04 | 81.36 | 43.14 |
| 1971-1975 | 1.20 | 1.80 | 7.05 | 15.58 | 35.71 | 66.72 | 100.82 | 142.62 | 181.87 | 149.52 | 121.06 | 51.25 |
| 1976-1980 | 0.51 | 2.23 | 6.86 | 18.32 | 38.60 | 78.20 | 113.20 | 166.85 | 215.31 | 232.04 | 162.32 | 61.44 |
| 1981-1985 | 0.76 | 3.08 | 6.74 | 20.04 | 46.55 | 86.84 | 139.10 | 197.49 | 255.64 | 268.20 | 234.09 | 72.93 |
| 1986-1990 | 0.75 | 1.89 | 7.09 | 21.71 | 41.93 | 88.42 | 138.31 | 217.17 | 280.18 | 296.60 | 278.66 | 77.09 |
| 1991-1995 | 0.49 | 1.37 | 5.59 | 16.25 | 43.81 | 82.50 | 150.25 | 227.55 | 300.46 | 318.82 | 302.38 | 79.83 |
| 1996-2000 | 0.58 | 1.22 | 6.07 | 17.06 | 41.91 | 72.29 | 142.86 | 222.97 | 285.53 | 357.82 | 332.15 | 78.79 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.30 | 0.48 | 0.33 | 2.66 | 3.77 | 9.18 | 12.68 | 16.03 | 19.99 | 20.88 | 17.36 | 6.33 |
| 1956-1960 | 0.17 | 0.76 | 0.96 | 2.84 | 3.24 | 9.09 | 10.46 | 16.91 | 19.85 | 19.09 | 20.80 | 6.23 |
| 1961-1965 | 0.77 | 0.69 | 1.08 | 3.24 | 5.11 | 7.21 | 12.91 | 11.44 | 18.86 | 21.48 | 28.18 | 6.38 |
| 1966-1970 | 0.21 | 0.19 | 2.41 | 4.19 | 8.05 | 9.92 | 14.37 | 18.24 | 24.61 | 25.27 | 32.32 | 8.33 |
| 1971-1975 | 0.00 | 1.03 | 3.72 | 5.57 | 9.60 | 12.91 | 17.81 | 21.11 | 26.04 | 32.72 | 36.41 | 10.19 |
| 1976-1980 | 0.41 | 1.62 | 2.48 | 6.67 | 11.78 | 20.09 | 21.87 | 27.43 | 32.95 | 31.73 | 33.21 | 12.43 |
| 1981-1985 | 0.27 | 1.78 | 3.24 | 11.84 | 15.30 | 25.48 | 33.21 | 38.80 | 46.35 | 48.17 | 46.76 | 17.56 |
| 1986-1990 | 0.52 | 2.42 | 6.44 | 8.14 | 20.82 | 34.90 | 48.79 | 57.35 | 66.44 | 62.97 | 60.98 | 23.88 |
| 1991-1995 | 0.13 | 1.30 | 5.65 | 13.50 | 22.50 | 41.34 | 62.12 | 79.56 | 78.84 | 83.41 | 70.63 | 29.51 |
| 1996-2000 | 0.40 | 1.71 | 8.03 | 17.08 | 33.98 | 51.77 | 67.01 | 101.07 | 110.88 | 100.54 | 85.05 | 37.45 |

[E Std] : Adjusted to age distribution of European Standard Population
Zero values can not be plotted in corresponding figures opposite due to log scale

Figure L1.20
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Norway



Birth Cohort Legend




Table L1.21
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Poland

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | | | | | | | | | | | | |
| 1956-1960 | 1.27 | 2.58 | 6.72 | 14.68 | 34.06 | 62.47 | 89.98 | 107.63 | 106.85 | 83.13 | 51.14 | 39.43 |
| 1961-1965 | 1.53 | 3.93 | 8.52 | 20.78 | 45.89 | 86.26 | 129.28 | 174.89 | 169.36 | 135.40 | 88.09 | 58.84 |
| 1966-1970 | 1.46 | 5.33 | 13.77 | 31.03 | 56.08 | 108.72 | 177.28 | 246.60 | 256.61 | 211.59 | 145.58 | 82.45 |
| 1971-1975 | 2.03 | 6.57 | 19.29 | 43.80 | 79.84 | 134.53 | 211.08 | 286.88 | 331.39 | 303.12 | 209.13 | 105.01 |
| 1976-1980 | 1.92 | 7.74 | 22.81 | 56.76 | 110.77 | 172.83 | 243.51 | 333.17 | 386.50 | 359.72 | 250.66 | 127.09 |
| 1981-1985 | 1.91 | 7.64 | 25.31 | 65.31 | 137.78 | 229.42 | 308.20 | 370.26 | 418.92 | 420.78 | 344.06 | 151.90 |
| 1986-1990 | 2.24 | 7.26 | 23.45 | 69.23 | 145.55 | 256.18 | 366.07 | 443.93 | 466.85 | 450.34 | 371.56 | 170.54 |
| 1991-1995 | 1.58 | 7.07 | 23.54 | 59.72 | 139.89 | 258.30 | 384.13 | 495.83 | 516.86 | 473.20 | 390.59 | 177.93 |
| 1996-2000 | 1.14 | 5.70 | 20.21 | 52.00 | 114.16 | 224.55 | 372.26 | 490.91 | 550.91 | 512.28 | 421.58 | 171.85 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | | | | | | | | | | | | |
| 1956-1960 | 0.84 | 1.48 | 2.08 | 4.20 | 6.34 | 9.01 | 14.75 | 21.60 | 18.38 | 20.83 | 15.49 | 7.70 |
| 1961-1965 | 0.84 | 1.48 | 2.65 | 5.40 | 7.95 | 11.69 | 17.08 | 25.79 | 28.85 | 28.81 | 19.94 | 9.84 |
| 1966-1970 | 0.48 | 1.51 | 2.76 | 5.19 | 9.33 | 14.17 | 21.21 | 31.41 | 35.10 | 37.20 | 30.81 | 11.82 |
| 1971-1975 | 0.54 | 1.37 | 3.49 | 6.44 | 9.84 | 14.70 | 21.40 | 32.68 | 41.46 | 44.77 | 39.23 | 13.05 |
| 1976-1980 | 0.64 | 1.32 | 2.87 | 6.33 | 12.85 | 21.74 | 29.68 | 36.37 | 46.26 | 48.89 | 46.71 | 15.64 |
| 1981-1985 | 0.68 | 2.10 | 4.57 | 7.36 | 15.62 | 25.81 | 36.28 | 43.01 | 51.78 | 58.42 | 52.11 | 18.66 |
| 1986-1990 | 0.74 | 2.22 | 5.46 | 10.17 | 18.69 | 27.79 | 43.59 | 55.21 | 61.90 | 66.50 | 62.22 | 22.28 |
| 1991-1995 | 0.80 | 2.29 | 7.37 | 14.66 | 21.70 | 31.39 | 48.97 | 63.25 | 72.22 | 73.99 | 70.90 | 25.88 |
| 1996-2000 | 0.61 | 2.48 | 6.96 | 17.75 | 26.96 | 38.48 | 46.13 | 62.20 | 78.70 | 83.23 | 73.66 | 28.03 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.21
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Poland



Birth Cohort Legend




Table L1.22
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Portugal

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.63 | 1.19 | 5.35 | 3.87 | 19.96 | 21.34 | 41.02 | 43.81 | 52.70 | 81.97 | 20.41 | 19.07 |
| 1956-1960 | 0.74 | 1.57 | 3.67 | 6.95 | 15.57 | 27.52 | 41.91 | 53.50 | 54.31 | 50.34 | 45.85 | 19.60 |
| 1961-1965 | 0.72 | 1.82 | 4.60 | 10.13 | 19.03 | 33.11 | 50.79 | 67.10 | 72.77 | 63.94 | 63.97 | 24.74 |
| 1966-1970 | 1.11 | 2.10 | 5.87 | 12.71 | 21.90 | 40.46 | 65.26 | 83.57 | 84.61 | 93.63 | 74.39 | 30.80 |
| 1971-1975 | 1.41 | 3.07 | 7.68 | 14.42 | 25.33 | 44.69 | 74.66 | 97.37 | 103.51 | 108.25 | 97.87 | 36.06 |
| 1976-1980 | 1.50 | 3.60 | 10.25 | 19.10 | 36.17 | 60.43 | 82.19 | 114.57 | 140.22 | 159.55 | 148.45 | 46.69 |
| 1981-1985 | 1.61 | 3.30 | 8.19 | 19.69 | 42.28 | 72.57 | 94.40 | 131.94 | 164.71 | 174.97 | 173.63 | 53.19 |
| 1986-1990 | 1.53 | 4.91 | 11.64 | 24.28 | 43.69 | 75.05 | 120.31 | 158.00 | 192.34 | 226.49 | 201.38 | 62.81 |
| 1991-1995 | 1.32 | 5.24 | 13.62 | 26.64 | 45.24 | 84.09 | 134.91 | 175.70 | 202.03 | 241.81 | 231.25 | 68.70 |
| 1996-2000 | 1.26 | 5.26 | 13.20 | 28.28 | 53.53 | 86.83 | 131.97 | 188.02 | 242.76 | 258.56 | 263.74 | 74.16 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.60 | 0.74 | 2.44 | 3.00 | 4.21 | 4.94 | 8.12 | 12.63 | 8.91 | 23.53 | 0.00 | 4.85 |
| 1956-1960 | 0.58 | 1.18 | 2.41 | 2.99 | 4.42 | 8.03 | 9.96 | 9.61 | 14.66 | 11.91 | 11.95 | 5.31 |
| 1961-1965 | 0.54 | 1.51 | 1.85 | 3.63 | 4.74 | 6.00 | 8.94 | 14.81 | 15.35 | 15.80 | 12.19 | 5.64 |
| 1966-1970 | 0.82 | 0.98 | 2.23 | 3.18 | 6.76 | 8.18 | 10.32 | 14.49 | 17.79 | 20.19 | 19.21 | 6.59 |
| 1971-1975 | 0.81 | 1.38 | 1.91 | 2.75 | 7.10 | 10.14 | 12.62 | 17.74 | 21.97 | 25.01 | 22.93 | 7.70 |
| 1976-1980 | 0.81 | 1.33 | 2.30 | 4.55 | 6.35 | 9.45 | 13.70 | 18.16 | 23.11 | 28.13 | 22.91 | 8.10 |
| 1981-1985 | 0.90 | 1.42 | 2.34 | 4.07 | 7.20 | 11.97 | 16.20 | 20.21 | 25.77 | 29.33 | 31.86 | 9.16 |
| 1986-1990 | 0.74 | 1.75 | 2.37 | 4.70 | 7.00 | 11.71 | 16.39 | 22.15 | 28.99 | 38.72 | 44.13 | 10.09 |
| 1991-1995 | 0.94 | 1.80 | 3.36 | 4.72 | 7.48 | 11.75 | 17.45 | 24.00 | 35.95 | 43.47 | 52.05 | 11.23 |
| 1996-2000 | 0.75 | 2.61 | 3.61 | 6.17 | 9.54 | 12.95 | 16.21 | 22.33 | 29.41 | 40.57 | 50.73 | 11.20 |

[E Std] : Adjusted to age distribution of European Standard Population
 Zero values can not be plotted in corresponding figures opposite due to log scale

Figure L1.22
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Portugal



Birth Cohort Legend




Table L1.23
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Romania

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | | | | | | | | | | | | |
| 1956-1960 | 1.25 | 2.60 | 6.78 | 20.06 | 40.58 | 72.91 | 126.86 | 134.78 | 111.55 | 89.96 | 74.59 | 48.20 |
| 1961-1965 | 2.49 | 4.38 | 8.68 | 29.13 | 44.26 | 97.85 | 146.83 | 184.01 | 157.69 | 136.91 | 111.98 | 63.19 |
| 1966-1970 | 2.28 | 5.97 | 11.27 | 25.36 | 51.40 | 99.06 | 150.94 | 192.70 | 181.82 | 137.27 | 100.91 | 66.33 |
| 1971-1975 | 2.79 | 5.48 | 15.21 | 32.19 | 61.01 | 104.79 | 148.47 | 190.24 | 194.57 | 165.29 | 97.95 | 70.73 |
| 1976-1980 | 2.74 | 7.62 | 20.32 | 43.55 | 78.46 | 115.96 | 160.28 | 191.06 | 192.63 | 165.66 | 106.58 | 77.61 |
| 1981-1985 | 3.22 | 7.79 | 23.82 | 55.80 | 90.61 | 138.12 | 170.38 | 187.09 | 162.42 | 139.32 | 94.59 | 81.39 |
| 1986-1990 | 3.53 | 9.59 | 23.88 | 65.54 | 114.71 | 168.60 | 195.55 | 206.53 | 176.13 | 141.20 | 85.31 | 93.44 |
| 1991-1995 | 3.33 | 11.27 | 30.75 | 62.78 | 126.28 | 190.35 | 221.39 | 228.68 | 210.74 | 163.08 | 108.61 | 104.85 |
| 1996-2000 | 2.16 | 9.19 | 27.93 | 65.07 | 111.80 | 186.35 | 247.75 | 261.73 | 236.83 | 203.50 | 138.73 | 110.23 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | | | | | | | | | | | | |
| 1956-1960 | 1.45 | 1.67 | 4.67 | 6.44 | 10.49 | 15.32 | 19.25 | 27.87 | 24.79 | 25.38 | 30.97 | 11.23 |
| 1961-1965 | 1.38 | 1.95 | 4.43 | 8.49 | 9.98 | 17.92 | 22.83 | 33.14 | 30.37 | 32.87 | 39.74 | 13.11 |
| 1966-1970 | 1.12 | 1.92 | 3.48 | 6.86 | 10.83 | 17.97 | 22.77 | 35.10 | 33.07 | 27.88 | 32.84 | 12.85 |
| 1971-1975 | 0.83 | 1.90 | 3.89 | 6.58 | 10.97 | 18.96 | 26.29 | 30.45 | 32.72 | 36.73 | 25.58 | 13.09 |
| 1976-1980 | 0.88 | 2.19 | 4.52 | 7.44 | 13.21 | 20.73 | 25.88 | 33.88 | 37.55 | 38.12 | 37.34 | 14.52 |
| 1981-1985 | 1.23 | 2.03 | 4.26 | 7.77 | 13.19 | 19.29 | 26.90 | 33.34 | 35.90 | 32.29 | 28.11 | 13.99 |
| 1986-1990 | 1.42 | 2.36 | 4.14 | 8.13 | 14.01 | 22.66 | 27.41 | 36.23 | 38.53 | 38.76 | 25.60 | 15.13 |
| 1991-1995 | 1.09 | 2.57 | 4.52 | 8.42 | 16.22 | 21.94 | 32.15 | 37.97 | 46.46 | 41.92 | 35.81 | 16.66 |
| 1996-2000 | 0.78 | 2.53 | 5.84 | 9.54 | 13.54 | 23.07 | 34.94 | 43.34 | 52.46 | 55.29 | 51.04 | 18.41 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.23
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Romania



Birth Cohort Legend




Table L1.24
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Spain

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.71 | 1.26 | 4.72 | 9.85 | 21.16 | 33.21 | 49.39 | 59.20 | 70.05 | 64.04 | 51.58 | 23.87 |
| 1956-1960 | 1.20 | 2.19 | 5.34 | 12.52 | 28.17 | 49.02 | 71.94 | 94.43 | 99.59 | 104.57 | 82.89 | 35.15 |
| 1961-1965 | 1.43 | 2.56 | 6.58 | 14.50 | 30.92 | 61.93 | 93.99 | 124.80 | 137.65 | 143.32 | 104.33 | 45.30 |
| 1966-1970 | 1.58 | 3.75 | 8.10 | 16.78 | 33.25 | 62.86 | 110.50 | 144.72 | 166.72 | 168.96 | 132.93 | 52.21 |
| 1971-1975 | 1.14 | 3.50 | 8.30 | 19.55 | 41.36 | 73.13 | 131.41 | 185.02 | 224.69 | 223.26 | 172.28 | 65.10 |
| 1976-1980 | 2.14 | 4.47 | 11.65 | 24.60 | 50.72 | 96.61 | 147.21 | 216.89 | 267.41 | 288.43 | 249.28 | 79.76 |
| 1981-1985 | 2.02 | 5.52 | 13.85 | 31.19 | 59.93 | 109.52 | 177.54 | 239.75 | 313.16 | 360.35 | 333.37 | 94.37 |
| 1986-1990 | 2.55 | 7.88 | 19.09 | 36.74 | 71.84 | 123.12 | 197.15 | 287.75 | 359.45 | 413.20 | 398.62 | 109.74 |
| 1991-1995 | 2.24 | 8.46 | 22.38 | 45.20 | 75.28 | 133.04 | 210.15 | 301.39 | 396.25 | 453.99 | 467.44 | 119.53 |
| 1996-2000 | 1.67 | 7.11 | 20.86 | 47.74 | 81.83 | 123.29 | 201.30 | 294.80 | 388.39 | 469.60 | 483.23 | 118.35 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.54 | 1.41 | 2.59 | 3.71 | 5.51 | 7.09 | 10.47 | 13.29 | 14.06 | 16.28 | 14.83 | 5.96 |
| 1956-1960 | 0.75 | 1.59 | 3.33 | 5.23 | 8.27 | 10.13 | 13.36 | 16.05 | 19.98 | 23.89 | 20.34 | 8.11 |
| 1961-1965 | 0.85 | 1.73 | 2.77 | 5.66 | 7.30 | 10.75 | 13.18 | 18.58 | 23.47 | 26.99 | 25.73 | 8.63 |
| 1966-1970 | 1.18 | 1.45 | 2.66 | 5.32 | 8.20 | 11.57 | 16.33 | 18.84 | 24.26 | 32.12 | 30.89 | 9.39 |
| 1971-1975 | 0.76 | 1.72 | 2.76 | 5.16 | 7.91 | 11.46 | 15.93 | 21.80 | 28.83 | 32.86 | 35.10 | 9.84 |
| 1976-1980 | 0.74 | 1.31 | 2.61 | 3.87 | 6.46 | 10.16 | 14.93 | 22.16 | 26.89 | 39.33 | 42.82 | 9.49 |
| 1981-1985 | 0.60 | 1.08 | 1.91 | 3.71 | 5.62 | 8.95 | 14.37 | 19.68 | 26.68 | 37.13 | 46.16 | 8.84 |
| 1986-1990 | 0.65 | 1.25 | 2.44 | 3.93 | 5.60 | 8.55 | 12.03 | 18.13 | 24.83 | 37.24 | 43.33 | 8.45 |
| 1991-1995 | 0.95 | 1.95 | 3.26 | 4.51 | 6.06 | 8.64 | 13.62 | 18.58 | 26.13 | 34.71 | 43.37 | 8.97 |
| 1996-2000 | 0.79 | 2.31 | 5.03 | 6.04 | 7.52 | 9.66 | 14.54 | 18.34 | 26.75 | 35.52 | 45.78 | 9.87 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.24
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Spain



Birth Cohort Legend




Table L1.25
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Sweden

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.64 | 1.56 | 3.12 | 9.84 | 21.04 | 43.46 | 59.01 | 51.38 | 62.30 | 51.37 | 40.79 | 24.02 |
| 1956-1960 | 0.80 | 1.94 | 4.65 | 8.68 | 24.60 | 45.19 | 75.52 | 89.35 | 90.50 | 84.19 | 71.82 | 32.19 |
| 1961-1965 | 0.53 | 2.00 | 4.93 | 11.19 | 23.64 | 47.92 | 85.99 | 121.11 | 128.21 | 123.59 | 96.57 | 39.75 |
| 1966-1970 | 0.60 | 1.48 | 6.09 | 11.88 | 23.13 | 48.03 | 91.47 | 143.96 | 177.39 | 169.78 | 128.90 | 46.86 |
| 1971-1975 | 1.06 | 2.57 | 5.96 | 14.49 | 30.42 | 52.53 | 96.51 | 156.83 | 226.37 | 262.67 | 223.66 | 57.76 |
| 1976-1980 | 0.58 | 3.23 | 7.73 | 14.72 | 32.41 | 65.16 | 101.26 | 158.77 | 232.55 | 319.76 | 302.98 | 63.99 |
| 1981-1985 | 0.89 | 2.12 | 6.91 | 16.46 | 34.75 | 61.98 | 105.26 | 158.66 | 199.50 | 278.54 | 285.03 | 60.74 |
| 1986-1990 | 0.61 | 2.05 | 5.46 | 14.82 | 30.42 | 66.02 | 98.46 | 155.80 | 209.80 | 253.45 | 276.88 | 58.90 |
| 1991-1995 | 0.26 | 1.80 | 4.86 | 13.95 | 29.48 | 54.91 | 106.33 | 165.88 | 203.54 | 238.83 | 251.38 | 57.44 |
| 1996-2000 | 0.10 | 0.89 | 3.46 | 10.12 | 28.22 | 49.31 | 94.70 | 158.10 | 203.71 | 254.71 | 240.79 | 54.69 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.66 | 0.46 | 2.44 | 4.61 | 5.85 | 11.77 | 16.53 | 21.51 | 29.47 | 26.67 | 21.12 | 8.93 |
| 1956-1960 | 0.73 | 1.46 | 1.91 | 3.89 | 6.52 | 9.47 | 18.18 | 22.95 | 32.53 | 33.15 | 35.30 | 9.65 |
| 1961-1965 | 0.62 | 0.89 | 1.91 | 4.47 | 7.08 | 9.32 | 16.20 | 23.24 | 27.16 | 37.92 | 39.57 | 9.49 |
| 1966-1970 | 0.27 | 0.97 | 2.59 | 5.04 | 8.28 | 11.30 | 18.36 | 24.45 | 35.39 | 42.04 | 47.08 | 10.98 |
| 1971-1975 | 0.46 | 0.89 | 2.83 | 5.30 | 10.97 | 14.86 | 21.97 | 28.11 | 44.92 | 55.24 | 58.73 | 13.55 |
| 1976-1980 | 0.62 | 1.07 | 4.40 | 7.84 | 12.48 | 18.74 | 26.88 | 37.12 | 42.77 | 53.78 | 67.45 | 15.78 |
| 1981-1985 | 0.73 | 1.86 | 5.14 | 10.13 | 16.87 | 22.94 | 36.32 | 46.23 | 52.56 | 57.07 | 73.71 | 19.51 |
| 1986-1990 | 0.85 | 1.60 | 5.84 | 13.25 | 19.18 | 30.20 | 41.84 | 59.30 | 65.69 | 66.84 | 64.28 | 23.35 |
| 1991-1995 | 0.62 | 1.88 | 5.63 | 13.94 | 24.44 | 36.53 | 51.47 | 65.82 | 82.50 | 82.63 | 73.75 | 27.71 |
| 1996-2000 | 0.63 | 1.98 | 5.42 | 12.01 | 27.05 | 40.69 | 59.36 | 78.40 | 87.88 | 101.67 | 90.51 | 31.10 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.25
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Sweden



Birth Cohort Legend




Table L1.26
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Switzerland

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.70 | 4.44 | 10.59 | 29.95 | 63.68 | 99.07 | 123.22 | 140.79 | 174.42 | 155.36 | 145.61 | 62.84 |
| 1956-1960 | 1.22 | 3.03 | 12.92 | 27.92 | 72.80 | 117.05 | 148.91 | 192.04 | 187.18 | 184.19 | 147.72 | 73.53 |
| 1961-1965 | 0.62 | 3.97 | 12.22 | 27.00 | 67.59 | 134.38 | 192.75 | 221.25 | 231.04 | 212.19 | 171.23 | 84.35 |
| 1966-1970 | 0.93 | 3.53 | 14.77 | 34.07 | 70.18 | 142.26 | 216.40 | 272.94 | 303.75 | 267.23 | 257.35 | 99.91 |
| 1971-1975 | 0.67 | 4.38 | 13.80 | 37.93 | 74.15 | 140.14 | 233.31 | 315.88 | 374.35 | 366.89 | 322.07 | 113.68 |
| 1976-1980 | 1.40 | 2.74 | 15.72 | 37.04 | 89.05 | 144.29 | 221.53 | 340.60 | 418.39 | 406.79 | 372.74 | 121.41 |
| 1981-1985 | 0.65 | 3.68 | 11.21 | 31.29 | 74.23 | 147.83 | 236.77 | 335.97 | 416.63 | 468.94 | 422.47 | 122.72 |
| 1986-1990 | 0.63 | 3.48 | 12.30 | 27.48 | 60.76 | 123.66 | 225.48 | 323.69 | 393.67 | 458.30 | 443.00 | 114.95 |
| 1991-1995 | 0.95 | 3.16 | 10.13 | 27.54 | 55.81 | 105.15 | 183.19 | 289.98 | 371.65 | 412.27 | 455.44 | 103.30 |
| 1996-2000 | 0.81 | 2.40 | 10.89 | 22.50 | 53.59 | 87.31 | 154.93 | 229.65 | 353.77 | 367.91 | 379.70 | 89.74 |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | 0.57 | 0.48 | 1.21 | 4.58 | 4.68 | 8.86 | 12.24 | 16.73 | 27.62 | 24.97 | 31.66 | 7.61 |
| 1956-1960 | 0.53 | 0.55 | 1.94 | 2.21 | 6.47 | 9.05 | 12.11 | 19.22 | 21.72 | 30.47 | 28.20 | 7.64 |
| 1961-1965 | 0.81 | 0.31 | 1.55 | 4.01 | 5.24 | 8.26 | 13.99 | 18.80 | 22.31 | 25.35 | 28.03 | 7.57 |
| 1966-1970 | 0.19 | 1.20 | 2.57 | 3.22 | 5.04 | 9.69 | 14.91 | 18.08 | 23.77 | 29.94 | 31.31 | 8.09 |
| 1971-1975 | 0.35 | 1.25 | 2.00 | 5.18 | 6.98 | 12.56 | 18.84 | 22.76 | 27.06 | 37.29 | 34.14 | 10.01 |
| 1976-1980 | 0.65 | 1.45 | 2.58 | 6.15 | 9.47 | 13.73 | 22.17 | 27.10 | 30.45 | 39.98 | 39.14 | 11.68 |
| 1981-1985 | 0.66 | 2.51 | 4.57 | 7.24 | 11.09 | 17.75 | 23.62 | 35.37 | 46.27 | 42.07 | 49.57 | 14.66 |
| 1986-1990 | 0.80 | 2.35 | 3.96 | 9.31 | 13.31 | 21.30 | 30.93 | 40.63 | 50.97 | 53.95 | 51.78 | 17.24 |
| 1991-1995 | 0.56 | 1.91 | 6.05 | 12.26 | 18.90 | 28.62 | 41.50 | 49.41 | 56.84 | 70.15 | 60.06 | 21.88 |
| 1996-2000 | 0.16 | 1.77 | 6.84 | 12.02 | 19.29 | 23.88 | 34.26 | 52.66 | 63.48 | 63.70 | 66.74 | 21.26 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.26
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Switzerland



Birth Cohort Legend




Table L1.27
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex

United Kingdom



| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 3.94 | 8.60 | 25.49 | 58.36 | 111.73 | 160.98 | 207.86 | 208.26 | 177.70 | 136.35 | 98.90 | 92.85 |
| 1951-1955 | 3.67 | 10.14 | 24.99 | 58.68 | 123.17 | 200.22 | 253.19 | 287.30 | 253.70 | 198.64 | 139.08 | 115.33 |
| 1956-1960 | 3.56 | 9.49 | 25.59 | 59.43 | 125.27 | 230.74 | 333.30 | 389.91 | 381.86 | 324.17 | 217.75 | 146.17 |
| 1961-1965 | 3.30 | 9.44 | 22.66 | 56.77 | 123.57 | 231.58 | 369.36 | 484.46 | 494.34 | 450.27 | 332.44 | 167.86 |
| 1966-1970 | 2.49 | 7.50 | 22.13 | 53.45 | 115.11 | 222.71 | 373.28 | 529.66 | 621.39 | 597.39 | 473.07 | 183.18 |
| 1971-1975 | 2.33 | 5.97 | 17.96 | 50.83 | 107.90 | 208.53 | 354.53 | 519.89 | 682.12 | 722.75 | 606.68 | 187.44 |
| 1976-1980 | 1.77 | 5.49 | 14.05 | 39.92 | 100.98 | 190.55 | 334.61 | 498.48 | 674.41 | 804.57 | 769.55 | 184.78 |
| 1981-1985 | 1.28 | 4.23 | 12.00 | 32.10 | 77.86 | 171.91 | 300.44 | 455.35 | 630.10 | 771.18 | 835.75 | 169.93 |
| 1986-1990 | 0.83 | 3.43 | 10.41 | 27.61 | 60.01 | 135.37 | 268.51 | 412.17 | 582.82 | 711.65 | 794.42 | 151.53 |
| 1991-1995 | 0.74 | 2.69 | 8.63 | 22.80 | 56.14 | 108.20 | 207.17 | 365.37 | 504.88 | 627.91 | 716.99 | 129.84 |
| 1996-2000 | 0.49 | 1.83 | 6.85 | 18.46 | 43.42 | 95.08 | 164.23 | 284.61 | 438.58 | 553.00 | 614.69 | 108.28 |

| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 1.30 | 3.01 | 5.71 | 7.71 | 14.84 | 18.80 | 24.99 | 32.60 | 37.03 | 39.54 | 31.11 | 14.60 |
| 1951-1955 | 1.53 | 2.76 | 5.18 | 8.85 | 13.83 | 20.58 | 28.42 | 35.11 | 38.72 | 43.58 | 39.50 | 15.61 |
| 1956-1960 | 1.52 | 3.13 | 6.32 | 10.51 | 16.95 | 24.12 | 32.87 | 38.51 | 45.66 | 49.42 | 45.54 | 18.10 |
| 1961-1965 | 1.17 | 3.21 | 7.12 | 13.80 | 21.75 | 30.61 | 42.23 | 51.22 | 54.26 | 58.44 | 56.19 | 22.59 |
| 1966-1970 | 1.09 | 3.05 | 8.16 | 16.39 | 28.26 | 39.65 | 51.30 | 65.59 | 72.27 | 73.46 | 68.87 | 28.36 |
| 1971-1975 | 0.85 | 2.78 | 7.13 | 18.70 | 33.57 | 50.15 | 67.62 | 80.50 | 88.26 | 90.02 | 87.59 | 34.55 |
| 1976-1980 | 0.74 | 2.69 | 6.51 | 16.34 | 37.25 | 58.05 | 87.04 | 103.52 | 111.05 | 113.24 | 106.35 | 41.22 |
| 1981-1985 | 0.72 | 2.45 | 6.12 | 14.59 | 31.38 | 64.76 | 98.38 | 130.37 | 143.89 | 145.42 | 135.35 | 47.26 |
| 1986-1990 | 0.60 | 2.12 | 6.32 | 14.02 | 27.49 | 58.16 | 112.89 | 148.73 | 174.59 | 175.99 | 165.43 | 51.84 |
| 1991-1995 | 0.42 | 1.80 | 6.11 | 14.10 | 28.68 | 48.12 | 95.47 | 156.61 | 196.61 | 202.07 | 190.79 | 52.41 |
| 1996-2000 | 0.40 | 1.49 | 5.76 | 13.91 | 26.44 | 48.84 | 81.32 | 138.79 | 209.53 | 225.65 | 206.76 | 51.38 |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.27
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

United Kingdom



Birth Cohort Legend




Table L1.28
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex

USA



| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 1.81 | 4.11 | 10.35 | 24.66 | 46.31 | 73.27 | 96.26 | 99.21 | 98.05 | 88.04 | 71.88 | 44.12 |
| 1951-1955 | 1.65 | 4.48 | 12.02 | 27.90 | 54.20 | 88.03 | 119.23 | 131.72 | 124.75 | 111.71 | 92.89 | 54.35 |
| 1956-1960 | 2.09 | 5.60 | 14.24 | 32.08 | 65.29 | 108.59 | 157.54 | 185.06 | 180.90 | 156.32 | 129.46 | 71.42 |
| 1961-1965 | 2.39 | 6.93 | 17.46 | 37.61 | 74.17 | 125.35 | 184.55 | 243.39 | 245.16 | 215.86 | 172.88 | 88.54 |
| 1966-1970 | 2.33 | 7.99 | 21.56 | 44.21 | 85.41 | 144.78 | 220.38 | 287.93 | 332.89 | 306.48 | 240.78 | 109.02 |
| 1971-1975 | 1.86 | 7.86 | 21.75 | 51.24 | 92.44 | 158.69 | 241.97 | 323.38 | 388.50 | 404.55 | 350.44 | 125.12 |
| 1976-1980 | 1.49 | 6.14 | 19.99 | 50.61 | 101.16 | 165.28 | 259.77 | 348.61 | 442.12 | 462.85 | 438.84 | 136.28 |
| 1981-1985 | 1.13 | 5.15 | 17.22 | 45.69 | 97.47 | 173.74 | 264.23 | 368.89 | 463.71 | 521.23 | 513.25 | 142.01 |
| 1986-1990 | 1.24 | 4.21 | 14.22 | 39.63 | 89.97 | 169.09 | 272.14 | 367.57 | 476.31 | 548.24 | 574.10 | 142.68 |
| 1991-1995 | 1.12 | 3.99 | 11.66 | 32.10 | 76.51 | 150.81 | 258.89 | 379.07 | 474.63 | 543.12 | 594.41 | 137.46 |
| 1996-2000 | 1.01 | 3.48 | 10.93 | 26.51 | 63.86 | 128.90 | 228.59 | 348.99 | 470.24 | 522.55 | 573.66 | 126.47 |

| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | 0.73 | 1.20 | 2.69 | 4.51 | 7.29 | 10.85 | 16.86 | 20.49 | 27.37 | 32.24 | 34.17 | 9.41 |
| 1951-1955 | 0.65 | 1.51 | 2.96 | 5.14 | 7.89 | 11.28 | 15.74 | 20.58 | 27.28 | 33.51 | 34.17 | 9.62 |
| 1956-1960 | 0.77 | 1.84 | 3.88 | 6.66 | 9.66 | 12.68 | 17.11 | 21.80 | 27.56 | 32.60 | 37.28 | 10.60 |
| 1961-1965 | 0.87 | 2.47 | 5.45 | 9.40 | 13.82 | 17.85 | 21.75 | 26.40 | 30.08 | 34.94 | 38.03 | 13.28 |
| 1966-1970 | 0.92 | 3.30 | 7.48 | 13.87 | 21.39 | 28.64 | 32.55 | 37.92 | 41.50 | 43.87 | 48.59 | 19.21 |
| 1971-1975 | 1.02 | 3.52 | 9.60 | 19.20 | 30.15 | 43.73 | 51.52 | 54.83 | 58.39 | 60.03 | 60.06 | 27.48 |
| 1976-1980 | 0.92 | 3.48 | 10.52 | 22.91 | 39.27 | 55.70 | 75.08 | 83.83 | 87.48 | 82.81 | 78.87 | 37.35 |
| 1981-1985 | 0.82 | 3.28 | 9.64 | 23.91 | 44.67 | 71.06 | 97.67 | 121.39 | 129.52 | 119.37 | 110.22 | 48.47 |
| 1986-1990 | 0.76 | 2.75 | 8.67 | 22.83 | 47.10 | 78.79 | 117.99 | 150.45 | 177.34 | 175.75 | 155.40 | 58.54 |
| 1991-1995 | 0.89 | 2.90 | 7.35 | 20.18 | 43.96 | 81.09 | 127.57 | 175.62 | 214.01 | 228.23 | 212.33 | 65.44 |
| 1996-2000 | 0.86 | 3.00 | 7.72 | 16.86 | 39.49 | 74.69 | 126.33 | 181.73 | 236.41 | 252.26 | 253.31 | 66.95 |

[E Std] : Adjusted to age distribution of European Standard Population

Fig L1.28
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

USA



Birth Cohort Legend




Table L1.29
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



USSR

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | | | | | | | | | | | | |
| 1956-1960 | | | | | | | | | | | | |
| 1961-1965 | | | | | | | | | | | | |
| 1966-1970 | | | | | | | | | | | | |
| 1971-1975 | | | | | | | | | | | | |
| 1976-1980 | | | | | | | | | | | | |
| 1981-1985 | 2.47 | 6.87 | 26.56 | 57.66 | 133.92 | 221.59 | 287.39 | 358.94 | 366.74 | 316.79 | 198.67 | 137.98 |
| 1986-1990 | 2.31 | 7.51 | 22.75 | 66.64 | 132.40 | 244.69 | 340.03 | 392.41 | 429.30 | 378.97 | 264.72 | 154.82 |
| 1991-1995 | | | | | | | | | | | | |
| 1996-2000 | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | | | | | | | | | | | | |
| 1956-1960 | | | | | | | | | | | | |
| 1961-1965 | | | | | | | | | | | | |
| 1966-1970 | | | | | | | | | | | | |
| 1971-1975 | | | | | | | | | | | | |
| 1976-1980 | | | | | | | | | | | | |
| 1981-1985 | 0.85 | 1.74 | 4.12 | 6.64 | 11.97 | 20.71 | 30.07 | 40.13 | 47.63 | 49.32 | 39.50 | 15.95 |
| 1986-1990 | 0.85 | 1.78 | 3.46 | 6.60 | 11.40 | 20.43 | 32.15 | 44.77 | 55.72 | 59.90 | 48.62 | 17.26 |
| 1991-1995 | | | | | | | | | | | | |
| 1996-2000 | | | | | | | | | | | | |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.29
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

USSR



Birth Cohort Legend




Table L1.30
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Period and Sex



Yugoslavia

| Males | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------------|
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | | | | | | | | | | | | |
| 1956-1960 | | | | | | | | | | | | |
| 1961-1965 | 1.24 | 2.87 | 6.43 | 16.97 | 34.34 | 70.09 | 115.26 | 164.58 | 156.57 | 115.16 | 91.52 | 51.42 |
| 1966-1970 | 1.27 | 4.04 | 9.91 | 21.84 | 43.17 | 78.23 | 128.80 | 172.59 | 218.34 | 205.02 | 128.45 | 63.55 |
| 1971-1975 | 1.65 | 5.15 | 13.40 | 29.81 | 51.11 | 92.60 | 147.33 | 209.93 | 243.73 | 271.14 | 198.29 | 76.99 |
| 1976-1980 | 1.97 | 4.97 | 16.77 | 42.11 | 77.36 | 119.22 | 173.53 | 228.26 | 280.89 | 262.70 | 246.91 | 91.31 |
| 1981-1985 | 2.39 | 5.90 | 18.16 | 44.39 | 99.15 | 155.73 | 205.56 | 257.83 | 283.65 | 295.78 | 246.28 | 104.86 |
| 1986-1990 | 2.43 | 8.24 | 20.36 | 45.43 | 100.54 | 182.96 | 258.27 | 296.56 | 309.32 | 296.78 | 256.22 | 117.71 |
| 1991-1995 | | | | | | | | | | | | |
| 1996-2000 | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Females | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 30 - 84 [E Std] |
| 1946-1950 | | | | | | | | | | | | |
| 1951-1955 | | | | | | | | | | | | |
| 1956-1960 | | | | | | | | | | | | |
| 1961-1965 | 0.71 | 1.30 | 3.40 | 5.24 | 8.15 | 11.49 | 15.62 | 23.91 | 25.35 | 20.86 | 19.24 | 9.13 |
| 1966-1970 | 0.82 | 1.40 | 3.51 | 4.73 | 8.52 | 13.40 | 19.88 | 24.10 | 33.87 | 30.64 | 26.66 | 10.69 |
| 1971-1975 | 0.90 | 1.75 | 3.26 | 5.97 | 8.45 | 15.24 | 22.38 | 29.83 | 36.05 | 47.04 | 31.78 | 12.48 |
| 1976-1980 | 0.77 | 1.94 | 4.09 | 7.44 | 13.59 | 16.90 | 28.14 | 36.42 | 43.29 | 41.36 | 51.71 | 15.12 |
| 1981-1985 | 1.13 | 2.60 | 4.11 | 8.62 | 13.05 | 20.02 | 28.61 | 36.80 | 47.50 | 50.42 | 50.28 | 16.26 |
| 1986-1990 | 1.13 | 2.97 | 4.38 | 7.77 | 15.34 | 23.54 | 33.88 | 42.06 | 51.67 | 55.21 | 58.96 | 18.29 |
| 1991-1995 | | | | | | | | | | | | |
| 1996-2000 | | | | | | | | | | | | |

[E Std] : Adjusted to age distribution of European Standard Population

Figure L1.30
Lung Cancer Mortality Rates (per 100,000 per year)
by Age, Birth Cohort and Sex

Yugoslavia



Birth Cohort Legend

