

Detailed meta-analysis on ETS and Heart Disease
Authors: P.N. Lee, B.A. Forey and J.S. Hamling
18-MAY-10

The output provides full details of a variety of meta-analyses of ETS and heart disease.

For each table, the output shows, for each individual estimate selected for the meta-analysis, the value of that estimate (RR) and its 95% confidence interval. A study may provide multiple estimates relevant to the exposure being considered in the table. Choice of which to include is governed by an order of preference based on one or more characteristics of the estimate. For example, for Table 1 (spouse or nearest equivalent) data for spousal exposure are chosen if available, otherwise household exposure, and failing that total exposure. Similarly, in adjusted analyses, adjusted RRs are used if available, otherwise unadjusted RRs are used (see below).

Tables 1-15 give information for spouse ETS exposure ever (or nearest equivalent)

1. Overall	- adjusted	
2. "	- unadjusted	
3. By sex	- adjusted	
4. "	- unadjusted	
5. By continent	- adjusted	
6. "	- unadjusted	
7. By publication year (grouped)	- adjusted	
8. "	- unadjusted	
9. By number of heart disease cases (grouped)		- adjusted
10. By study type (case-control, prospective, cross-sectional)		- adjusted
11. By total number of confounders considered in the study (grouped)		- adjusted
12. By any study results available on dose-response or not		- adjusted
13. By spouse the index or not		- adjusted
14. By heart disease type 1 (fatal, non-fatal, both)		- adjusted
15. By heart disease type 2 (IHD, MI, other, mixed)		- adjusted

Tables 16-30 similarly give information for spouse ETS exposure current (or nearest equivalent), with Table 16 corresponding to Table 1, Table 17 to Table 2 and so on.

Tables 31-38 give information for workplace ETS exposure (using data for workers only if available). These tables correspond to the first 8 tables in the list of 15 above.

Tables 39 and 40 give information on total ETS exposure, for adjusted and unadjusted data.

Tables 41 and 42 give information on ETS exposure assessed by biomarker, for adjusted and unadjusted data.

Some tables for spouse ETS exposure ever (or nearest equivalent) are then repeated but excluding study Enstrom in Tables 43-50 (corresponding to Tables 1-8) and similarly for spouse ETS exposure current (or nearest equivalent) in Tables 51-58 (corresponding to Tables 16-23).

The term "relative risk" (RR) is taken to include direct estimates of the relative risks from prospective studies, and indirect estimates (odds ratios) from case-control or cross-sectional studies.

"Adjusted" implies that covariate adjusted estimates are chosen if available with unadjusted estimates used otherwise. Where the source publication provides more than one adjusted estimate, the data chosen are those adjusted for most covariates. "Unadjusted" implies that covariate unadjusted estimates are used if available with adjusted estimates used otherwise.

In all tables, estimates for males and females separately are chosen if available in preference to a combined estimate, and estimates relating to CVD excluding Stroke are chosen in preference to those for CVD. The other variables used in selecting the estimates, and their values for each estimate chosen, are shown in the output and explained in fuller detail in the footnotes to that table. For each estimate, the table also shows:

StN	The study reference number as used in the database from which the output is produced
Ref	The study 6-letter reference on the database
NRR	The number of the estimate within that study on the database
SEX	The sex of the estimate, m = male, f = female or c = combined
ADJ	The number of adjustment factors (excluding sex) in the estimate (20 indicates adjusted for an unknown number of factors)

The estimates are shown in blocks according to the "factor" relevant to that table, e.g. sex for Table 3, continent for Table 5, etc. Note that these factors relate to the study as a whole, with the exception of sex, spouse the index, and heart disease type 1 which relate to the individual estimates.

For Tables 1, 2, 16, 17, 31, 32, 39-44, 51 and 52, which are not subdivided by factor, a second block of output gives further details regarding each estimate:

Ys	= log RR
Ws	= the weight of the study = 1/(variance Ys)
Q	= the deviation of the study estimate from the mean = $Ws (Ys - \bar{Y})$ where \bar{Y} is the mean of Ys (this is an approximate chisquared on 1 degree of freedom)
P	= the two-tailed probability value.

/cont

For these tables, the output then shows the meta-analysis results, as follows:

N = number of estimates combined
NS = number of studies from which estimates taken
Wt = the sum of the individual estimate weights
Het Chi = heterogeneity chisquared (between estimates)
Het df = heterogeneity degrees of freedom
Het P = heterogeneity probability value, expressed as *** p<0.01; ** p<0.01; * p<0.05; (*) p<0.1; NS p>= 0.1
Fixed RR = fixed-effect meta-analysis relative risk estimate
RRl, RRu = the corresponding lower and upper 95% confidence limits
P = the corresponding probability value, expressed as +++, --- p<0.001; ++, -- P<0.01; +, - p<0.05; (+), (-) p<0.1; NS P>=0.1, with plus signs indicating significant increases and minus signs significant decreases
Random RR = random-effect meta-analysis relative risk estimated, together with corresponding confidence limits and probability value
AsymmP = the publication bias probability value based on Egger's test

For the other tables, this information is not only given for all the studies combined, but also by factor level. Additionally results of heterogeneity tests for variation by factor level are shown.

Between Chi = for the overall data this is the chisquared for heterogeneity, by factor level this is the contribution to the overall chisquared from the data for that level
Between df = The degrees of freedom for the test of heterogeneity between factor levels
Between P = Heterogeneity probability value, expressed as for Het P

The methods used for meta-analysis are described in Fleiss and Gross (1991), *Journal of Clinical Epidemiology*, 44, 127-139. Egger's test is described in Egger *et al* (1997), *BMJ*, 315, 629-634.

This document is available at www.pnlee.co.uk, download LEE2010G.pdf. The results are also summarized in the following documents: download LEE2010E.pdf (which includes references to the individual studies, and a description of the type of heart disease studied by each), LEE2010F.pdf and LEE2010H.pdf.

This work was supported by the tobacco industry. The accuracy of the material presented is solely the responsibility of the authors.

Table 1
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3														
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9														
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12														
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13														
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14														
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19														
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22														
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23														
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
27	ROENL	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROENL	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
Subtotal 29														
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33														
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 1
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Overall - adjusted

Overall

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
37 TEO	1	c	t	c	n	2	6	-	-	-	-	1.37 (1.27- 1.48)	
*38 WEN	17	f	s	m	f	2	9	-	-	-	-	0.99 (0.72- 1.37)	
*40 HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04 (0.88- 1.23)	
*40 HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98 (0.83- 1.17)	
Subtotal 40												1.01 (0.90- 1.14)	
*41 HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18 (0.96- 1.44)	
*41 HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27 (0.98- 1.66)	
Subtotal 41												1.21 (1.03- 1.42)	
42 HE2	8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31- 2.18)	
43 SULO	2	m	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)	
43 SULO	4	f	s	c	n	4	14	-	-	-	-	1.19 (0.25- 5.64)	
Subtotal 43												1.58 (0.82- 3.05)	
44 VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)	
45 DING	2	f	h	e	n	2	11	-	-	-	-	1.52 (1.01- 2.27)	
Partial Totals								386	1253	319	777		
*prospective study													

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1 HIRAYA	6	f	s	e	f	2	1	0.15	87.29	0.25	0.17
*2 GARLAN	5	f	s	e	f	2	5	0.99	1.81	1.46	0.18
3 LEE	2	m	s	m	n	2	2	0.22	6.59	0.10	0.58
3 LEE	4	f	s	m	n	2	2	-0.07	12.04	0.34	0.80
Subtotal 3								-0.05	18.63	0.43	
4 MARTIN	1	f	s	e	n	2	6	0.96	6.33	4.69	0.02
*5 SVENDS	2	m	s	c	b	2	6	0.48	14.27	2.08	0.07
*6 BUTLER	2	f	s	e	f	2	1	0.07	15.67	0.01	0.79
*8 HOLE	3	m	h	e	f	2	5	0.55	13.29	2.73	0.05
*8 HOLE	2	f	h	e	f	2	5	0.50	7.04	1.16	0.18
Subtotal 8								0.86	20.33	3.89	
9 JACKSO	4	m	h	c	b	2	2	0.06	3.80	0.01	0.91
9 JACKSO	2	f	h	c	b	2	2	1.32	2.76	4.13	0.03
Subtotal 9								1.19	6.56	4.14	
*10 SANDLE	2	m	h	c	f	2	4	0.27	77.28	2.37	0.02
*10 SANDLE	4	f	h	c	f	2	4	0.17	213.52	1.34	0.01
Subtotal 10								0.25	290.80	3.71	
*11 HUMBLE	1	f	s	c	f	8	4	0.46	16.88	2.30	0.06
12 DOBSON	4	m	h	c	b	2	2	-0.03	8.90	0.14	0.93
12 DOBSON	2	f	h	c	b	2	2	0.90	14.40	9.34	0.00
Subtotal 12								0.68	23.30	9.48	
13 LAVECC	2	m	s	e	n	2	0	0.09	5.43	0.00	0.84
13 LAVECC	1	f	s	e	n	2	0	0.24	4.84	0.10	0.60
Subtotal 13								0.14	10.27	0.10	
14 LAYARD	2	m	s	e	f	2	2	-0.03	48.72	0.76	0.83
14 LAYARD	10	f	s	e	f	2	2	-0.01	147.49	1.62	0.90
Subtotal 14								-0.23	196.21	2.38	
*15 LEVOIS	1	m	s	e	f	2	2	-0.03	646.64	10.14	0.44
*15 LEVOIS	6	f	s	e	f	2	2	0.03	1627.60	6.91	0.23
Subtotal 15								-0.19	2274.24	17.05	
17 MUSCAT	1	m	s	e	n	2	0	0.32	8.14	0.43	0.35
17 MUSCAT	2	f	s	e	n	2	0	0.28	5.82	0.20	0.50
Subtotal 17								0.42	13.96	0.63	
18 TUNSTA	2	c	t	c	n	2	4	0.29	77.54	3.04	0.01
*19 STEENL	3	m	s	e	f	2	12	0.09	345.72	0.03	0.11
*19 STEENL	4	f	s	e	f	2	13	0.04	314.64	0.97	0.49
Subtotal 19								-0.06	660.35	1.00	
20 JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.41	0.09
*21 KAWACH	11	f	h	c	b	2	15	0.43	9.45	1.03	0.19
22 CIRUZZ	7	m	s	c	n	2	9	0.17	6.63	0.03	0.67
22 CIRUZZ	8	f	s	c	n	2	9	0.55	8.71	1.79	0.11
Subtotal 22								0.52	15.34	1.82	
23 MCELDU	4	m	t	c	b	2	4	-0.20	24.21	2.08	0.33
23 MCELDU	2	f	t	c	b	2	4	0.77	10.66	4.80	0.01
Subtotal 23								0.38	34.87	6.88	
25 HE1	2	f	s	e	n	2	6	0.47	12.11	1.70	0.10

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 1
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
26	IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.20	0.05
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	3.80	0.00
Subtotal 26									0.12	763.97	4.00	
27	ROSENL	2	m	s	e	n	2	8	-0.04	23.37	0.43	0.84
27	ROSENL	14	f	s	e	n	2	8	0.43	17.27	1.89	0.08
Subtotal 27									0.19	40.64	2.32	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	0.86	0.16
*29	ENSTRO	16	m	s	e	f	2	8	-0.07	302.04	8.45	0.21
*29	ENSTRO	32	f	s	e	f	2	8	-0.01	597.66	6.56	0.81
Subtotal 29									-0.27	899.71	15.02	
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.09	0.53
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.36	0.04
33	MCGHEE	1	m	h	p	f	2	2	0.26	24.91	0.70	0.19
33	MCGHEE	2	f	h	p	f	2	2	0.33	26.31	1.45	0.09
Subtotal 33									0.40	51.22	2.15	
*34	QURESH	1	f	s	m	b	2	7	0.05	54.13	0.11	0.72
36	STRANG	22	m	h	e	n	2	0	-0.02	21.86	0.27	0.94
36	STRANG	14	f	h	e	n	2	0	0.26	8.82	0.25	0.44
Subtotal 36									0.06	30.68	0.52	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	31.78	0.00
*38	WEN	17	f	s	m	f	2	9	-0.01	37.13	0.41	0.95
*40	HILL1	2	m	h	c	f	2	9	0.04	137.04	0.42	0.65
*40	HILL1	4	f	h	c	f	2	9	-0.02	130.35	1.72	0.82
Subtotal 40									-0.17	267.40	2.14	
*41	HILL2	2	m	h	c	f	2	9	0.17	93.46	0.47	0.11
*41	HILL2	4	f	h	c	f	2	9	0.24	55.32	1.15	0.08
Subtotal 41									0.22	148.79	1.62	
42	HE2	8	f	t	t	n	4	12	0.52	59.24	10.95	0.00
43	SULO	2	m	s	c	n	4	14	0.52	7.26	1.31	0.16
43	SULO	4	f	s	c	n	4	14	0.17	1.58	0.01	0.83
Subtotal 43									0.50	8.84	1.32	
44	VOZORI	2	c	t	c	n	4	7	0.00	93.46	0.84	1.00
45	DING	2	f	h	e	n	2	11	0.42	23.43	2.46	0.04

Relative risks

N	59
NS	39
Wt	7009.53
Het Chi	149.44
Het df	58
Het P	***
Fixed RR	1.10
RRl	1.07
RRu	1.13
P	+++
Random RR	1.17
RRl	1.11
RRu	1.23
P	+++
Asymm P	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 2
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3													1.09	(0.70- 1.70)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10													0.80	(0.72- 0.88)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSENL	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
27	ROSENL	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
Subtotal 27													1.10	(0.83- 1.47)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	8	m	s	e	f	2	1	-	-	-	-	0.94	(0.85- 1.05)
*29	ENSTRO	24	f	s	e	f	2	1	-	-	-	-	1.01	(0.94- 1.08)
Subtotal 29													0.99	(0.93- 1.05)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 2
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Overall - unadjusted

Overall

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
37 TEO 1		c	t	c	n	2	6	-	-	-	-	1.37 (1.27- 1.48)	
*38 WEN 17		f	s	m	f	2	9	-	-	-	-	0.99 (0.72- 1.37)	
*40 HILL1 1		m	h	c	f	2	2	-	-	-	-	1.00 (0.85- 1.18)	
*40 HILL1 3		f	h	c	f	2	2	-	-	-	-	0.98 (0.83- 1.15)	
Subtotal 40												0.99 (0.88- 1.11)	
*41 HILL2 1		m	h	c	f	2	2	-	-	-	-	1.07 (0.86- 1.32)	
*41 HILL2 3		f	h	c	f	2	2	-	-	-	-	1.26 (0.98- 1.63)	
Subtotal 41												1.15 (0.97- 1.35)	
42 HE2 1		f	t	t	n	4	0	200	277	231	501	1.57 (1.23- 1.99)	
43 SULO 1		m	s	c	n	4	1	-	-	-	-	1.76 (0.98- 3.18)	
43 SULO 3		f	s	c	n	4	1	-	-	-	-	1.05 (0.48- 2.30)	
Subtotal 43												1.46 (0.91- 2.34)	
44 VOZORI 1		c	t	c	n	4	0	293	11991	1480	34776	0.57 (0.51- 0.65)	
45 DING 1		f	h	e	n	2	0	95	65	219	254	1.70 (1.18- 2.44)	
Partial Totals								3746	110918	5630	117306		

*prospective study

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1 HIRAYA 3		f	s	e	f	2	0	0.00	90.30	0.24	0.99
*2 GARLAN 1		f	s	e	f	2	0	1.25	1.81	2.62	0.09
3 LEE 1		m	s	m	n	2	0	0.29	7.10	0.41	0.43
3 LEE 3		f	s	m	n	2	0	-0.03	12.62	0.08	0.92
Subtotal 3								0.16	19.72	0.50	
4 MARTIN 1		f	s	e	n	2	6	0.96	6.33	5.16	0.02
*5 SVENDS 1		m	s	c	b	2	0	0.38	15.65	1.71	0.13
*6 BUTLER 1		f	s	e	f	2	0	0.30	15.03	0.96	0.24
*8 HOLE 3		m	h	e	f	2	5	0.55	13.29	3.26	0.05
*8 HOLE 2		f	h	e	f	2	5	0.50	7.04	1.41	0.18
Subtotal 8								0.94	20.33	4.67	
9 JACKSO 3		m	h	c	b	2	0	0.10	3.78	0.01	0.85
9 JACKSO 1		f	h	c	b	2	0	1.39	2.98	5.29	0.02
Subtotal 9								1.38	6.76	5.30	
*10 SANDLE 1		m	h	c	f	2	0	0.14	90.22	0.66	0.19
*10 SANDLE 3		f	h	c	f	2	0	-0.35	262.43	43.21	0.00
Subtotal 10								-0.32	352.64	43.87	
*11 HUMBLE 1		f	s	c	f	8	4	0.46	16.88	2.85	0.06
12 DOBSON 3		m	h	c	b	2	0	0.04	11.77	0.00	0.89
12 DOBSON 1		f	h	c	b	2	0	0.47	22.62	4.03	0.02
Subtotal 12								0.41	34.39	4.03	
13 LAVECC 2		m	s	e	n	2	0	0.09	5.43	0.01	0.84
13 LAVECC 1		f	s	e	n	2	0	0.24	4.84	0.17	0.60
Subtotal 13								0.22	10.27	0.17	
14 LAYARD 1		m	s	e	f	2	0	-0.07	52.96	0.77	0.62
14 LAYARD 9		f	s	e	f	2	0	-0.00	155.06	0.44	1.00
Subtotal 14								-0.17	208.02	1.21	
*15 LEVOIS 1		m	s	e	f	2	2	-0.03	646.64	4.48	0.44
*15 LEVOIS 6		f	s	e	f	2	2	0.03	1627.60	0.88	0.23
Subtotal 15								-0.11	2274.24	5.36	
17 MUSCAT 1		m	s	e	n	2	0	0.32	8.14	0.60	0.35
17 MUSCAT 2		f	s	e	n	2	0	0.28	5.82	0.30	0.50
Subtotal 17								0.50	13.96	0.91	
18 TUNSTA 1		c	t	c	n	2	0	0.28	62.37	3.15	0.03
*19 STEENL 3		m	s	e	f	2	12	0.09	345.72	0.39	0.11
*19 STEENL 4		f	s	e	f	2	13	0.04	314.64	0.06	0.49
Subtotal 19								0.02	660.35	0.44	
20 JANGHO 1		f	s	e	n	2	0	0.32	27.39	1.98	0.09
*21 KAWACH 11		f	h	c	b	2	15	0.43	9.45	1.31	0.19
22 CIRUZZ 5		m	s	c	n	2	0	-0.00	8.06	0.03	0.99
22 CIRUZZ 6		f	s	c	n	2	0	0.39	11.59	1.35	0.18
Subtotal 22								0.28	19.65	1.37	
23 MCELDU 3		m	t	c	b	2	0	-0.23	29.19	2.37	0.21
23 MCELDU 1		f	t	c	b	2	0	0.63	16.76	5.51	0.01
Subtotal 23								0.29	45.95	7.89	
25 HE1 1		f	s	e	n	2	0	0.84	17.19	10.67	0.00

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 2
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
26	IRIBAR	4	m	h	c	n	2	11	0.12	268.97	1.30	0.05
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	8.31	0.00
Subtotal 26									0.20	763.97	9.60	
27	ROSENL	1	m	s	e	n	2	0	-0.05	26.10	0.29	0.79
27	ROSENL	13	f	s	e	n	2	0	0.29	20.97	1.16	0.19
Subtotal 27									0.13	47.07	1.45	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	1.28	0.16
*29	ENSTRO	8	m	s	e	f	2	1	-0.06	344.13	4.52	0.25
*29	ENSTRO	24	f	s	e	f	2	1	0.01	797.17	1.46	0.78
Subtotal 29									-0.16	1141.29	5.99	
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.20	0.53
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.74	0.04
33	MCGHEE	5	m	h	p	f	2	0	0.24	29.42	1.01	0.20
33	MCGHEE	6	f	h	p	f	2	0	0.27	33.81	1.61	0.11
Subtotal 33									0.40	63.24	2.63	
*34	QURESH	2	f	s	m	b	2	0	0.16	54.27	0.64	0.23
36	STRANG	22	m	h	e	n	2	0	-0.02	21.86	0.10	0.94
36	STRANG	14	f	h	e	n	2	0	0.26	8.82	0.39	0.44
Subtotal 36									0.14	30.68	0.49	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	45.05	0.00
*38	WEN	17	f	s	m	f	2	9	-0.01	37.13	0.15	0.95
*40	HILL1	1	m	h	c	f	2	2	0.00	142.80	0.40	1.00
*40	HILL1	3	f	h	c	f	2	2	-0.02	144.50	0.77	0.81
Subtotal 40									-0.13	287.30	1.17	
*41	HILL2	1	m	h	c	f	2	2	0.07	83.70	0.02	0.54
*41	HILL2	3	f	h	c	f	2	2	0.23	59.36	1.89	0.07
Subtotal 41									0.19	143.06	1.91	
42	HE2	1	f	t	t	n	4	0	0.45	66.96	10.48	0.00
43	SULO	1	m	s	c	n	4	1	0.57	11.09	2.91	0.06
43	SULO	3	f	s	c	n	4	1	0.05	6.26	0.00	0.90
Subtotal 43									0.51	17.35	2.91	
44	VOZORI	1	c	t	c	n	4	0	-0.55	238.05	87.89	0.00
45	DING	1	f	h	e	n	2	0	0.53	29.06	6.56	0.00

Relative risks

N	59
NS	39
Wt	7545.40
Het Chi	288.49
Het df	58
Het P	***
Fixed RR	1.05
RRl	1.03
RRu	1.08
P	+++
Random RR	1.15
RRl	1.08
RRu	1.23
P	+++
Asymm P	*

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 3
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By sex - adjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									0	0	0	0		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROENL	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
Partial Totals									185	416	142	314		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
4	MARTIN	1	f	s	e	n	2	2	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROENL	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 3
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By sex - adjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
									Case	Cont	Case	Cont			
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81-	1.38)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67-	2.51)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72-	1.37)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83-	1.17)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98-	1.66)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31-	2.18)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25-	5.64)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01-	2.27)
Partial Totals									201	837	177	463			

*prospective study

Relative risks	combined		male	female	Total
		N	6	21	32
	NS	6	21	32	59
	Wt	868.28	2088.55	4052.70	7009.53
	Het Chi	10.19	27.06	75.76	149.44
	Het df	5	20	31	58
	Het P	(*)	N.S.	***	***
	Fixed RR	1.32	1.04	1.09	1.10
	RR1	1.24	1.00	1.05	1.07
	RRu	1.41	1.09	1.12	1.13
	P	+++	(+)	+++	+++
	Random RR	1.28	1.07	1.20	1.17
	RR1	1.10	1.00	1.12	1.11
	RRu	1.48	1.14	1.29	1.23
	P	++	+	+++	+++
	Asymm P	N.S.	(*)	***	***
	Between Chi		35.08	27.77	36.44
	Between df		1	1	2
	Between P		---	---	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 4
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By sex - unadjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
Partial Totals									622	13207	1579	35259		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSENL	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
*29	ENSTRO	8	m	s	e	f	2	1	-	-	-	-	0.94	(0.85- 1.05)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
Partial Totals									657	2617	1715	6533		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSENL	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
*29	ENSTRO	24	f	s	e	f	2	1	-	-	-	-	1.01	(0.94- 1.08)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 4
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By sex - unadjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
									Case	Cont	Case	Cont			
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90-	1.53)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67-	2.51)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72-	1.37)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83-	1.15)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98-	1.63)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23-	1.99)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48-	2.30)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18-	2.44)
Partial Totals									2467	95094	2336	75514			

*prospective study

Relative risks	combined		male	female	Total
		N	6	21	32
	NS	6	21	32	59
	Wt	997.70	2166.01	4381.69	7545.40
	Het Chi	138.51	23.91	121.92	288.49
	Het df	5	20	31	58
	Het P	***	N.S.	***	***
	Fixed RR	1.11	1.03	1.05	1.05
	RRl	1.04	0.99	1.02	1.03
	RRu	1.18	1.07	1.09	1.08
	P	+++	N.S.	+++	+++
	Random RR	1.20	1.04	1.20	1.15
	RRl	0.77	0.99	1.10	1.08
	RRu	1.87	1.10	1.30	1.23
	P	N.S.	N.S.	+++	+++
	Asymm P	N.S.	(*)	**	*
	Between Chi		4.16	2.27	4.16
	Between df		1	1	2
	Between P		-	N.S.	N.S.

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 5
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By continent - adjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
									Case	Cont	Case	Cont			
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63-	11.58)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20-	5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96-	2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65-	1.75)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05-	1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04-	1.36)
Subtotal 10													1.22	(1.09-	1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99-	2.57)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73-	1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84-	1.16)
Subtotal 14													0.98	(0.86-	1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90-	1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98-	1.08)
Subtotal 15													1.01	(0.97-	1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70-	2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59-	2.99)
Subtotal 17													1.36	(0.80-	2.30)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98-	1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93-	1.16)
Subtotal 19													1.07	(0.99-	1.15)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81-	2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00-	1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09-	1.30)
Subtotal 26													1.17	(1.09-	1.26)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83-	1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92-	1.08)
Subtotal 29													0.97	(0.91-	1.03)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81-	1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65-	1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67-	2.51)
Subtotal 36													1.07	(0.75-	1.52)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80-	1.20)
Partial Totals									282	1093	116	320			

*prospective study

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
									Case	Cont	Case	Cont			
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58-	2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53-	1.64)
Subtotal 3													1.03	(0.65-	1.62)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01-	2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79-	3.46)
Subtotal 8													1.70	(1.10-	2.63)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47-	2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52-	3.09)
Subtotal 13													1.17	(0.64-	2.16)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07-	1.67)
27	ROSENL	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64-	1.44)
27	ROSENL	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95-	2.44)
Subtotal 27													1.17	(0.86-	1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89-	1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70-	2.20)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81-	3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25-	5.64)
Subtotal 43													1.58	(0.82-	3.05)
Partial Totals									41	60	66	157			

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 5
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By continent - adjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals									63	100	137	300		

*prospective study

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
Partial Totals									0	0	0	0		

*prospective study

Relative risks		NAmerica	Europe	Asia	Other	Total
	N	24	13	9	13	59
	NS	16	8	8	7	39
	Wt	5341.92	211.71	303.45	1152.45	7009.53
	Het Chi	45.24	6.27	11.10	37.12	149.44
	Het df	23	12	8	12	58
	Het P	**	N.S.	N.S.	***	***
Fixed	RR	1.05	1.30	1.34	1.26	1.10
	RR1	1.02	1.13	1.19	1.19	1.07
	RRu	1.08	1.48	1.50	1.33	1.13
	P	+++	+++	+++	+++	+++
Random	RR	1.07	1.30	1.35	1.24	1.17
	RR1	1.02	1.13	1.18	1.07	1.11
	RRu	1.13	1.48	1.56	1.44	1.23
	P	++	+++	+++	++	+++
Asymm	P	*	N.S.	N.S.	N.S.	***
Between	Chi		9.12	16.83	30.97	49.70
Between	df		1	1	1	3
Between	P		++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 6
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By continent - unadjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14														
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19														
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
*29	ENSTRO	8	m	s	e	f	2	1	-	-	-	-	0.94	(0.85- 1.05)
*29	ENSTRO	24	f	s	e	f	2	1	-	-	-	-	1.01	(0.94- 1.08)
Subtotal 29														
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36														
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
Partial Totals									1998	38239	3307	90507		
*prospective study														

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3														
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13														
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
27	ROSENL	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
27	ROSENL	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43														
Partial Totals									558	1777	413	1251		
*prospective study														

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 6
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By continent - unadjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
Partial Totals									997	70403	1141	23605		

*prospective study

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													0.99	(0.88- 1.11)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													1.15	(0.97- 1.35)
Partial Totals									193	499	769	1943		

*prospective study

Relative risks		NAmerica	Europe	Asia	Other	Total
	N	24	13	9	13	59
	NS	16	8	8	7	39
	Wt	5802.63	212.56	336.90	1193.30	7545.40
	Het Chi	155.90	6.67	21.18	38.34	288.49
	Het df	23	12	8	12	58
	Het P	***	N.S.	**	***	***
Fixed	RR	1.00	1.27	1.30	1.23	1.05
	RR1	0.98	1.11	1.17	1.16	1.03
	RRu	1.03	1.46	1.45	1.30	1.08
	P	N.S.	+++	+++	+++	+++
Random	RR	1.03	1.27	1.38	1.18	1.15
	RR1	0.95	1.11	1.15	1.03	1.08
	RRu	1.13	1.46	1.66	1.37	1.23
	P	N.S.	+++	+++	+	+++
Asymm	P	N.S.	N.S.	(*)	N.S.	*
Between	Chi		11.90	22.17	41.68	66.41
Between	df		1	1	1	3
Between	P		+++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 7
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By publication year (grouped) - adjusted

1984-88

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*1	HIRAYA 6	f	s	e	f	2	1	-	-	-	-	1.16 (0.94- 1.43)	
*2	GARLAN 5	f	s	e	f	2	5	-	-	-	-	2.70 (0.63- 11.58)	
3	LEE 2	m	s	m	n	2	2	-	-	-	-	1.24 (0.58- 2.67)	
3	LEE 4	f	s	m	n	2	2	-	-	-	-	0.93 (0.53- 1.64)	
Subtotal 3												1.03 (0.65- 1.62)	
4	MARTIN 1	f	s	e	n	2	6	-	-	-	-	2.60 (1.20- 5.70)	
*5	SVENDS 2	m	s	c	b	2	6	-	-	-	-	1.61 (0.96- 2.71)	
*6	BUTLER 2	f	s	e	f	2	1	-	-	-	-	1.07 (0.65- 1.75)	
Partial Totals								0	0	0	0		

*prospective study

1989-92

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*8	HOLE 3	m	h	e	f	2	5	-	-	-	-	1.73 (1.01- 2.96)	
*8	HOLE 2	f	h	e	f	2	5	-	-	-	-	1.65 (0.79- 3.46)	
Subtotal 8												1.70 (1.10- 2.63)	
9	JACKSO 4	m	h	c	b	2	2	-	-	-	-	1.06 (0.39- 2.91)	
9	JACKSO 2	f	h	c	b	2	2	-	-	-	-	3.74 (1.15- 12.19)	
Subtotal 9												1.80 (0.84- 3.87)	
*10	SANDLE 2	m	h	c	f	2	4	-	-	-	-	1.31 (1.05- 1.64)	
*10	SANDLE 4	f	h	c	f	2	4	-	-	-	-	1.19 (1.04- 1.36)	
Subtotal 10												1.22 (1.09- 1.37)	
*11	HUMBLE 1	f	s	c	f	8	4	-	-	-	-	1.59 (0.99- 2.57)	
12	DOBSON 4	m	h	c	b	2	2	-	-	-	-	0.97 (0.50- 1.86)	
12	DOBSON 2	f	h	c	b	2	2	-	-	-	-	2.46 (1.47- 4.13)	
Subtotal 12												1.72 (1.15- 2.59)	
13	LAVECC 2	m	s	e	n	2	0	9	21	55	140	1.09 (0.47- 2.53)	
13	LAVECC 1	f	s	e	n	2	0	32	39	11	17	1.27 (0.52- 3.09)	
Subtotal 13												1.17 (0.64- 2.16)	
Partial Totals								41	60	66	157		

*prospective study

1993-96

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
14	LAYARD 2	m	s	e	f	2	2	-	-	-	-	0.97 (0.73- 1.28)	
14	LAYARD 10	f	s	e	f	2	2	-	-	-	-	0.99 (0.84- 1.16)	
Subtotal 14												0.98 (0.86- 1.13)	
*15	LEVOIS 1	m	s	e	f	2	2	-	-	-	-	0.97 (0.90- 1.05)	
*15	LEVOIS 6	f	s	e	f	2	2	-	-	-	-	1.03 (0.98- 1.08)	
Subtotal 15												1.01 (0.97- 1.06)	
17	MUSCAT 1	m	s	e	n	2	0	20	25	48	83	1.38 (0.70- 2.75)	
17	MUSCAT 2	f	s	e	n	2	0	28	27	18	23	1.33 (0.59- 2.99)	
Subtotal 17												1.36 (0.80- 2.30)	
18	TUNSTA 2	c	t	c	n	2	4	-	-	-	-	1.34 (1.07- 1.67)	
*19	STEENL 3	m	s	e	f	2	12	-	-	-	-	1.09 (0.98- 1.21)	
*19	STEENL 4	f	s	e	f	2	13	-	-	-	-	1.04 (0.93- 1.16)	
Subtotal 19												1.07 (0.99- 1.15)	
Partial Totals								48	52	66	106		

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 7
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By publication year (grouped) - adjusted

1997-00

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
20	JANGHO 1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH 11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ 7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ 8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22												1.47	(0.89- 2.42)
23	MCELDU 4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU 2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23												1.10	(0.79- 1.53)
25	HE1 2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
Partial Totals								63	100	137	300		

*prospective study

2001-04

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
26	IRIBAR 4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR 19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26												1.17	(1.09- 1.26)
27	ROENL 2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROENL 14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27												1.17	(0.86- 1.59)
28	PITSAV 9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO 16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO 32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
Subtotal 29												0.97	(0.91- 1.03)
30	CHEN 10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA 3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals								0	0	0	0		

*prospective study

2005-

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
33	MCGHEE 1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE 2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33												1.35	(1.02- 1.77)
*34	QURESH 1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG 22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG 14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36												1.07	(0.75- 1.52)
37	TEO 1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN 17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1 2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1 4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40												1.01	(0.90- 1.14)
*41	HILL2 2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2 4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41												1.21	(1.03- 1.42)
42	HE2 8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO 2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO 4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43												1.58	(0.82- 3.05)
44	VOZORI 2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING 2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals								234	1041	50	214		

*prospective study

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 7
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By publication year (grouped) - adjusted

	1984-88	1989-92	1993-96	1997-00	2001-04	2005-	Total
Relative risks							
N	7	11	9	7	9	16	59
NS	6	6	5	5	6	11	39
Wt	144.00	368.15	3222.30	99.15	1745.40	1430.51	7009.53
Het Chi	7.24	13.86	10.32	9.45	24.22	34.84	149.44
Het df	6	10	8	6	8	15	58
Het P	N.S.	N.S.	N.S.	N.S.	**	**	***
Fixed RR	1.22	1.29	1.03	1.32	1.07	1.24	1.10
RRl	1.04	1.17	0.99	1.09	1.02	1.17	1.07
RRu	1.44	1.43	1.07	1.61	1.12	1.30	1.13
P	+	+++	(+)	++	++	+++	+++
Random RR	1.26	1.39	1.04	1.37	1.10	1.19	1.17
RRl	1.02	1.18	0.99	1.06	0.99	1.08	1.11
RRu	1.55	1.64	1.08	1.77	1.23	1.32	1.23
P	+	+++	N.S.	+	(+)	+++	+++
Asymm P	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.	***
Between Chi		0.31	4.15	0.35	2.49	0.01	49.51
Between df		1	1	1	1	1	5
Between P		N.S.	-	N.S.	N.S.	N.S.	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 8
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By publication year (grouped) - unadjusted

1984-88

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*1	HIRAYA 3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN 1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
3	LEE 1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE 3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3												1.09	(0.70- 1.70)
4	MARTIN 1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS 1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER 1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
Partial Totals								504	81271	276	66291		

*prospective study

1989-92

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*8	HOLE 3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE 2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8												1.70	(1.10- 2.63)
9	JACKSO 3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO 1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9												1.94	(0.91- 4.13)
*10	SANDLE 1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE 3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10												0.80	(0.72- 0.88)
*11	HUMBLE 1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON 3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON 1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12												1.39	(0.99- 1.93)
13	LAVECC 2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC 1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13												1.17	(0.64- 2.16)
Partial Totals								779	10992	1029	9085		

*prospective study

1993-96

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
14	LAYARD 1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD 9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14												0.98	(0.86- 1.13)
*15	LEVOIS 1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS 6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15												1.01	(0.97- 1.06)
17	MUSCAT 1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT 2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17												1.36	(0.80- 2.30)
18	TUNSTA 1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL 3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL 4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19												1.07	(0.99- 1.15)
Partial Totals								929	2444	1002	2341		

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 8
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By publication year (grouped) - unadjusted

1997-00

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
20	JANGHO 1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH 11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ 5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ 6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22												1.26	(0.81- 1.96)
23	MCELDU 3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU 1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23												1.08	(0.81- 1.45)
25	HE1 1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
Partial Totals								267	561	667	1664		

*prospective study

2001-04

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
26	IRIBAR 4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR 19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26												1.17	(1.09- 1.26)
27	ROSENL 1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
27	ROSENL 13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
Subtotal 27												1.10	(0.83- 1.47)
28	PITSAV 9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO 8	m	s	e	f	2	1	-	-	-	-	0.94	(0.85- 1.05)
*29	ENSTRO 24	f	s	e	f	2	1	-	-	-	-	1.01	(0.94- 1.08)
Subtotal 29												0.99	(0.93- 1.05)
30	CHEN 10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA 3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals								118	232	200	429		

*prospective study

2005-

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
33	MCGHEE 5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE 6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33												1.29	(1.01- 1.65)
*34	QURESH 2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG 22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG 14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36												1.07	(0.75- 1.52)
37	TEO 1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN 17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1 1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1 3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40												0.99	(0.88- 1.11)
*41	HILL2 1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2 3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41												1.15	(0.97- 1.35)
42	HE2 1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO 1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO 3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43												1.46	(0.91- 2.34)
44	VOZORI 1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
45	DING 1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
Partial Totals								1149	15418	2456	37496		

*prospective study

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 8
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By publication year (grouped) - unadjusted

	1984-88	1989-92	1993-96	1997-00	2001-04	2005-	Total
Relative risks							
N	7	11	9	7	9	16	59
NS	6	6	5	5	6	11	39
Wt	148.83	441.28	3218.94	119.63	1993.42	1623.29	7545.40
Het Chi	10.05	50.58	9.01	16.09	21.99	155.56	288.49
Het df	6	10	8	6	8	15	58
Het P	N.S.	***	N.S.	*	**	***	***
Fixed RR	1.15	0.90	1.03	1.35	1.07	1.11	1.05
RRl	0.98	0.82	0.99	1.13	1.02	1.06	1.03
RRu	1.35	0.99	1.06	1.61	1.11	1.17	1.08
P	(+)	-	N.S.	++	++	+++	+++
Random RR	1.29	1.29	1.03	1.40	1.09	1.15	1.15
RRl	1.00	0.96	0.99	1.03	0.99	0.96	1.08
RRu	1.68	1.74	1.07	1.89	1.21	1.38	1.23
P	(+)	(+)	N.S.	+	(+)	N.S.	+++
Asymm P	*	**	N.S.	N.S.	N.S.	N.S.	*
Between Chi		6.40	1.79	1.64	0.79	0.17	25.22
Between df		1	1	1	1	1	5
Between P		-	N.S.	N.S.	N.S.	N.S.	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 9
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By number of heart disease cases (grouped) - adjusted

1-99

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals									0	0	0	0		

*prospective study

100-199

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
Partial Totals									89	112	132	263		

*prospective study

200-999

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.20	(0.98- 1.46)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
27	ROSENL	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSENL	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27													1.17	(0.86- 1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 9
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By number of heart disease cases (grouped) - adjusted

200-999

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
42 HE2	8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31- 2.18)
45 DING	2	f	h	e	n	2	11	-	-	-	-	1.52 (1.01- 2.27)
Partial Totals								297	1141	187	514		

*prospective study

1000+

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*10 SANDLE 2		m	h	c	f	2	4	-	-	-	-	1.31 (1.05- 1.64)
*10 SANDLE 4		f	h	c	f	2	4	-	-	-	-	1.19 (1.04- 1.36)
Subtotal 10												1.22 (1.09- 1.37)
14 LAYARD 2		m	s	e	f	2	2	-	-	-	-	0.97 (0.73- 1.28)
14 LAYARD 10		f	s	e	f	2	2	-	-	-	-	0.99 (0.84- 1.16)
Subtotal 14												0.98 (0.86- 1.13)
*15 LEVOIS 1		m	s	e	f	2	2	-	-	-	-	0.97 (0.90- 1.05)
*15 LEVOIS 6		f	s	e	f	2	2	-	-	-	-	1.03 (0.98- 1.08)
Subtotal 15												1.01 (0.97- 1.06)
*19 STEENL 3		m	s	e	f	2	12	-	-	-	-	1.09 (0.98- 1.21)
*19 STEENL 4		f	s	e	f	2	13	-	-	-	-	1.04 (0.93- 1.16)
Subtotal 19												1.07 (0.99- 1.15)
26 IRIBAR 4		m	h	c	n	2	11	-	-	-	-	1.13 (1.00- 1.27)
26 IRIBAR 19		f	h	c	n	2	11	-	-	-	-	1.20 (1.09- 1.30)
Subtotal 26												1.17 (1.09- 1.26)
*29 ENSTRO 16		m	s	e	f	2	8	-	-	-	-	0.93 (0.83- 1.04)
*29 ENSTRO 32		f	s	e	f	2	8	-	-	-	-	0.99 (0.92- 1.08)
Subtotal 29												0.97 (0.91- 1.03)
37 TEO 1		c	t	c	n	2	6	-	-	-	-	1.37 (1.27- 1.48)
*40 HILL1 2		m	h	c	f	2	9	-	-	-	-	1.04 (0.88- 1.23)
*40 HILL1 4		f	h	c	f	2	9	-	-	-	-	0.98 (0.83- 1.17)
Subtotal 40												1.01 (0.90- 1.14)
*41 HILL2 2		m	h	c	f	2	9	-	-	-	-	1.18 (0.96- 1.44)
*41 HILL2 4		f	h	c	f	2	9	-	-	-	-	1.27 (0.98- 1.66)
Subtotal 41												1.21 (1.03- 1.42)
44 VOZORI 2		c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)
Partial Totals								0	0	0	0		

*prospective study

		1-99	100-199	200-999	1000+	Total
Relative risks						
	N	6	12	23	18	59
	NS	6	7	16	10	39
	Wt	60.60	93.60	604.21	6251.12	7009.53
	Het Chi	5.41	3.87	33.89	76.70	149.44
	Het df	5	11	22	17	58
	Het P	N.S.	N.S.	(*)	***	***
	Fixed RR	1.60	1.39	1.27	1.08	1.10
	RRl	1.24	1.14	1.18	1.05	1.07
	RRu	2.06	1.71	1.38	1.10	1.13
	P	+++	++	+++	+++	+++
	Random RR	1.61	1.39	1.28	1.08	1.17
	RRl	1.24	1.14	1.15	1.02	1.11
	RRu	2.10	1.71	1.43	1.15	1.23
	P	+++	++	+++	++	+++
	Asymm P	N.S.	N.S.	N.S.	N.S.	***
	Between Chi		0.70	2.85	9.39	29.57
	Between df		1	1	1	3
	Between P		N.S.	(-)	--	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 10
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By study type - adjusted

case-control

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24 (0.58- 2.67)	
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93 (0.53- 1.64)	
Subtotal 3														
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06 (0.39- 2.91)	
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74 (1.15- 12.19)	
Subtotal 9														
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	1.80 (0.84- 3.87)	
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	0.97 (0.50- 1.86)	
Subtotal 12														
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09 (0.47- 2.53)	
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27 (0.52- 3.09)	
Subtotal 13														
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	1.17 (0.64- 2.16)	
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.97 (0.73- 1.28)	
Subtotal 14														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38 (0.70- 2.75)	
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33 (0.59- 2.99)	
Subtotal 17														
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.36 (0.80- 2.30)	
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.38 (0.95- 2.01)	
22	CIRUZZ	8	m	s	c	n	2	9	-	-	-	-	1.18 (0.55- 2.52)	
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73 (0.89- 3.36)	
Subtotal 22														
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	1.47 (0.89- 2.42)	
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	0.82 (0.55- 1.22)	
Subtotal 23														
25	HE1	2	f	s	e	n	2	6	-	-	-	-	2.15 (1.18- 3.92)	
27	ROENL	2	m	s	e	n	2	8	-	-	-	-	1.10 (0.79- 1.53)	
27	ROENL	14	f	s	e	n	2	8	-	-	-	-	1.60 (0.94- 2.90)	
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	0.96 (0.64- 1.44)	
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	1.53 (0.95- 2.44)	
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.17 (0.86- 1.59)	
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.33 (0.89- 1.99)	
Subtotal 33														
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	2.38 (1.04- 5.42)	
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30 (0.88- 1.93)	
Subtotal 36														
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.39 (0.95- 2.04)	
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.35 (1.02- 1.77)	
43	SULO	4	f	s	c	n	4	14	-	-	-	-	0.98 (0.65- 1.50)	
Subtotal 43														
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.07 (0.75- 1.52)	
Subtotal 45														
Partial Totals									386	1253	319	777		

*prospective study

prospective

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16 (0.94- 1.43)	
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70 (0.63- 11.58)	
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61 (0.96- 2.71)	
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07 (0.65- 1.75)	
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73 (1.01- 2.96)	
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65 (0.79- 3.46)	
Subtotal 8														
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.70 (1.10- 2.63)	
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.31 (1.05- 1.64)	
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.19 (1.04- 1.36)	
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	1.22 (1.09- 1.37)	
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.59 (0.99- 2.57)	
Subtotal 15														
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	0.97 (0.90- 1.05)	
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.03 (0.98- 1.08)	
Subtotal 19														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 10
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By study type - adjusted

prospective

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
Subtotal 19													
*21 KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53 (0.81- 2.90)
*29 ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93 (0.83- 1.04)
*29 ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99 (0.92- 1.08)
Subtotal 29													
*34 QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05 (0.81- 1.38)
*38 WEN	17	f	s	m	f	2	9	-	-	-	-	0.99 (0.72- 1.37)
*40 HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04 (0.88- 1.23)
*40 HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98 (0.83- 1.17)
Subtotal 40													
*41 HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18 (0.96- 1.44)
*41 HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27 (0.98- 1.66)
Subtotal 41													
Partial Totals								0	0	0	0	1.21 (1.03- 1.42)

*prospective study

cross-sectional

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
4 MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60 (1.20- 5.70)
18 TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34 (1.07- 1.67)
26 IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13 (1.00- 1.27)
26 IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20 (1.09- 1.30)
Subtotal 26													
30 CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20 (0.70- 2.20)
42 HE2	8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31- 2.18)
44 VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)
Partial Totals								0	0	0	0		

*prospective study

		case-cont	prospecti	cross-sec	Total
Relative risks					
	N	30	22	7	59
	NS	18	15	6	39
	Wt	1199.02	4798.24	1012.26	7009.53
	Het Chi	44.95	36.33	15.75	149.44
	Het df	29	21	6	58
	Het P	*	*	*	***
Fixed	RR	1.28	1.04	1.20	1.10
	RR1	1.21	1.01	1.13	1.07
	RRu	1.36	1.07	1.28	1.13
	P	+++	++	+++	+++
Random	RR	1.27	1.07	1.25	1.17
	RR1	1.15	1.02	1.10	1.11
	RRu	1.40	1.12	1.41	1.23
	P	+++	++	+++	+++
Asymm	P	N.S.	***	N.S.	***
Between	Chi		43.22	2.45	52.41
Between	df		1	1	2
Between	P		---	N.S.	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 11

ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
By total number of confounders considered in the study (grouped) - adjusted

0-2

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.14	(0.94- 1.37)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
Partial Totals									63	100	137	300		
*prospective study														

3-4

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
Partial Totals									48	52	66	106		
*prospective study														

5+

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 11

ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
By total number of confounders considered in the study (grouped) - adjusted

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
27	ROSENL	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSENL	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
Subtotal 29														
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36														
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40														
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41														
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43														
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals									275	1101	116	371		
*prospective study														

Relative risks	0-2		3-4		5+		Total	
	N	NS	N	NS	N	NS	N	NS
	12	8	10	6	37	25	59	39
	Wt	2676.30	457.35	3875.88	7009.53			
	Het Chi	14.31	16.65	92.69	149.44			
	Het df	11	9	36	58			
	Het P	N.S.	(*)	***	***			
	Fixed RR	1.03	1.27	1.13	1.10			
	RR1	0.99	1.16	1.10	1.07			
	RRu	1.07	1.39	1.17	1.13			
	P	N.S.	+++	+++	+++			
	Random RR	1.04	1.32	1.17	1.17			
	RR1	0.98	1.13	1.09	1.11			
	RRu	1.11	1.55	1.25	1.23			
	P	N.S.	+++	+++	+++			
	Asymm P	*	N.S.	(*)	***			
	Between Chi		17.60	15.74	25.79			
	Between df		1	1	2			
	Between P		+++	+++	***			

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 12

ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
By any study results available on dose-response or not - adjusted

none

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12														
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23														
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.10	(0.79- 1.53)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.05	(0.81- 1.38)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40														
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.01	(0.90- 1.14)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41														
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.21	(1.03- 1.42)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
Subtotal 43														
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 44														
Subtotal 44														
Partial Totals									0	0	0	0	1.58	(0.82- 3.05)
*prospective study									0	0	0	0	1.00	(0.80- 1.20)

results given

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3														
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.14	(0.94- 1.37)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.70	(1.10- 2.63)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
Subtotal 9														
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	3.74	(1.15- 12.19)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.80	(0.84- 3.87)
Subtotal 13														
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	1.09	(0.47- 2.53)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	1.27	(0.64- 2.16)
Subtotal 14														
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	0.98	(0.86- 1.13)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.01	(0.90- 1.05)
Subtotal 17														
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.03	(0.98- 1.08)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.01	(0.97- 1.06)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.38	(0.70- 2.75)
Subtotal 19														
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.33	(0.59- 2.99)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.36	(0.80- 2.30)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.34	(1.07- 1.67)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.09	(0.98- 1.21)
Subtotal 22														
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.04	(0.93- 1.16)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.07	(0.99- 1.15)
Subtotal 26														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 12
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By any study results available on dose-response or not - adjusted

results given

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
									Case	Cont	Case	Cont			
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09-	1.30)
Subtotal 26													1.17	(1.09-	1.26)
27	ROSENL	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64-	1.44)
27	ROSENL	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95-	2.44)
Subtotal 27													1.17	(0.86-	1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89-	1.99)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83-	1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92-	1.08)
Subtotal 29													0.97	(0.91-	1.03)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70-	2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04-	5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88-	1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95-	2.04)
Subtotal 33													1.35	(1.02-	1.77)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65-	1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67-	2.51)
Subtotal 36													1.07	(0.75-	1.52)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27-	1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72-	1.37)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31-	2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01-	2.27)
Partial Totals									386	1253	319	777			
*prospective study															

Relative risks		N	18	NS	12	41	59	27	39	Total	none	no assoc	sig assoc	results g	Total
	Het Chi	33.09				114.64	149.44								
	Het df	17				40	58								
	Het P	*				***	***								
	Fixed RR	1.14				1.09	1.10								
	RRl	1.07				1.07	1.07								
	RRu	1.22				1.12	1.13								
	P	+++				+++	+++								
	Random RR	1.19				1.16	1.17								
	RRl	1.07				1.09	1.11								
	RRu	1.32				1.23	1.23								
	P	++				+++	+++								
	Asymm P	*				**	***								
	Between Chi					1.72	1.72								
	Between df					1	1								
	Between P					N.S.	N.S.								

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 13
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By spouse the index or not - adjusted

Yes								Number Exposed				Non-exposed		RR	95.00%CI
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Case	Cont	Case	Cont			
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16 (0.94- 1.43)		
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70 (0.63- 11.58)		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24 (0.58- 2.67)		
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93 (0.53- 1.64)		
Subtotal 3													1.03 (0.65- 1.62)		
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60 (1.20- 5.70)		
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61 (0.96- 2.71)		
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07 (0.65- 1.75)		
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59 (0.99- 2.57)		
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09 (0.47- 2.53)		
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27 (0.52- 3.09)		
Subtotal 13													1.17 (0.64- 2.16)		
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97 (0.73- 1.28)		
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99 (0.84- 1.16)		
Subtotal 14													0.98 (0.86- 1.13)		
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97 (0.90- 1.05)		
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03 (0.98- 1.08)		
Subtotal 15													1.01 (0.97- 1.06)		
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38 (0.70- 2.75)		
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33 (0.59- 2.99)		
Subtotal 17													1.36 (0.80- 2.30)		
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09 (0.98- 1.21)		
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04 (0.93- 1.16)		
Subtotal 19													1.07 (0.99- 1.15)		
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38 (0.95- 2.01)		
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18 (0.55- 2.52)		
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73 (0.89- 3.36)		
Subtotal 22													1.47 (0.89- 2.42)		
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60 (0.94- 2.90)		
27	ROENL	2	m	s	e	n	2	8	-	-	-	-	0.96 (0.64- 1.44)		
27	ROENL	14	f	s	e	n	2	8	-	-	-	-	1.53 (0.95- 2.44)		
Subtotal 27													1.17 (0.86- 1.59)		
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93 (0.83- 1.04)		
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99 (0.92- 1.08)		
Subtotal 29													0.97 (0.91- 1.03)		
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38 (1.04- 5.42)		
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05 (0.81- 1.38)		
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99 (0.72- 1.37)		
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)		
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19 (0.25- 5.64)		
Subtotal 43													1.58 (0.82- 3.05)		
Partial Totals									152	212	269	563			
*prospective study															

No								Number Exposed				Non-exposed		RR	95.00%CI
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Case	Cont	Case	Cont			
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73 (1.01- 2.96)		
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65 (0.79- 3.46)		
Subtotal 8													1.70 (1.10- 2.63)		
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06 (0.39- 2.91)		
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74 (1.15- 12.19)		
Subtotal 9													1.80 (0.84- 3.87)		
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31 (1.05- 1.64)		
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19 (1.04- 1.36)		
Subtotal 10													1.22 (1.09- 1.37)		
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97 (0.50- 1.86)		
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46 (1.47- 4.13)		
Subtotal 12													1.72 (1.15- 2.59)		
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34 (1.07- 1.67)		
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53 (0.81- 2.90)		
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82 (0.55- 1.22)		
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15 (1.18- 3.92)		
Subtotal 23													1.10 (0.79- 1.53)		

Within each study, results are included (in the following order of preference) for:
 1) EXP Exposure = spouse (s), household (h), total (t)
 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 13
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By spouse the index or not - adjusted

No										Number Exposed		Non-exposed		RR	95.00%CI
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Case	Cont	Case	Cont			
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13 (1.00- 1.27)		
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20 (1.09- 1.30)		
Subtotal 26													1.17 (1.09- 1.26)		
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33 (0.89- 1.99)		
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20 (0.70- 2.20)		
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30 (0.88- 1.93)		
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39 (0.95- 2.04)		
Subtotal 33													1.35 (1.02- 1.77)		
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98 (0.65- 1.50)		
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30 (0.67- 2.51)		
Subtotal 36													1.07 (0.75- 1.52)		
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37 (1.27- 1.48)		
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04 (0.88- 1.23)		
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98 (0.83- 1.17)		
Subtotal 40													1.01 (0.90- 1.14)		
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18 (0.96- 1.44)		
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27 (1.08- 1.66)		
Subtotal 41													1.21 (1.03- 1.42)		
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31- 2.18)		
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)		
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52 (1.01- 2.27)		
Partial Totals									234	1041	50	214			
*prospective study															

Relative risks		Yes	No	Total
	N	31	28	59
	NS	21	18	39
	Wt	4416.85	2592.68	7009.53
	Het Chi	39.77	55.36	149.44
	Het df	30	27	58
	Het P	N.S.	**	***
Fixed	RR	1.03	1.23	1.10
	RRl	1.00	1.19	1.07
	RRu	1.06	1.28	1.13
	P	(+)	+++	+++
Random	RR	1.05	1.24	1.17
	RRl	1.00	1.15	1.11
	RRu	1.10	1.33	1.23
	P	+	+++	+++
Asymm	P	***	N.S.	***
Between	Chi		54.32	54.32
Between	df		1	1
Between	P		+++	***

 Within each study, results are included (in the following order of preference) for:
 1) EXP Exposure = spouse (s), household (h), total (t)
 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 14
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By heart disease type 1 - adjusted

Fatal

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14														
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15														
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19														
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
Subtotal 29														
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33														
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40														
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41														
Partial Totals									0	0	0	0		

*prospective study

Nonfatal

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3														
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22														
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
27	ROSENL	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSENL	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27														
28	PIITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 14
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By heart disease type 1 - adjusted

Nonfatal

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
36 STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30 (0.67- 2.51)	
Subtotal 36													
37 TEO	1	c	t	c	n	2	6	-	-	-	-	1.37 (1.27- 1.48)	
42 HE2	8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31- 2.18)	
43 SULO	2	m	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)	
43 SULO	4	f	s	c	n	4	14	-	-	-	-	1.19 (0.25- 5.64)	
Subtotal 43													
44 VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)	
45 DING	2	f	h	e	n	2	11	-	-	-	-	1.52 (1.01- 2.27)	
Partial Totals								386	1253	319	777		

*prospective study

Both

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*5 SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61 (0.96- 2.71)	
9 JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06 (0.39- 2.91)	
9 JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74 (1.15- 12.19)	
Subtotal 9													
12 DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97 (0.50- 1.86)	
12 DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46 (1.47- 4.13)	
Subtotal 12													
*21 KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53 (0.81- 2.90)	
23 MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82 (0.55- 1.22)	
23 MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15 (1.18- 3.92)	
Subtotal 23													
*34 QURESH	1	f	s	m	b	2	7	-	-	-	-	1.10 (0.79- 1.53)	
Partial Totals								0	0	0	0		

*prospective study

		Fatal	Nonfatal	Both	Total
Relative risks					
	N	23	27	9	59
	NS	14	19	6	39
	Wt	4967.84	1899.12	142.57	7009.53
	Het Chi	36.21	33.25	20.95	149.44
	Het df	22	26	8	58
	Het P	*	N.S.	**	***
	Fixed RR	1.04	1.27	1.26	1.10
	RR1	1.01	1.21	1.07	1.07
	RRu	1.07	1.33	1.49	1.13
	P	+	+++	++	+++
	Random RR	1.06	1.27	1.41	1.17
	RR1	1.01	1.19	1.05	1.11
	RRu	1.11	1.36	1.90	1.23
	P	+	+++	+	+++
	Asymm P	**	N.S.	N.S.	***
	Between Chi		56.21	5.44	59.03
	Between df		1	1	2
	Between P		+++	+	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 15
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By heart disease type 2 - adjusted

IHD														
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number	Exposed	Non-exposed	RR	95.00%CI	
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16 (0.94- 1.43)	
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70 (0.63- 11.58)	
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24 (0.58- 2.67)	
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93 (0.53- 1.64)	
Subtotal 3									-	-	-	-	1.03 (0.65- 1.62)	
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61 (0.96- 2.71)	
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07 (0.65- 1.75)	
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97 (0.73- 1.28)	
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99 (0.84- 1.16)	
Subtotal 14									-	-	-	-	0.98 (0.86- 1.13)	
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34 (1.07- 1.67)	
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09 (0.98- 1.21)	
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04 (0.93- 1.16)	
Subtotal 19									-	-	-	-	1.07 (0.99- 1.15)	
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38 (0.95- 2.01)	
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93 (0.83- 1.04)	
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99 (0.92- 1.08)	
Subtotal 29									-	-	-	-	0.97 (0.91- 1.03)	
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20 (0.70- 2.20)	
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38 (1.04- 5.42)	
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30 (0.88- 1.93)	
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39 (0.95- 2.04)	
Subtotal 33									-	-	-	-	1.35 (1.02- 1.77)	
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04 (0.88- 1.23)	
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98 (0.83- 1.17)	
Subtotal 40									-	-	-	-	1.01 (0.90- 1.14)	
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18 (0.96- 1.44)	
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27 (0.98- 1.66)	
Subtotal 41									-	-	-	-	1.21 (1.03- 1.42)	
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31- 2.18)	
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)	
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52 (1.01- 2.27)	
Partial Totals									63	100	137	300		

MI														
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number	Exposed	Non-exposed	RR	95.00%CI	
									Case	Cont	Case	Cont		
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60 (1.20- 5.70)	
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09 (0.47- 2.53)	
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27 (0.52- 3.09)	
Subtotal 13									-	-	-	-	1.59 (0.98- 2.57)	
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38 (0.70- 2.75)	
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33 (0.59- 2.99)	
Subtotal 17									-	-	-	-	1.36 (0.80- 2.30)	
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18 (0.55- 2.52)	
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73 (0.89- 3.36)	
Subtotal 22									-	-	-	-	1.47 (0.89- 2.42)	
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82 (0.55- 1.22)	
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15 (1.18- 3.92)	
Subtotal 23									-	-	-	-	1.10 (0.79- 1.53)	
27	ROSENL	2	m	s	e	n	2	8	-	-	-	-	0.96 (0.64- 1.44)	
27	ROSENL	14	f	s	e	n	2	8	-	-	-	-	1.53 (0.95- 2.44)	
Subtotal 27									-	-	-	-	1.17 (0.86- 1.59)	
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98 (0.65- 1.50)	
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30 (0.67- 2.51)	
Subtotal 36									-	-	-	-	1.07 (0.75- 1.52)	
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37 (1.27- 1.48)	
Partial Totals									323	1153	182	477		

 Within each study, results are included (in the following order of preference) for:
 1) EXP Exposure = spouse (s), household (h), total (t)
 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 15
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 By heart disease type 2 - adjusted

other

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*10 SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31 (1.05- 1.64)	
*10 SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19 (1.04- 1.36)	
Subtotal 10													
*11 HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59 (0.99- 2.57)	
*15 LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97 (0.90- 1.05)	
*15 LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03 (0.98- 1.08)	
Subtotal 15													
25 HE1	2	f	s	e	n	2	6	-	-	-	-	1.60 (0.94- 2.90)	
26 IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13 (1.00- 1.27)	
26 IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20 (1.09- 1.30)	
Subtotal 26													
*34 QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05 (0.81- 1.38)	
Partial Totals								0	0	0	0		

*prospective study

mixed

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*8 HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73 (1.01- 2.96)	
*8 HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65 (0.79- 3.46)	
Subtotal 8													
9 JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06 (0.39- 2.91)	
9 JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74 (1.15- 12.19)	
Subtotal 9													
12 DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97 (0.50- 1.86)	
12 DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46 (1.47- 4.13)	
Subtotal 12													
*21 KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53 (0.81- 2.90)	
28 PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33 (0.89- 1.99)	
*38 WEN	17	f	s	m	f	2	9	-	-	-	-	0.99 (0.72- 1.37)	
43 SULO	2	m	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)	
43 SULO	4	f	s	c	n	4	14	-	-	-	-	1.19 (0.25- 5.64)	
Subtotal 43													
Partial Totals								0	0	0	0		

*prospective study

Relative risks		IHD	MI	other	mixed	Total
NS	18	8	6	7	39	
	Wt	2659.78	808.28	3412.13	129.35	7009.53
	Het Chi	47.55	17.25	26.09	14.37	149.44
	Het df	24	13	8	10	58
	Het P	**	N.S.	**	N.S.	***
	Fixed RR	1.06	1.34	1.07	1.38	1.10
	RR1	1.02	1.25	1.03	1.16	1.07
	RRu	1.10	1.43	1.10	1.64	1.13
	P	++	+++	+++	+++	+++
	Random RR	1.12	1.28	1.12	1.45	1.17
	RR1	1.05	1.11	1.04	1.16	1.11
	RRu	1.19	1.48	1.21	1.81	1.23
	P	+++	+++	++	++	+++
	Asymm P	***	N.S.	(*)	N.S.	***
	Between Chi		33.30	0.05	8.53	44.18
	Between df		1	1	1	3
	Between P		+++	N.S.	++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 16
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.21	(0.57- 2.52)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROENL	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROENL	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27													1.40	(0.91- 2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
Subtotal 29													0.96	(0.89- 1.03)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 16
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed Case	Cont	Non-exposed Case	Cont	RR	95.00%CI
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04 (0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98 (0.83- 1.17)
Subtotal 40														
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18 (0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27 (0.98- 1.66)
Subtotal 41														
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19 (0.25- 5.64)
Subtotal 43														
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52 (1.01- 2.27)
Partial Totals									140	314	458	1499		
*prospective study														

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1	HIRAYA	6	f	s	e	f	2	1	0.15	87.29	0.15	0.17
*2	GARLAN	4	f	s	c	f	8	1	0.81	1.01	0.50	0.41
3	LEE	2	m	s	m	n	2	2	0.22	6.59	0.08	0.58
3	LEE	4	f	s	m	n	2	2	-0.07	12.04	0.39	0.80
Subtotal 3									-0.07	18.63	0.46	
4	MARTIN	1	f	s	e	n	2	6	0.96	6.33	4.56	0.02
*5	SVENDS	2	m	s	c	b	2	6	0.48	14.27	1.95	0.07
*6	BUTLER	4	f	s	c	f	8	1	0.34	3.77	0.20	0.51
*8	HOLE	3	m	h	e	f	2	5	0.55	13.29	2.59	0.05
*8	HOLE	2	f	h	e	f	2	5	0.50	7.04	1.09	0.18
Subtotal 8									0.84	20.33	3.68	
9	JACKSO	4	m	h	c	b	2	2	0.06	3.80	0.01	0.91
9	JACKSO	2	f	h	c	b	2	2	1.32	2.76	4.05	0.03
Subtotal 9									1.16	6.56	4.06	
*10	SANDLE	2	m	h	c	f	2	4	0.27	77.28	2.06	0.02
*10	SANDLE	4	f	h	c	f	2	4	0.17	213.52	0.97	0.01
Subtotal 10									0.23	290.80	3.03	
*11	HUMBLE	1	f	s	c	f	8	4	0.46	16.88	2.15	0.06
12	DOBSON	4	m	h	c	b	2	2	-0.03	8.90	0.17	0.93
12	DOBSON	2	f	h	c	b	2	2	0.90	14.40	9.07	0.00
Subtotal 12									0.66	23.30	9.23	
13	LAVECC	11	c	s	c	n	8	8	0.19	6.96	0.05	0.62
14	LAYARD	2	m	s	e	f	2	2	-0.03	48.72	0.92	0.83
14	LAYARD	10	f	s	e	f	2	2	-0.01	147.49	2.01	0.90
Subtotal 14									-0.25	196.21	2.93	
*15	LEVOIS	2	m	s	c	f	8	2	-0.02	660.03	10.63	0.60
*15	LEVOIS	7	f	s	c	f	8	2	0.04	1659.41	7.55	0.11
Subtotal 15									-0.19	2319.43	18.18	
17	MUSCAT	1	m	s	e	n	2	0	0.32	8.14	0.39	0.35
17	MUSCAT	2	f	s	e	n	2	0	0.28	5.82	0.18	0.50
Subtotal 17									0.39	13.96	0.56	
18	TUNSTA	2	c	t	c	n	2	4	0.29	77.54	2.68	0.01
*19	STEENL	1	m	s	c	f	8	12	0.20	212.64	1.81	0.00
*19	STEENL	2	f	s	c	f	8	13	0.10	196.22	0.03	0.18
Subtotal 19									0.08	408.86	1.83	
20	JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.27	0.09
*21	KAWACH	11	f	h	c	b	2	15	0.43	9.45	0.96	0.19
22	CIRUZZ	7	m	s	c	n	2	9	0.17	6.63	0.02	0.67
22	CIRUZZ	8	f	s	c	n	2	9	0.55	8.71	1.70	0.11
Subtotal 22									0.50	15.34	1.72	
23	MCELDU	4	m	t	c	b	2	4	-0.20	24.21	2.25	0.33
23	MCELDU	2	f	t	c	b	2	4	0.77	10.66	4.63	0.01
Subtotal 23									0.35	34.87	6.88	
25	HE1	2	f	s	e	n	2	6	0.47	12.11	1.60	0.10
26	IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.06	0.05
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	2.83	0.00
Subtotal 26									0.09	763.97	2.90	
27	ROSENL	4	m	s	c	n	8	8	-0.02	13.01	0.21	0.94

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 16
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
27	ROSEN	16	f	s	c	n	8	8	0.95	7.55	5.39	0.01
Subtotal 27									0.72	20.56	5.60	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	0.76	0.16
*29	ENSTRO	15	m	s	c	f	8	8	-0.08	207.79	7.51	0.23
*29	ENSTRO	31	f	s	c	f	8	8	-0.03	502.87	9.46	0.49
Subtotal 29									-0.33	710.67	16.96	
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.07	0.53
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.26	0.04
33	MCGHEE	1	m	h	p	f	2	2	0.26	24.91	0.60	0.19
33	MCGHEE	2	f	h	p	f	2	2	0.33	26.31	1.30	0.09
Subtotal 33									0.38	51.22	1.91	
*34	QURESH	1	f	s	m	b	2	7	0.05	54.13	0.18	0.72
36	STRANG	25	m	h	c	n	2	0	-0.35	12.36	2.55	0.22
36	STRANG	17	f	h	c	n	2	0	-0.07	8.71	0.26	0.84
Subtotal 36									-0.63	21.07	2.81	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	28.43	0.00
*38	WEN	18	f	s	c	f	2	9	0.17	32.54	0.15	0.32
*40	HILL1	2	m	h	c	f	2	9	0.04	137.04	0.62	0.65
*40	HILL1	4	f	h	c	f	2	9	-0.02	130.35	2.10	0.82
Subtotal 40									-0.19	267.40	2.72	
*41	HILL2	2	m	h	c	f	2	9	0.17	93.46	0.32	0.11
*41	HILL2	4	f	h	c	f	2	9	0.24	55.32	0.97	0.08
Subtotal 41									0.19	148.79	1.29	
42	HE2	8	f	t	t	n	4	12	0.52	59.24	10.35	0.00
43	SULO	2	m	s	c	n	4	14	0.52	7.26	1.23	0.16
43	SULO	4	f	s	c	n	4	14	0.17	1.58	0.01	0.83
Subtotal 43									0.48	8.84	1.24	
44	VOZORI	2	c	t	c	n	4	7	0.00	93.46	1.06	1.00
45	DING	2	f	h	e	n	2	11	0.42	23.43	2.28	0.04

Relative risks

	N	58
	NS	39
	Wt	6563.90
Het	Chi	150.61
Het	df	57
Het	P	***
Fixed	RR	1.11
	RRl	1.09
	RRu	1.14
	P	+++
Random	RR	1.18
	RRl	1.12
	RRu	1.25
	P	+++
Asymm	P	**

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 17
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3													1.09	(0.70- 1.70)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10													0.80	(0.72- 0.88)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
Subtotal 13													1.16	(0.59- 2.30)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSENL	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
27	ROSENL	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
Subtotal 27													1.38	(0.93- 2.07)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	7	m	s	c	f	8	1	-	-	-	-	0.94	(0.83- 1.07)
*29	ENSTRO	23	f	s	c	f	8	1	-	-	-	-	1.01	(0.93- 1.09)
Subtotal 29													0.99	(0.93- 1.06)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 17
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Overall - unadjusted

Overall

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
37 TEO 1		c	t	c	n	2	6	-	-	-	-	1.37 (1.27- 1.48)	
*38 WEN 18		f	s	c	f	2	9	-	-	-	-	1.19 (0.84- 1.67)	
*40 HILL1 1		m	h	c	f	2	2	-	-	-	-	1.00 (0.85- 1.18)	
*40 HILL1 3		f	h	c	f	2	2	-	-	-	-	0.98 (0.83- 1.15)	
Subtotal 40												0.99 (0.88- 1.11)	
*41 HILL2 1		m	h	c	f	2	2	-	-	-	-	1.07 (0.86- 1.32)	
*41 HILL2 3		f	h	c	f	2	2	-	-	-	-	1.26 (0.98- 1.63)	
Subtotal 41												1.15 (0.97- 1.35)	
42 HE2 1		f	t	t	n	4	0	200	277	231	501	1.57 (1.23- 1.99)	
43 SULO 1		m	s	c	n	4	1	-	-	-	-	1.76 (0.98- 3.18)	
43 SULO 3		f	s	c	n	4	1	-	-	-	-	1.05 (0.48- 2.30)	
Subtotal 43												1.46 (0.91- 2.34)	
44 VOZORI 1		c	t	c	n	4	0	293	11991	1480	34776	0.57 (0.51- 0.65)	
45 DING 1		f	h	e	n	2	0	95	65	219	254	1.70 (1.18- 2.44)	
Partial Totals								3423	101372	5835	118186		
*prospective study													

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1 HIRAYA 3		f	s	e	f	2	0	0.00	90.30	0.34	0.99
*2 GARLAN 2		f	s	c	f	8	0	0.74	1.02	0.46	0.46
3 LEE 1		m	s	m	n	2	0	0.29	7.10	0.38	0.43
3 LEE 3		f	s	m	n	2	0	-0.03	12.62	0.11	0.92
Subtotal 3								0.14	19.72	0.48	
4 MARTIN 1		f	s	e	n	2	6	0.96	6.33	5.04	0.02
*5 SVENDS 1		m	s	c	b	2	0	0.38	15.65	1.60	0.13
*6 BUTLER 3		f	s	c	f	8	0	0.14	3.76	0.02	0.78
*8 HOLE 3		m	h	e	f	2	5	0.55	13.29	3.13	0.05
*8 HOLE 2		f	h	e	f	2	5	0.50	7.04	1.35	0.18
Subtotal 8								0.92	20.33	4.48	
9 JACKSO 3		m	h	c	b	2	0	0.10	3.78	0.00	0.85
9 JACKSO 1		f	h	c	b	2	0	1.39	2.98	5.21	0.02
Subtotal 9								1.36	6.76	5.21	
*10 SANDLE 1		m	h	c	f	2	0	0.14	90.22	0.51	0.19
*10 SANDLE 3		f	h	c	f	2	0	-0.35	262.43	45.44	0.00
Subtotal 10								-0.34	352.64	45.95	
*11 HUMBLE 1		f	s	c	f	8	4	0.46	16.88	2.71	0.06
12 DOBSON 3		m	h	c	b	2	0	0.04	11.77	0.01	0.89
12 DOBSON 1		f	h	c	b	2	0	0.47	22.62	3.83	0.02
Subtotal 12								0.39	34.39	3.84	
13 LAVECC 5		m	s	c	n	8	0	0.05	4.41	0.00	0.92
13 LAVECC 3		f	s	c	n	8	0	0.27	3.87	0.17	0.59
Subtotal 13								0.19	8.27	0.17	
14 LAYARD 1		m	s	e	f	2	0	-0.07	52.96	0.91	0.62
14 LAYARD 9		f	s	e	f	2	0	-0.00	155.06	0.63	1.00
Subtotal 14								-0.19	208.02	1.53	
*15 LEVOIS 2		m	s	c	f	8	2	-0.02	660.03	4.58	0.60
*15 LEVOIS 7		f	s	c	f	8	2	0.04	1659.41	0.95	0.11
Subtotal 15								-0.11	2319.43	5.53	
17 MUSCAT 1		m	s	e	n	2	0	0.32	8.14	0.56	0.35
17 MUSCAT 2		f	s	e	n	2	0	0.28	5.82	0.28	0.50
Subtotal 17								0.48	13.96	0.83	
18 TUNSTA 1		c	t	c	n	2	0	0.28	62.37	2.87	0.03
*19 STEENL 1		m	s	c	f	8	12	0.20	212.64	3.92	0.00
*19 STEENL 2		f	s	c	f	8	13	0.10	196.22	0.20	0.18
Subtotal 19								0.17	408.86	4.12	
20 JANGHO 1		f	s	e	n	2	0	0.32	27.39	1.83	0.09
*21 KAWACH 11		f	h	c	b	2	15	0.43	9.45	1.24	0.19
22 CIRUZZ 5		m	s	c	n	2	0	-0.00	8.06	0.04	0.99
22 CIRUZZ 6		f	s	c	n	2	0	0.39	11.59	1.27	0.18
Subtotal 22								0.26	19.65	1.30	
23 MCELDU 3		m	t	c	b	2	0	-0.23	29.19	2.55	0.21
23 MCELDU 1		f	t	c	b	2	0	0.63	16.76	5.32	0.01
Subtotal 23								0.27	45.95	7.86	
25 HE1 1		f	s	e	n	2	0	0.84	17.19	10.39	0.00

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 17
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
26	IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.94	0.05
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	7.03	0.00
Subtotal 26									0.18	763.97	7.97	
27	ROSENL	3	m	s	c	n	8	0	0.07	14.87	0.00	0.79
27	ROSENL	15	f	s	c	n	8	0	0.76	8.84	4.28	0.02
Subtotal 27									0.70	23.71	4.28	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	1.17	0.16
*29	ENSTRO	7	m	s	c	f	8	1	-0.06	238.19	3.72	0.34
*29	ENSTRO	23	f	s	c	f	8	1	0.01	609.73	1.72	0.81
Subtotal 29									-0.18	847.92	5.45	
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.17	0.53
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.64	0.04
33	MCGHEE	5	m	h	p	f	2	0	0.24	29.42	0.90	0.20
33	MCGHEE	6	f	h	p	f	2	0	0.27	33.81	1.46	0.11
Subtotal 33									0.38	63.24	2.37	
*34	QURESH	2	f	s	m	b	2	0	0.16	54.27	0.53	0.23
36	STRANG	25	m	h	c	n	2	0	-0.35	12.36	2.08	0.22
36	STRANG	17	f	h	c	n	2	0	-0.07	8.71	0.15	0.84
Subtotal 36									-0.54	21.07	2.23	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	41.57	0.00
*38	WEN	18	f	s	c	f	2	9	0.17	32.54	0.40	0.32
*40	HILL1	1	m	h	c	f	2	2	0.00	142.80	0.57	1.00
*40	HILL1	3	f	h	c	f	2	2	-0.02	144.50	1.00	0.81
Subtotal 40									-0.15	287.30	1.57	
*41	HILL2	1	m	h	c	f	2	2	0.07	83.70	0.00	0.54
*41	HILL2	3	f	h	c	f	2	2	0.23	59.36	1.68	0.07
Subtotal 41									0.17	143.06	1.68	
42	HE2	1	f	t	t	n	4	0	0.45	66.96	9.94	0.00
43	SULO	1	m	s	c	n	4	1	0.57	11.09	2.80	0.06
43	SULO	3	f	s	c	n	4	1	0.05	6.26	0.00	0.90
Subtotal 43									0.49	17.35	2.80	
44	VOZORI	1	c	t	c	n	4	0	-0.55	238.05	90.91	0.00
45	DING	1	f	h	e	n	2	0	0.53	29.06	6.27	0.00

Relative risks

N	59
NS	39
Wt	6994.09
Het Chi	290.77
Het df	58
Het P	***
Fixed RR	1.07
RRl	1.04
RRu	1.09
P	+++
Random RR	1.16
RRl	1.08
RRu	1.24
P	+++
Asymm P	*

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 18
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By sex - adjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.21 (0.57-	2.52)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34 (1.07-	1.67)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33 (0.89-	1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20 (0.70-	2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38 (1.04-	5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37 (1.27-	1.48)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80-	1.20)
Partial Totals									0	0	0	0		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24 (0.58-	2.67)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61 (0.96-	2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73 (1.01-	2.96)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06 (0.39-	2.91)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31 (1.05-	1.64)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97 (0.50-	1.86)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97 (0.73-	1.28)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98 (0.91-	1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38 (0.70-	2.75)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22 (1.07-	1.40)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18 (0.55-	2.52)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82 (0.55-	1.22)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13 (1.00-	1.27)
27	ROENL	4	m	s	c	n	8	8	-	-	-	-	0.98 (0.57-	1.69)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92 (0.80-	1.05)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30 (0.88-	1.93)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71 (0.40-	1.23)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04 (0.88-	1.23)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18 (0.96-	1.44)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68 (0.81-	3.47)
Partial Totals									38	83	225	486		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16 (0.94-	1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25 (0.32-	15.74)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93 (0.53-	1.64)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60 (1.20-	5.70)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40 (0.51-	3.84)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65 (0.79-	3.46)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74 (1.15-	12.19)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19 (1.04-	1.36)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59 (0.99-	2.57)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46 (1.47-	4.13)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99 (0.84-	1.16)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04 (0.99-	1.09)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33 (0.59-	2.99)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10 (0.96-	1.27)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38 (0.95-	2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53 (0.81-	2.90)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73 (0.89-	3.36)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15 (1.18-	3.92)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60 (0.94-	2.90)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20 (1.09-	1.30)
27	ROENL	16	f	s	c	n	8	8	-	-	-	-	2.59 (1.27-	5.29)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97 (0.89-	1.06)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39 (0.95-	2.04)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05 (0.81-	1.38)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 18
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By sex - adjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
									Case	Cont	Case	Cont			
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48-	1.82)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84-	1.67)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83-	1.17)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98-	1.66)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31-	2.18)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25-	5.64)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01-	2.27)
Partial Totals									102	231	233	1013			

*prospective study

Relative risks	combined		male	female	Total
		N	7	20	31
	NS	7	20	31	58
	Wt	875.24	1849.32	3839.34	6563.90
	Het Chi	10.25	31.36	77.43	150.61
	Het df	6	19	30	57
	Het P	N.S.	*	***	***
Fixed	RR	1.32	1.06	1.10	1.11
	RR1	1.24	1.01	1.06	1.09
	RRu	1.41	1.11	1.13	1.14
	P	+++	+	+++	+++
Random	RR	1.27	1.09	1.22	1.18
	RR1	1.11	1.01	1.13	1.12
	RRu	1.46	1.18	1.32	1.25
	P	+++	+	+++	+++
Asymm	P	N.S.	N.S.	***	**
Between	Chi		29.42	25.14	31.57
Between	df		1	1	2
Between	P		---	---	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 19
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By sex - unadjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
Partial Totals									622	13207	1579	35259		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(1.07- 2.75)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROENL	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
*29	ENSTRO	7	m	s	c	f	8	1	-	-	-	-	0.94	(0.83- 1.07)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
Partial Totals									491	2239	1853	6845		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROENL	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
*29	ENSTRO	23	f	s	c	f	8	1	-	-	-	-	1.01	(0.93- 1.09)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 19
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By sex - unadjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
									Case	Cont	Case	Cont			
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90-	1.53)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48-	1.82)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84-	1.67)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83-	1.15)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98-	1.63)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23-	1.99)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48-	2.30)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18-	2.44)
Partial Totals									2310	85926	2403	76082			

*prospective study

Relative risks	combined		male	female	Total
		N	6	21	32
	NS	6	21	32	59
	Wt	997.70	1918.63	4077.76	6994.09
	Het Chi	138.51	28.47	121.24	290.77
	Het df	5	20	31	58
	Het P	***	(*)	***	***
	Fixed RR	1.11	1.04	1.06	1.07
	RR1	1.04	1.00	1.03	1.04
	RRu	1.18	1.09	1.10	1.09
	P	+++	(+)	+++	+++
	Random RR	1.20	1.07	1.21	1.16
	RR1	0.77	1.00	1.11	1.08
	RRu	1.87	1.14	1.32	1.24
	P	N.S.	(+)	+++	+++
	Asymm P	N.S.	N.S.	**	*
	Between Chi		2.53	1.56	2.55
	Between df		1	1	2
	Between P		N.S.	N.S.	N.S.

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 20
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By continent - adjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25 (0.32- 15.74)	
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60 (1.20- 5.70)	
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61 (0.96- 2.71)	
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40 (0.51- 3.84)	
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31 (1.05- 1.64)	
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19 (1.04- 1.36)	
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.22 (1.09- 1.37)	
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	1.59 (0.99- 2.57)	
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.97 (0.73- 1.28)	
Subtotal 14														
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.99 (0.84- 1.16)	
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	0.98 (0.91- 1.06)	
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.04 (0.99- 1.09)	
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.02 (0.98- 1.07)	
Subtotal 17														
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.38 (0.70- 2.75)	
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.22 (1.07- 1.40)	
Subtotal 19														
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.10 (0.96- 1.27)	
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.16 (1.05- 1.28)	
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.53 (0.81- 2.90)	
Subtotal 26														
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92 (0.80- 1.05)	
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97 (0.89- 1.06)	
Subtotal 29														
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	0.96 (0.89- 1.03)	
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	1.05 (0.81- 1.38)	
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.71 (0.40- 1.23)	
Subtotal 36														
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	0.94 (0.48- 1.82)	
Partial Totals														
									77	214	321	1199	0.79 (0.52- 1.22)	

*prospective study

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24 (0.58- 2.67)	
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93 (0.53- 1.64)	
Subtotal 3														
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.03 (0.65- 1.62)	
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.73 (1.01- 2.96)	
Subtotal 8														
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.65 (0.79- 3.46)	
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.70 (1.10- 2.63)	
27	ROENL	4	m	s	c	n	8	8	-	-	-	-	0.98 (0.57- 1.69)	
27	ROENL	16	f	s	c	n	8	8	-	-	-	-	2.59 (1.27- 5.29)	
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.40 (0.91- 2.16)	
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.33 (0.89- 1.99)	
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.20 (0.70- 2.20)	
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)	
Subtotal 43														
Partial Totals									0	0	0	0	1.19 (0.25- 5.64)	

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 20
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By continent - adjusted

Asia

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*1 HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16 (0.94-	1.43)
20 JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38 (0.95-	2.01)
25 HE1	2	f	s	e	n	2	6	-	-	-	-	1.60 (0.94-	2.90)
31 NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38 (1.04-	5.42)
33 MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30 (0.88-	1.93)
33 MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39 (0.95-	2.04)
Subtotal 33												1.35 (1.02-	1.77)
*38 WEN	18	f	s	c	f	2	9	-	-	-	-	1.19 (0.84-	1.67)
42 HE2	8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31-	2.18)
45 DING	2	f	h	e	n	2	11	-	-	-	-	1.52 (1.01-	2.27)
Partial Totals								63	100	137	300		

*prospective study

Other

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
9 JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06 (0.39-	2.91)
9 JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74 (1.15-	12.19)
Subtotal 9												1.80 (0.84-	3.87)
12 DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97 (0.50-	1.86)
12 DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46 (1.47-	4.13)
Subtotal 12												1.72 (1.15-	2.59)
22 CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18 (0.55-	2.52)
22 CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73 (0.89-	3.36)
Subtotal 22												1.47 (0.89-	2.42)
23 MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82 (0.55-	1.22)
23 MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15 (1.18-	3.92)
Subtotal 23												1.10 (0.79-	1.53)
37 TEO	1	c	t	c	n	2	6	-	-	-	-	1.37 (1.27-	1.48)
*40 HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04 (0.88-	1.23)
*40 HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98 (0.83-	1.17)
Subtotal 40												1.01 (0.90-	1.14)
*41 HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18 (0.96-	1.44)
*41 HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27 (0.98-	1.66)
Subtotal 41												1.21 (1.03-	1.42)
Partial Totals								0	0	0	0		

*prospective study

Relative risks		NAmerica	Europe	Asia	Other	Total
	N	24	12	9	13	58
	NS	16	8	8	7	39
	Wt	4924.27	188.31	298.86	1152.45	6563.90
	Het Chi	49.24	7.98	8.01	37.12	150.61
	Het df	23	11	8	12	57
	Het P	**	N.S.	N.S.	***	***
Fixed	RR	1.06	1.34	1.37	1.26	1.11
	RR1	1.03	1.16	1.22	1.19	1.09
	RRu	1.09	1.55	1.53	1.33	1.14
	P	+++	+++	+++	+++	+++
Random	RR	1.08	1.34	1.37	1.24	1.18
	RR1	1.03	1.16	1.22	1.07	1.12
	RRu	1.14	1.55	1.53	1.44	1.25
	P	++	+++	+++	++	+++
Asymm	P	(*)	N.S.	N.S.	N.S.	**
Between	Chi		10.02	18.55	27.18	48.25
Between	df		1	1	1	3
Between	P		++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 21
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By continent - unadjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
									Case	Cont	Case	Cont			
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30-	14.64)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20-	5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89-	2.41)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42-	3.17)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93-	1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62-	0.79)
Subtotal 10													0.80	(0.72-	0.88)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99-	2.57)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71-	1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85-	1.17)
Subtotal 14													0.98	(0.86-	1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91-	1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99-	1.09)
Subtotal 15													1.02	(0.98-	1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70-	2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59-	2.99)
Subtotal 17													1.36	(0.80-	2.30)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07-	1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96-	1.27)
Subtotal 19													1.16	(1.05-	1.28)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81-	2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00-	1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09-	1.30)
Subtotal 26													1.17	(1.09-	1.26)
*29	ENSTRO	7	m	s	c	f	8	1	-	-	-	-	0.94	(0.83-	1.07)
*29	ENSTRO	23	f	s	c	f	8	1	-	-	-	-	1.01	(0.93-	1.09)
Subtotal 29													0.99	(0.93-	1.06)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90-	1.53)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40-	1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48-	1.82)
Subtotal 36													0.79	(0.52-	1.22)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51-	0.65)
Partial Totals									1762	28873	3512	91387			

*prospective study

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
									Case	Cont	Case	Cont			
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64-	2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56-	1.69)
Subtotal 3													1.09	(0.70-	1.70)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01-	2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79-	3.46)
Subtotal 8													1.70	(1.10-	2.63)
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41-	2.67)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48-	3.56)
Subtotal 13													1.16	(0.59-	2.30)
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03-	1.69)
27	ROSENL	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64-	1.78)
27	ROSENL	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10-	4.13)
Subtotal 27													1.38	(0.93-	2.07)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89-	1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70-	2.20)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98-	3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48-	2.30)
Subtotal 43													1.46	(0.91-	2.34)
Partial Totals									471	1597	413	1251			

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 21
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By continent - unadjusted

Asia

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*1 HIRAYA 3		f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
20 JANGHO 1		f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25 HE1 1		f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
31 NISHTA 3		c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33 MCGHEE 5		m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33 MCGHEE 6		f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33												1.29	(1.01- 1.65)
*38 WEN 18		f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
42 HE2 1		f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
45 DING 1		f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
Partial Totals								997	70403	1141	23605		

*prospective study

Other

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
9 JACKSO 3		m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9 JACKSO 1		f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9												1.94	(0.91- 4.13)
12 DOBSON 3		m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12 DOBSON 1		f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12												1.39	(0.99- 1.93)
22 CIRUZZ 5		m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22 CIRUZZ 6		f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22												1.26	(0.81- 1.96)
23 MCELDU 3		m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23 MCELDU 1		f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23												1.08	(0.81- 1.45)
37 TEO 1		c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40 HILL1 1		m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40 HILL1 3		f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40												0.99	(0.88- 1.11)
*41 HILL2 1		m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41 HILL2 3		f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41												1.15	(0.97- 1.35)
Partial Totals								193	499	769	1943		

*prospective study

Relative risks		NAmerica	Europe	Asia	Other	Total
	N	24	13	9	13	59
	NS	16	8	8	7	39
	Wt	5281.28	187.20	332.31	1193.30	6994.09
	Het Chi	160.35	6.77	18.47	38.34	290.77
	Het df	23	12	8	12	58
	Het P	***	N.S.	*	***	***
Fixed	RR	1.01	1.34	1.33	1.23	1.07
	RR1	0.98	1.16	1.20	1.16	1.04
	RRu	1.04	1.54	1.48	1.30	1.09
	P	N.S.	+++	+++	+++	+++
Random	RR	1.03	1.34	1.41	1.18	1.16
	RR1	0.94	1.16	1.18	1.03	1.08
	RRu	1.13	1.54	1.68	1.37	1.24
	P	N.S.	+++	+++	+	+++
Asymm	P	N.S.	N.S.	(*)	N.S.	*
Between	Chi		14.34	24.33	38.36	66.84
Between	df		1	1	1	3
Between	P		+++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 22
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By publication year (grouped) - adjusted

1984-88

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*1	HIRAYA 6	f	s	e	f	2	1	-	-	-	-	1.16 (0.94- 1.43)	
*2	GARLAN 4	f	s	c	f	8	1	-	-	-	-	2.25 (0.32- 15.74)	
3	LEE 2	m	s	m	n	2	2	-	-	-	-	1.24 (0.58- 2.67)	
3	LEE 4	f	s	m	n	2	2	-	-	-	-	0.93 (0.53- 1.64)	
Subtotal 3												1.03 (0.65- 1.62)	
4	MARTIN 1	f	s	e	n	2	6	-	-	-	-	2.60 (1.20- 5.70)	
*5	SVENDS 2	m	s	c	b	2	6	-	-	-	-	1.61 (0.96- 2.71)	
*6	BUTLER 4	f	s	c	f	8	1	-	-	-	-	1.40 (0.51- 3.84)	
Partial Totals								0	0	0	0		

*prospective study

1989-92

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*8	HOLE 3	m	h	e	f	2	5	-	-	-	-	1.73 (1.01- 2.96)	
*8	HOLE 2	f	h	e	f	2	5	-	-	-	-	1.65 (0.79- 3.46)	
Subtotal 8												1.70 (1.10- 2.63)	
9	JACKSO 4	m	h	c	b	2	2	-	-	-	-	1.06 (0.39- 2.91)	
9	JACKSO 2	f	h	c	b	2	2	-	-	-	-	3.74 (1.15- 12.19)	
Subtotal 9												1.80 (0.84- 3.87)	
*10	SANDLE 2	m	h	c	f	2	4	-	-	-	-	1.31 (1.05- 1.64)	
*10	SANDLE 4	f	h	c	f	2	4	-	-	-	-	1.19 (1.04- 1.36)	
Subtotal 10												1.22 (1.09- 1.37)	
*11	HUMBLE 1	f	s	c	f	8	4	-	-	-	-	1.59 (0.99- 2.57)	
12	DOBSON 4	m	h	c	b	2	2	-	-	-	-	0.97 (0.50- 1.86)	
12	DOBSON 2	f	h	c	b	2	2	-	-	-	-	2.46 (1.47- 4.13)	
Subtotal 12												1.72 (1.15- 2.59)	
13	LAVECC 11	c	s	c	n	8	8	-	-	-	-	1.21 (0.57- 2.52)	
Partial Totals								0	0	0	0		

*prospective study

1993-96

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
14	LAYARD 2	m	s	e	f	2	2	-	-	-	-	0.97 (0.73- 1.28)	
14	LAYARD 10	f	s	e	f	2	2	-	-	-	-	0.99 (0.84- 1.16)	
Subtotal 14												0.98 (0.86- 1.13)	
*15	LEVOIS 2	m	s	c	f	8	2	-	-	-	-	0.98 (0.91- 1.06)	
*15	LEVOIS 7	f	s	c	f	8	2	-	-	-	-	1.04 (0.99- 1.09)	
Subtotal 15												1.02 (0.98- 1.07)	
17	MUSCAT 1	m	s	e	n	2	0	20	25	48	83	1.38 (0.70- 2.75)	
17	MUSCAT 2	f	s	e	n	2	0	28	27	18	23	1.33 (0.59- 2.99)	
Subtotal 17												1.36 (0.80- 2.30)	
18	TUNSTA 2	c	t	c	n	2	4	-	-	-	-	1.34 (1.07- 1.67)	
*19	STEENL 1	m	s	c	f	8	12	-	-	-	-	1.22 (1.07- 1.40)	
*19	STEENL 2	f	s	c	f	8	13	-	-	-	-	1.10 (0.96- 1.27)	
Subtotal 19												1.16 (1.05- 1.28)	
Partial Totals								48	52	66	106		

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 22
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By publication year (grouped) - adjusted

1997-00

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
20	JANGHO 1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH 11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ 7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ 8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22								-	-	-	-	1.47	(0.89- 2.42)
23	MCELDU 4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU 2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23								-	-	-	-	1.10	(0.79- 1.53)
25	HE1 2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
Partial Totals								63	100	137	300		

*prospective study

2001-04

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
26	IRIBAR 4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR 19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26								-	-	-	-	1.17	(1.09- 1.26)
27	ROSENL 4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSENL 16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27								-	-	-	-	1.40	(0.91- 2.16)
28	PITSAV 9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO 15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO 31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
Subtotal 29								-	-	-	-	0.96	(0.89- 1.03)
30	CHEN 10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA 3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals								0	0	0	0		

*prospective study

2005-

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
33	MCGHEE 1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE 2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33								-	-	-	-	1.35	(1.02- 1.77)
*34	QURESH 1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG 25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG 17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36								-	-	-	-	0.79	(0.52- 1.22)
37	TEO 1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN 18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1 2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1 4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40								-	-	-	-	1.01	(0.90- 1.14)
*41	HILL2 2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2 4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41								-	-	-	-	1.21	(1.03- 1.42)
42	HE2 8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO 2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO 4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43								-	-	-	-	1.58	(0.82- 3.05)
44	VOZORI 2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING 2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals								29	162	255	1093		

*prospective study

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 22
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By publication year (grouped) - adjusted

	1984-88	1989-92	1993-96	1997-00	2001-04	2005-	Total
Relative risks							
N	7	10	9	7	9	16	58
NS	6	6	5	5	6	11	39
Wt	131.31	364.83	3016.01	99.15	1536.28	1416.31	6563.90
Het Chi	6.24	13.73	14.83	9.45	27.74	36.43	150.61
Het df	6	9	8	6	8	15	57
Het P	N.S.	N.S.	(*)	N.S.	***	**	***
Fixed RR	1.24	1.30	1.05	1.32	1.08	1.24	1.11
RRl	1.05	1.17	1.01	1.09	1.02	1.17	1.09
RRu	1.47	1.44	1.08	1.61	1.13	1.30	1.14
P	+	+++	+	++	++	+++	+++
Random RR	1.26	1.41	1.07	1.37	1.12	1.19	1.18
RRl	1.04	1.18	1.00	1.06	0.99	1.07	1.12
RRu	1.51	1.68	1.14	1.77	1.27	1.32	1.25
P	+	+++	+	+	(+)	++	+++
Asymm P	N.S.	(*)	N.S.	N.S.	N.S.	N.S.	**
Between Chi		0.17	3.69	0.23	2.51	0.00	42.18
Between df		1	1	1	1	1	5
Between P		N.S.	(-)	N.S.	N.S.	N.S.	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 23
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By publication year (grouped) - unadjusted

1984-88

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*1 HIRAYA 3		f	s	e	f	2	0	376	69645	118	21895	1.00 (0.82- 1.23)	
*2 GARLAN 2		f	s	c	f	8	0	2	97	2	203	2.09 (0.30- 14.64)	
3 LEE 1		m	s	m	n	2	0	15	40	26	93	1.34 (0.64- 2.80)	
3 LEE 3		f	s	m	n	2	0	55	229	22	89	0.97 (0.56- 1.69)	
Subtotal 3												1.09 (0.70- 1.70)	
4 MARTIN 1		f	s	e	n	2	6	-	-	-	-	2.60 (1.20- 5.70)	
*5 SVENDS 1		m	s	c	b	2	0	21	286	48	959	1.47 (0.89- 2.41)	
*6 BUTLER 3		f	s	c	f	8	0	4	2487	60	43053	1.15 (0.42- 3.17)	
Partial Totals								473	72784	276	66292		

*prospective study

1989-92

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*8 HOLE 3		m	h	e	f	2	5	-	-	-	-	1.73 (1.01- 2.96)	
*8 HOLE 2		f	h	e	f	2	5	-	-	-	-	1.65 (0.79- 3.46)	
Subtotal 8												1.70 (1.10- 2.63)	
9 JACKSO 3		m	h	c	b	2	0	-	-	-	-	1.10 (0.40- 3.00)	
9 JACKSO 1		f	h	c	b	2	0	-	-	-	-	4.00 (1.35- 13.10)	
Subtotal 9												1.94 (0.91- 4.13)	
*10 SANDLE 1		m	h	c	f	2	0	122	1248	248	2914	1.15 (0.93- 1.41)	
*10 SANDLE 3		f	h	c	f	2	0	551	9551	437	5322	0.70 (0.62- 0.79)	
Subtotal 10												0.80 (0.72- 0.88)	
*11 HUMBLE 1		f	s	c	f	8	4	-	-	-	-	1.59 (0.99- 2.57)	
12 DOBSON 3		m	h	c	b	2	0	22	34	161	259	1.04 (0.59- 1.84)	
12 DOBSON 1		f	h	c	b	2	0	43	99	117	433	1.61 (1.06- 2.43)	
Subtotal 12												1.39 (0.99- 1.93)	
13 LAVECC 5		m	s	c	n	8	0	7	17	55	140	1.05 (0.41- 2.67)	
13 LAVECC 3		f	s	c	n	8	0	17	20	11	17	1.31 (0.48- 3.56)	
Subtotal 13												1.16 (0.59- 2.30)	
Partial Totals								762	10969	1029	9085		

*prospective study

1993-96

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
14 LAYARD 1		m	s	e	f	2	0	97	215	378	783	0.93 (0.71- 1.22)	
14 LAYARD 9		f	s	e	f	2	0	455	961	459	969	1.00 (0.85- 1.17)	
Subtotal 14												0.98 (0.86- 1.13)	
*15 LEVOIS 2		m	s	c	f	8	2	-	-	-	-	0.98 (0.91- 1.06)	
*15 LEVOIS 7		f	s	c	f	8	2	-	-	-	-	1.04 (0.99- 1.09)	
Subtotal 15												1.02 (0.98- 1.07)	
17 MUSCAT 1		m	s	e	n	2	0	20	25	48	83	1.38 (0.70- 2.75)	
17 MUSCAT 2		f	s	e	n	2	0	28	27	18	23	1.33 (0.59- 2.99)	
Subtotal 17												1.36 (0.80- 2.30)	
18 TUNSTA 1		c	t	c	n	2	0	329	1216	99	483	1.32 (1.03- 1.69)	
*19 STEENL 1		m	s	c	f	8	12	-	-	-	-	1.22 (1.07- 1.40)	
*19 STEENL 2		f	s	c	f	8	13	-	-	-	-	1.10 (0.96- 1.27)	
Subtotal 19												1.16 (1.05- 1.28)	
Partial Totals								929	2444	1002	2341		

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 23
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By publication year (grouped) - unadjusted

1997-00

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
20	JANGHO 1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH 11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ 5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ 6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22												1.26	(0.81- 1.96)
23	MCELDU 3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU 1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23												1.08	(0.81- 1.45)
25	HE1 1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
Partial Totals								267	561	667	1664		

*prospective study

2001-04

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
26	IRIBAR 4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR 19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26												1.17	(1.09- 1.26)
27	ROSENL 3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
27	ROSENL 15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
Subtotal 27												1.38	(0.93- 2.07)
28	PITSAV 9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO 7	m	s	c	f	8	1	-	-	-	-	0.94	(0.83- 1.07)
*29	ENSTRO 23	f	s	c	f	8	1	-	-	-	-	1.01	(0.93- 1.09)
Subtotal 29												0.99	(0.93- 1.06)
30	CHEN 10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA 3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals								48	75	200	429		

*prospective study

2005-

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
33	MCGHEE 5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE 6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33												1.29	(1.01- 1.65)
*34	QURESH 2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG 25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG 17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36												0.79	(0.52- 1.22)
37	TEO 1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN 18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1 1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1 3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40												0.99	(0.88- 1.11)
*41	HILL2 1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2 3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41												1.15	(0.97- 1.35)
42	HE2 1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO 1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO 3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43												1.46	(0.91- 2.34)
44	VOZORI 1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
45	DING 1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
Partial Totals								944	14539	2661	38375		

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 23
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By publication year (grouped) - unadjusted

	1984-88	1989-92	1993-96	1997-00	2001-04	2005-	Total
Relative risks							
N	7	11	9	7	9	16	59
NS	6	6	5	5	6	11	39
Wt	136.77	439.28	3012.65	119.63	1676.69	1609.08	6994.09
Het Chi	7.64	50.47	13.71	16.09	22.13	157.47	290.77
Het df	6	10	8	6	8	15	58
Het P	N.S.	***	(*)	*	**	***	***
Fixed RR	1.12	0.90	1.04	1.35	1.08	1.11	1.07
RRl	0.95	0.82	1.01	1.13	1.03	1.06	1.04
RRu	1.32	0.99	1.08	1.61	1.14	1.17	1.09
P	N.S.	-	+	++	+++	+++	+++
Random RR	1.20	1.30	1.06	1.40	1.12	1.14	1.16
RRl	0.95	0.96	1.00	1.03	1.00	0.94	1.08
RRu	1.53	1.74	1.13	1.89	1.24	1.37	1.24
P	N.S.	(+)	(+)	+	+	N.S.	+++
Asymm P	N.S.	**	N.S.	N.S.	N.S.	N.S.	*
Between Chi		4.71	0.60	2.20	0.11	0.01	23.26
Between df		1	1	1	1	1	5
Between P		-	N.S.	N.S.	N.S.	N.S.	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 24

ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
By number of heart disease cases (grouped) - adjusted

1-99

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals									0	0	0	0		

*prospective study

100-199

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.21	(0.57- 2.52)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
Partial Totals									48	52	66	106		

*prospective study

200-999

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.20	(0.98- 1.46)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
27	ROENL	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROENL	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27													1.40	(0.91- 2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 24

ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
By number of heart disease cases (grouped) - adjusted

200-999

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
Partial Totals								92	262	392	1393		
*prospective study													

1000+

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*10 SANDLE 2		m	h	c	f	2	4	-	-	-	-	1.31 (1.05- 1.64)
*10 SANDLE 4		f	h	c	f	2	4	-	-	-	-	1.19 (1.04- 1.36)
Subtotal 10												1.22 (1.09- 1.37)
14 LAYARD 2		m	s	e	f	2	2	-	-	-	-	0.97 (0.73- 1.28)
14 LAYARD 10		f	s	e	f	2	2	-	-	-	-	0.99 (0.84- 1.16)
Subtotal 14												0.98 (0.86- 1.13)
*15 LEVOIS 2		m	s	c	f	8	2	-	-	-	-	0.98 (0.91- 1.06)
*15 LEVOIS 7		f	s	c	f	8	2	-	-	-	-	1.04 (0.99- 1.09)
Subtotal 15												1.02 (0.98- 1.07)
*19 STEENL 1		m	s	c	f	8	12	-	-	-	-	1.22 (1.07- 1.40)
*19 STEENL 2		f	s	c	f	8	13	-	-	-	-	1.10 (0.96- 1.27)
Subtotal 19												1.16 (1.05- 1.28)
26 IRIBAR 4		m	h	c	n	2	11	-	-	-	-	1.13 (1.00- 1.27)
26 IRIBAR 19		f	h	c	n	2	11	-	-	-	-	1.20 (1.09- 1.30)
Subtotal 26												1.17 (1.09- 1.26)
*29 ENSTRO 15		m	s	c	f	8	8	-	-	-	-	0.92 (0.80- 1.05)
*29 ENSTRO 31		f	s	c	f	8	8	-	-	-	-	0.97 (0.89- 1.06)
Subtotal 29												0.96 (0.89- 1.03)
37 TEO 1		c	t	c	n	2	6	-	-	-	-	1.37 (1.27- 1.48)
*40 HILL1 2		m	h	c	f	2	9	-	-	-	-	1.04 (0.88- 1.23)
*40 HILL1 4		f	h	c	f	2	9	-	-	-	-	0.98 (0.83- 1.17)
Subtotal 40												1.01 (0.90- 1.14)
*41 HILL2 2		m	h	c	f	2	9	-	-	-	-	1.18 (0.96- 1.44)
*41 HILL2 4		f	h	c	f	2	9	-	-	-	-	1.27 (0.98- 1.66)
Subtotal 41												1.21 (1.03- 1.42)
44 VOZORI 2		c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)
Partial Totals								0	0	0	0		
*prospective study													

Relative risks		1-99	100-199	200-999	1000+	Total
	N	6	11	23	18	58
	NS	6	7	16	10	39
	Wt	47.90	90.28	569.93	5855.79	6563.90
	Het Chi	2.02	3.64	37.48	76.51	150.61
	Het df	5	10	22	17	57
	Het P	N.S.	N.S.	*	***	***
Fixed	RR	1.78	1.41	1.29	1.09	1.11
	RRl	1.34	1.14	1.19	1.06	1.09
	RRu	2.36	1.73	1.40	1.12	1.14
	P	+++	++	+++	+++	+++
Random	RR	1.78	1.41	1.30	1.09	1.18
	RRl	1.34	1.14	1.16	1.03	1.12
	RRu	2.36	1.73	1.47	1.16	1.25
	P	+++	++	+++	++	+++
Asymm	P	N.S.	N.S.	N.S.	N.S.	**
Between	Chi		1.76	4.58	11.52	30.96
Between	df		1	1	1	3
Between	P		N.S.	-	---	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 25
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By study type - adjusted

case-control

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
3 LEE 2		m	s	m	n	2	2	-	-	-	-	1.24 (0.58- 2.67)	
3 LEE 4		f	s	m	n	2	2	-	-	-	-	0.93 (0.53- 1.64)	
Subtotal 3												1.03 (0.65- 1.62)	
9 JACKSO 4		m	h	c	b	2	2	-	-	-	-	1.06 (0.39- 2.91)	
9 JACKSO 2		f	h	c	b	2	2	-	-	-	-	3.74 (1.15- 12.19)	
Subtotal 9												1.80 (0.84- 3.87)	
12 DOBSON 4		m	h	c	b	2	2	-	-	-	-	0.97 (0.50- 1.86)	
12 DOBSON 2		f	h	c	b	2	2	-	-	-	-	2.46 (1.47- 4.13)	
Subtotal 12												1.72 (1.15- 2.59)	
13 LAVECC 11		c	s	c	n	8	8	-	-	-	-	1.21 (0.57- 2.52)	
14 LAYARD 2		m	s	e	f	2	2	-	-	-	-	0.97 (0.73- 1.28)	
14 LAYARD 10		f	s	e	f	2	2	-	-	-	-	0.99 (0.84- 1.16)	
Subtotal 14												0.98 (0.86- 1.13)	
17 MUSCAT 1		m	s	e	n	2	0	20	25	48	83	1.38 (0.70- 2.75)	
17 MUSCAT 2		f	s	e	n	2	0	28	27	18	23	1.33 (0.59- 2.99)	
Subtotal 17												1.36 (0.80- 2.30)	
20 JANGHO 1		f	s	e	n	2	0	63	100	137	300	1.38 (0.95- 2.01)	
22 CIRUZZ 7		m	s	c	n	2	9	-	-	-	-	1.18 (0.55- 2.52)	
22 CIRUZZ 8		f	s	c	n	2	9	-	-	-	-	1.73 (0.89- 3.36)	
Subtotal 22												1.47 (0.89- 2.42)	
23 MCELDU 4		m	t	c	b	2	4	-	-	-	-	0.82 (0.55- 1.22)	
23 MCELDU 2		f	t	c	b	2	4	-	-	-	-	2.15 (1.18- 3.92)	
Subtotal 23												1.10 (0.79- 1.53)	
25 HE1 2		f	s	e	n	2	6	-	-	-	-	1.60 (0.94- 2.90)	
27 ROENL 4		m	s	c	n	8	8	-	-	-	-	0.98 (0.57- 1.69)	
27 ROENL 16		f	s	c	n	8	8	-	-	-	-	2.59 (1.27- 5.29)	
Subtotal 27												1.40 (0.91- 2.16)	
28 PITSAV 9		c	h	c	n	a	6	-	-	-	-	1.33 (0.89- 1.99)	
31 NISHTA 3		c	s	e	n	1	1	-	-	-	-	2.38 (1.04- 5.42)	
33 MCGHEE 1		m	h	p	f	2	2	-	-	-	-	1.30 (0.88- 1.93)	
33 MCGHEE 2		f	h	p	f	2	2	-	-	-	-	1.39 (0.95- 2.04)	
Subtotal 33												1.35 (1.02- 1.77)	
36 STRANG 25		m	h	c	n	2	0	18	58	177	403	0.71 (0.40- 1.23)	
36 STRANG 17		f	h	c	n	2	0	11	104	78	690	0.94 (0.48- 1.82)	
Subtotal 36												0.79 (0.52- 1.22)	
37 TEO 1		c	t	c	n	2	6	-	-	-	-	1.37 (1.27- 1.48)	
43 SULO 2		m	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)	
43 SULO 4		f	s	c	n	4	14	-	-	-	-	1.19 (0.25- 5.64)	
Subtotal 43												1.58 (0.82- 3.05)	
45 DING 2		f	h	e	n	2	11	-	-	-	-	1.52 (1.01- 2.27)	
Partial Totals								140	314	458	1499		

*prospective study

prospective

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*1 HIRAYA 6		f	s	e	f	2	1	-	-	-	-	1.16 (0.94- 1.43)	
*2 GARLAN 4		f	s	c	f	8	1	-	-	-	-	2.25 (0.32- 15.74)	
*5 SVENDS 2		m	s	c	b	2	6	-	-	-	-	1.61 (0.96- 2.71)	
*6 BUTLER 4		f	s	c	f	8	1	-	-	-	-	1.40 (0.51- 3.84)	
*8 HOLE 3		m	h	e	f	2	5	-	-	-	-	1.73 (1.01- 2.96)	
*8 HOLE 2		f	h	e	f	2	5	-	-	-	-	1.65 (0.79- 3.46)	
Subtotal 8												1.70 (1.10- 2.63)	
*10 SANDLE 2		m	h	c	f	2	4	-	-	-	-	1.31 (1.05- 1.64)	
*10 SANDLE 4		f	h	c	f	2	4	-	-	-	-	1.19 (1.04- 1.36)	
Subtotal 10												1.22 (1.09- 1.37)	
*11 HUMBLE 1		f	s	c	f	8	4	-	-	-	-	1.59 (0.99- 2.57)	
*15 LEVOIS 2		m	s	c	f	8	2	-	-	-	-	0.98 (0.91- 1.06)	
*15 LEVOIS 7		f	s	c	f	8	2	-	-	-	-	1.04 (0.99- 1.09)	
Subtotal 15												1.02 (0.98- 1.07)	
*19 STEENL 1		m	s	c	f	8	12	-	-	-	-	1.22 (1.07- 1.40)	
*19 STEENL 2		f	s	c	f	8	13	-	-	-	-	1.10 (0.96- 1.27)	
Subtotal 19												1.16 (1.05- 1.28)	
*21 KAWACH 11		f	h	c	b	2	15	-	-	-	-	1.53 (0.81- 2.90)	

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 25

ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
By study type - adjusted

prospective

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
Subtotal 29														
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40														
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41														
Partial Totals									0	0	0	0		
*prospective study														

cross-sectional

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									0	0	0	0		
*prospective study														

Relative risks	case-cont		prospecti	cross-sec	Total
		N	29	22	7
	NS	18	15	6	39
	Wt	1166.01	4385.62	1012.26	6563.90
	Het Chi	50.72	40.20	15.75	150.61
	Het df	28	21	6	57
	Het P	**	**	*	***
	Fixed RR	1.29	1.05	1.20	1.11
	RRl	1.21	1.02	1.13	1.09
	RRu	1.36	1.08	1.28	1.14
	P	+++	+++	+++	+++
	Random RR	1.28	1.09	1.25	1.18
	RRl	1.14	1.04	1.10	1.12
	RRu	1.43	1.15	1.41	1.25
	P	+++	++	+++	+++
	Asymm P	N.S.	**	N.S.	**
	Between Chi		37.00	2.53	43.94
	Between df		1	1	2
	Between P		---	N.S.	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 26

ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
By total number of confounders considered in the study (grouped) - adjusted

0-2

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.14	(0.94- 1.37)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
Partial Totals									63	100	137	300		
*prospective study														

3-4

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
Partial Totals									48	52	66	106		
*prospective study														

5+

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.21	(0.57- 2.52)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 26
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By total number of confounders considered in the study (grouped) - adjusted

5+								Number Exposed		Non-exposed		RR	95.00%CI
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Case	Cont	Case		
27	ROSENL	4	m	s	c	n	8	8	-	-	-	-	0.98 (0.57- 1.69)
27	ROSENL	16	f	s	c	n	8	8	-	-	-	-	2.59 (1.27- 5.29)
Subtotal 27													
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.40 (0.91- 2.16)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	1.33 (0.89- 1.99)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.92 (0.80- 1.05)
Subtotal 29													
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	0.97 (0.89- 1.03)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.20 (0.70- 2.20)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	1.05 (0.81- 1.38)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.71 (0.40- 1.23)
Subtotal 36													
37	TEO	1	c	t	c	n	2	6	-	-	-	-	0.94 (0.48- 1.82)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	0.79 (0.52- 1.22)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.37 (1.27- 1.48)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	1.19 (0.84- 1.67)
Subtotal 40													
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.04 (0.88- 1.23)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	0.98 (0.83- 1.17)
Subtotal 41													
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.01 (0.90- 1.14)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.18 (0.96- 1.44)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.27 (0.98- 1.66)
Subtotal 43													
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.21 (1.03- 1.42)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.69 (1.31- 2.18)
Partial Totals									29	162	255	1093	1.68 (0.81- 3.47)
*prospective study													1.19 (0.25- 5.64)

Relative risks		0-2	3-4	5+	Total
	N	12	10	36	58
	NS	8	6	25	39
	Wt	2709.60	457.35	3396.95	6563.90
	Het Chi	14.09	16.65	92.22	150.61
	Het df	11	9	35	57
	Het P	N.S.	(*)	***	***
Fixed	RR	1.03	1.27	1.16	1.11
	RR1	1.00	1.16	1.12	1.09
	RRu	1.07	1.39	1.20	1.14
	P	(+)	+++	+++	+++
Random	RR	1.05	1.32	1.19	1.18
	RR1	0.99	1.13	1.11	1.12
	RRu	1.12	1.55	1.28	1.25
	P	N.S.	+++	+++	+++
Asymm	P	*	N.S.	N.S.	**
Between	Chi		16.27	19.16	27.64
Between	df		1	1	2
Between	P		+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 27

ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
By any study results available on dose-response or not - adjusted

none								Number Exposed				Non-exposed		RR	95.00%CI
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Case	Cont	Case	Cont			
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25 (0.32- 15.74)		
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60 (1.20- 5.70)		
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40 (0.51- 3.84)		
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31 (1.05- 1.64)		
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19 (1.04- 1.36)		
Subtotal 10													1.22 (1.09- 1.37)		
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59 (0.99- 2.57)		
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97 (0.50- 1.86)		
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46 (1.47- 4.13)		
Subtotal 12													1.72 (1.15- 2.59)		
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82 (0.55- 1.22)		
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15 (1.18- 3.92)		
Subtotal 23													1.10 (0.79- 1.53)		
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05 (0.81- 1.38)		
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04 (0.88- 1.23)		
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98 (0.83- 1.17)		
Subtotal 40													1.01 (0.90- 1.14)		
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18 (0.96- 1.44)		
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27 (0.98- 1.66)		
Subtotal 41													1.21 (1.03- 1.42)		
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)		
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19 (0.25- 5.64)		
Subtotal 43													1.58 (0.82- 3.05)		
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)		
Partial Totals								0	0	0	0				
*prospective study															

results given

results given								Number Exposed				Non-exposed		RR	95.00%CI
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Case	Cont	Case	Cont			
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16 (0.94- 1.43)		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24 (0.58- 2.67)		
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93 (0.53- 1.64)		
Subtotal 3													1.14 (0.94- 1.37)		
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61 (0.96- 2.71)		
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73 (1.01- 2.96)		
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65 (0.79- 3.46)		
Subtotal 8													1.70 (1.10- 2.63)		
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06 (0.39- 2.91)		
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74 (1.15- 12.19)		
Subtotal 9													1.80 (0.84- 3.87)		
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.21 (0.57- 2.52)		
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97 (0.73- 1.28)		
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99 (0.84- 1.16)		
Subtotal 14													0.98 (0.86- 1.13)		
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98 (0.91- 1.06)		
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04 (0.99- 1.09)		
Subtotal 15													1.02 (0.98- 1.07)		
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38 (0.70- 2.75)		
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33 (0.59- 2.99)		
Subtotal 17													1.36 (0.80- 2.30)		
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34 (1.07- 1.67)		
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22 (1.07- 1.40)		
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10 (0.96- 1.27)		
Subtotal 19													1.16 (1.05- 1.28)		
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38 (0.95- 2.01)		
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53 (0.81- 2.90)		
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18 (0.55- 2.52)		
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73 (0.89- 3.36)		
Subtotal 22													1.47 (0.89- 2.42)		
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60 (0.94- 2.90)		
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13 (1.00- 1.27)		
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20 (1.09- 1.30)		
Subtotal 26													1.17 (1.09- 1.26)		

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 27

ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
By any study results available on dose-response or not - adjusted

results given

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
									Case	Cont	Case	Cont			
27	ROSENL	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57-	1.69)
27	ROSENL	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27-	5.29)
Subtotal 27													1.40	(0.91-	2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89-	1.99)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80-	1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89-	1.06)
Subtotal 29													0.96	(0.89-	1.03)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70-	2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04-	5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88-	1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95-	2.04)
Subtotal 33													1.35	(1.02-	1.77)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40-	1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48-	1.82)
Subtotal 36													0.79	(0.52-	1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27-	1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84-	1.67)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31-	2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01-	2.27)
Partial Totals									140	314	458	1499			

*prospective study

Relative risks	none	no assoc	sig assoc	results g	Total
	N	18		40	58
	NS	12		27	39
	Wt	949.59		5614.31	6563.90
	Het Chi	32.30		117.42	150.61
	Het df	17		39	57
	Het P	*		***	***
	Fixed RR	1.14		1.11	1.11
	RRl	1.07		1.08	1.09
	RRu	1.22		1.14	1.14
	P	+++		+++	+++
	Random RR	1.19		1.18	1.18
	RRl	1.07		1.11	1.12
	RRu	1.32		1.26	1.25
	P	++		+++	+++
	Asymm P	*		*	**
	Between Chi			0.89	0.89
	Between df			1	1
	Between P		N.S.	N.S.	N.S.

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 28
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By spouse the index or not - adjusted

										Number Exposed		Non-exposed		RR	95.00%CI
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Case	Cont	Case	Cont			
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16 (0.94- 1.43)		
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25 (0.32- 15.74)		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24 (0.58- 2.67)		
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93 (0.53- 1.64)		
Subtotal 3													1.03 (0.65- 1.62)		
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60 (1.20- 5.70)		
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61 (0.96- 2.71)		
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40 (0.51- 3.84)		
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59 (0.99- 2.57)		
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.21 (0.57- 2.52)		
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97 (0.73- 1.28)		
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99 (0.84- 1.16)		
Subtotal 14													0.98 (0.86- 1.13)		
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98 (0.91- 1.06)		
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04 (0.99- 1.09)		
Subtotal 15													1.02 (0.98- 1.07)		
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38 (0.70- 2.75)		
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33 (0.59- 2.99)		
Subtotal 17													1.36 (0.80- 2.30)		
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22 (1.07- 1.40)		
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10 (0.96- 1.27)		
Subtotal 19													1.16 (1.05- 1.28)		
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38 (0.95- 2.01)		
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18 (0.55- 2.52)		
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73 (0.89- 3.36)		
Subtotal 22													1.47 (0.89- 2.42)		
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60 (0.94- 2.90)		
27	ROENL	4	m	s	c	n	8	8	-	-	-	-	0.98 (0.57- 1.69)		
27	ROENL	16	f	s	c	n	8	8	-	-	-	-	2.59 (1.27- 5.29)		
Subtotal 27													1.40 (0.91- 2.16)		
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92 (0.80- 1.05)		
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97 (0.89- 1.06)		
Subtotal 29													0.96 (0.89- 1.03)		
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38 (1.04- 5.42)		
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05 (0.81- 1.38)		
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19 (0.84- 1.67)		
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)		
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19 (0.25- 5.64)		
Subtotal 43													1.58 (0.82- 3.05)		
Partial Totals									111	152	203	406			
*prospective study															
No															
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Case	Cont	Case	Cont	RR	95.00%CI	
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73 (1.01- 2.96)		
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65 (0.79- 3.46)		
Subtotal 8													1.70 (1.10- 2.63)		
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06 (0.39- 2.91)		
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74 (1.15- 12.19)		
Subtotal 9													1.80 (0.84- 3.87)		
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31 (1.05- 1.64)		
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19 (1.04- 1.36)		
Subtotal 10													1.22 (1.09- 1.37)		
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97 (0.50- 1.86)		
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46 (1.47- 4.13)		
Subtotal 12													1.72 (1.15- 2.59)		
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34 (1.07- 1.67)		
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53 (0.81- 2.90)		
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82 (0.55- 1.22)		
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15 (1.18- 3.92)		
Subtotal 23													1.10 (0.79- 1.53)		
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13 (1.00- 1.27)		
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20 (1.09- 1.30)		

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 28
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By spouse the index or not - adjusted

No								Number Exposed		Non-exposed		RR	95.00%CI		
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Case	Cont	Case				Cont
Subtotal 26													1.17	(1.09-	1.26)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89-	1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70-	2.20)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88-	1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95-	2.04)
Subtotal 33													1.35	(1.02-	1.77)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40-	1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48-	1.82)
Subtotal 36													0.79	(0.52-	1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27-	1.48)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88-	1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83-	1.17)
Subtotal 40													1.01	(0.90-	1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96-	1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98-	1.66)
Subtotal 41													1.21	(1.03-	1.42)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31-	2.18)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80-	1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01-	2.27)
Partial Totals								29	162	255	1093				

Relative risks		Yes	No	Total
	N	30	28	58
	NS	21	18	39
	Wt	3980.83	2583.07	6563.90
	Het Chi	48.37	58.70	150.61
	Het df	29	27	57
	Het P	*	***	***
Fixed	RR	1.04	1.23	1.11
	RRl	1.01	1.18	1.09
	RRu	1.07	1.28	1.14
	P	++	+++	+++
Random	RR	1.09	1.23	1.18
	RRl	1.03	1.15	1.12
	RRu	1.16	1.33	1.25
	P	++	+++	+++
Asymm	P	***	N.S.	**
Between	Chi		43.53	43.53
Between	df		1	1
Between	P		+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 29
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By heart disease type 1 - adjusted

Fatal

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14														
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15														
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19														
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
Subtotal 29														
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33														
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40														
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41														
Partial Totals									0	0	0	0		

*prospective study

Nonfatal

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3														
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.21	(0.57- 2.52)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22														
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
27	ROSEN1	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN1	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 29
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By heart disease type 1 - adjusted

Nonfatal

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
37 TEO	1	c	t	c	n	2	6	-	-	-	-	1.37 (1.27- 1.48)	
42 HE2	8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31- 2.18)	
43 SULO	2	m	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)	
43 SULO	4	f	s	c	n	4	14	-	-	-	-	1.19 (0.25- 5.64)	
Subtotal 43												1.58 (0.82- 3.05)	
44 VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)	
45 DING	2	f	h	e	n	2	11	-	-	-	-	1.52 (1.01- 2.27)	
Partial Totals								140	314	458	1499		

*prospective study

Both

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*5 SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61 (0.96- 2.71)	
9 JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06 (0.39- 2.91)	
9 JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74 (1.15- 12.19)	
Subtotal 9												1.67 (1.09- 2.56)	
12 DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97 (0.50- 1.86)	
12 DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46 (1.47- 4.13)	
Subtotal 12												1.72 (1.15- 2.59)	
*21 KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53 (0.81- 2.90)	
23 MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82 (0.55- 1.22)	
23 MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15 (1.18- 3.92)	
Subtotal 23												1.10 (0.79- 1.53)	
*34 QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05 (0.81- 1.38)	
Partial Totals								0	0	0	0		

*prospective study

Relative risks		Fatal	Nonfatal	Both	Total
	N	23	26	9	58
	NS	14	19	6	39
	Wt	4555.22	1866.10	142.57	6563.90
	Het Chi	40.29	39.05	20.95	150.61
	Het df	22	25	8	57
	Het P	**	*	**	***
Fixed	RR	1.05	1.27	1.26	1.11
	RR1	1.02	1.21	1.07	1.09
	RRu	1.08	1.33	1.49	1.14
	P	++	+++	++	+++
Random	RR	1.08	1.28	1.41	1.18
	RR1	1.03	1.18	1.05	1.12
	RRu	1.14	1.39	1.90	1.25
	P	++	+++	+	+++
Asymm	P	**	N.S.	N.S.	**
Between	Chi		47.95	4.75	50.31
Between	df		1	1	2
Between	P		+++	+	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 30
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By heart disease type 2 - adjusted

IHD														
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number	Exposed	Non-exposed	RR	95.00%CI	
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16 (0.94- 1.43)	
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25 (0.32- 15.74)	
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24 (0.58- 2.67)	
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93 (0.53- 1.64)	
Subtotal 3									-	-	-	-	1.03 (0.65- 1.62)	
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61 (0.96- 2.71)	
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40 (0.51- 3.84)	
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97 (0.73- 1.28)	
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99 (0.84- 1.16)	
Subtotal 14									-	-	-	-	0.98 (0.86- 1.13)	
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34 (1.07- 1.67)	
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22 (1.07- 1.40)	
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10 (0.96- 1.27)	
Subtotal 19									-	-	-	-	1.16 (1.05- 1.28)	
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38 (0.95- 2.01)	
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92 (0.80- 1.05)	
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97 (0.89- 1.06)	
Subtotal 29									-	-	-	-	0.96 (0.89- 1.03)	
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20 (0.70- 2.20)	
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38 (1.04- 5.42)	
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30 (0.88- 1.93)	
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39 (0.95- 2.04)	
Subtotal 33									-	-	-	-	1.35 (1.02- 1.77)	
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04 (0.88- 1.23)	
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98 (0.83- 1.17)	
Subtotal 40									-	-	-	-	1.01 (0.90- 1.14)	
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18 (0.96- 1.44)	
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27 (0.98- 1.66)	
Subtotal 41									-	-	-	-	1.21 (1.03- 1.42)	
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31- 2.18)	
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)	
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52 (1.01- 2.27)	
Partial Totals									63	100	137	300		

MI														
StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number	Exposed	Non-exposed	RR	95.00%CI	
									Case	Cont	Case	Cont		
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60 (1.20- 5.70)	
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.21 (0.57- 2.52)	
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38 (0.70- 2.75)	
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33 (0.59- 2.99)	
Subtotal 17									-	-	-	-	1.36 (0.80- 2.30)	
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18 (0.55- 2.52)	
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73 (0.89- 3.36)	
Subtotal 22									-	-	-	-	1.47 (0.89- 2.42)	
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82 (0.55- 1.22)	
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15 (1.18- 3.92)	
Subtotal 23									-	-	-	-	1.10 (0.79- 1.53)	
27	ROENL	4	m	s	c	n	8	8	-	-	-	-	0.98 (0.57- 1.69)	
27	ROENL	16	f	s	c	n	8	8	-	-	-	-	2.59 (1.27- 5.29)	
Subtotal 27									-	-	-	-	1.40 (0.91- 2.16)	
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71 (0.40- 1.23)	
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94 (0.48- 1.82)	
Subtotal 36									-	-	-	-	0.79 (0.52- 1.22)	
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37 (1.27- 1.48)	
Partial Totals									77	214	321	1199		

*prospective study

 Within each study, results are included (in the following order of preference) for:
 1) EXP Exposure = spouse (s), household (h), total (t)
 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 30
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 By heart disease type 2 - adjusted

other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15														
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
Partial Totals									0	0	0	0		
*prospective study														

mixed

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9														
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12														
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43														
Partial Totals									0	0	0	0		
*prospective study														

Relative risks		N	IHD	MI	other	mixed	Total
			NS				
	Wt	2206.55	775.27	3457.32	124.76	6563.90	
	Het Chi	50.17	22.81	23.88	10.52	150.61	
	Het df	24	12	8	10	57	
	Het P	**	*	**	N.S.	***	
	Fixed RR	1.08	1.34	1.07	1.47	1.11	
	RRl	1.04	1.25	1.04	1.23	1.09	
	RRu	1.13	1.44	1.11	1.75	1.14	
	P	+++	+++	+++	+++	+++	
	Random RR	1.14	1.29	1.12	1.48	1.18	
	RRl	1.06	1.05	1.04	1.23	1.12	
	RRu	1.22	1.57	1.21	1.77	1.25	
	P	+++	+	++	+++	+++	
	Asymm P	**	N.S.	(*)	N.S.	**	
	Between Chi		27.08	0.06	10.97	43.23	
	Between df		1	1	1	3	
	Between P		+++	N.S.	+++	***	

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 31
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Case	Cont	Case	Cont	RR	95.00%CI	
3	LEE	6	m	w	e	2	1	-	-	-	-	0.66	(0.26-	1.66)
3	LEE	8	f	w	e	2	1	-	-	-	-	0.69	(0.26-	1.87)
Subtotal 3												0.67	(0.34-	1.32)
*5	SVENDS	3	m	a	c	2	2	-	-	-	-	1.40	(0.80-	2.50)
9	JACKSO	8	m	a	c	2	2	-	-	-	-	1.80	(0.94-	3.46)
9	JACKSO	6	f	a	c	2	2	-	-	-	-	1.55	(0.48-	5.03)
Subtotal 9												1.74	(0.98-	3.07)
12	DOBSON	8	m	w	c	2	2	-	-	-	-	0.95	(0.51-	1.78)
12	DOBSON	6	f	w	c	2	2	-	-	-	-	0.66	(0.17-	2.62)
Subtotal 12												0.89	(0.51-	1.57)
17	MUSCAT	4	m	a	e	2	3	-	-	-	-	1.20	(0.60-	2.20)
17	MUSCAT	6	f	w	e	2	3	-	-	-	-	1.00	(0.40-	2.50)
Subtotal 17												1.13	(0.66-	1.92)
*19	STEENL	28	m	w	c	1	12	-	-	-	-	1.03	(0.89-	1.19)
*19	STEENL	29	f	w	c	1	13	-	-	-	-	1.06	(0.84-	1.34)
Subtotal 19												1.04	(0.92-	1.17)
*21	KAWACH	8	f	w	c	2	15	-	-	-	-	1.68	(0.81-	3.47)
25	HE1	22	f	w	e	2	6	-	-	-	-	1.85	(0.86-	4.00)
27	ROSEN1	8	m	a	e	2	8	-	-	-	-	1.14	(0.78-	1.67)
27	ROSEN1	20	f	a	e	2	8	-	-	-	-	0.94	(0.59-	1.50)
Subtotal 27												1.06	(0.79-	1.42)
28	PITSAV	8	c	a	c	a	6	-	-	-	-	1.97	(1.16-	3.34)
30	CHEN	9	c	w	c	2	10	-	-	-	-	1.70	(0.90-	3.20)
36	STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64-	1.48)
36	STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60-	1.55)
Subtotal 36												0.97	(0.70-	1.33)
*38	WEN	20	f	a	e	2	9	-	-	-	-	1.21	(0.74-	2.01)
Partial Totals								186	854	68	370			

*prospective study

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Ys	Ws	Qs	Ps
3	LEE	6	m	w	e	2	1	-0.42	4.47	1.17	0.38
3	LEE	8	f	w	e	2	1	-0.37	3.95	0.86	0.46
Subtotal 3								-0.98	8.42	2.04	
*5	SVENDS	3	m	a	c	2	2	0.34	11.84	0.68	0.25
9	JACKSO	8	m	a	c	2	2	0.59	9.05	2.18	0.08
9	JACKSO	6	f	a	c	2	2	0.44	2.78	0.32	0.46
Subtotal 9								0.83	11.83	2.50	
12	DOBSON	8	m	w	c	2	2	-0.05	9.83	0.22	0.87
12	DOBSON	6	f	w	c	2	2	-0.42	2.05	0.54	0.55
Subtotal 12								-0.66	11.89	0.76	
17	MUSCAT	4	m	a	e	2	3	0.18	9.10	0.07	0.58
17	MUSCAT	6	f	w	e	2	3	0.00	4.58	0.04	1.00
Subtotal 17								-0.01	13.68	0.11	
*19	STEENL	28	m	w	c	1	12	0.03	182.10	0.83	0.69
*19	STEENL	29	f	w	c	1	13	0.06	70.45	0.11	0.62
Subtotal 19								-0.11	252.55	0.93	
*21	KAWACH	8	f	w	c	2	15	0.52	7.26	1.29	0.16
25	HE1	22	f	w	e	2	6	0.62	6.50	1.75	0.12
27	ROSEN1	8	m	a	e	2	8	0.13	26.51	0.03	0.50
27	ROSEN1	20	f	a	e	2	8	-0.06	17.65	0.44	0.79
Subtotal 27								-0.12	44.16	0.48	
28	PITSAV	8	c	a	c	a	6	0.68	13.74	4.64	0.01
30	CHEN	9	c	w	c	2	10	0.53	9.55	1.80	0.10
36	STRANG	26	m	a	e	2	0	-0.03	21.65	0.35	0.89
36	STRANG	18	f	a	e	2	0	-0.04	16.85	0.31	0.87
Subtotal 36								-0.26	38.50	0.66	
*38	WEN	20	f	a	e	2	9	0.19	15.39	0.14	0.45

 Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 31
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 Overall - adjusted

Relative risks

	N	20
	NS	13
	Wt	445.30
Het	Chi	17.76
Het	df	19
Het	P	N.S.
Fixed	RR	1.10
	RRl	1.00
	RRu	1.21
	P	+
Random	RR	1.10
	RRl	1.00
	RRu	1.21
	P	+
Asymm	P	N.S.

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 32
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed Case	Cont	Non-exposed Case	Cont	RR	95.00%CI
3	LEE	5	m	w	e	2	0	13	58	17	40	0.53	(0.23- 1.21)
3	LEE	7	f	w	e	2	0	6	45	30	113	0.50	(0.20- 1.29)
Subtotal 3													
*5	SVENDS	3	m	a	c	2	2	-	-	-	-	1.40	(0.80- 2.50)
9	JACKSO	7	m	a	c	2	0	-	-	-	-	1.50	(0.80- 3.00)
9	JACKSO	5	f	a	c	2	0	-	-	-	-	2.20	(0.70- 7.40)
Subtotal 9													
12	DOBSON	7	m	w	c	2	0	27	79	48	126	0.90	(0.52- 1.55)
12	DOBSON	5	f	w	c	2	0	5	73	12	124	0.71	(0.24- 2.09)
Subtotal 12													
17	MUSCAT	3	m	a	e	2	0	44	66	24	42	1.17	(0.62- 2.19)
17	MUSCAT	5	f	w	e	2	0	20	22	15	16	0.97	(0.38- 2.46)
Subtotal 17													
*19	STEENL	28	m	w	c	1	12	-	-	-	-	1.03	(0.89- 1.19)
*19	STEENL	29	f	w	c	1	13	-	-	-	-	1.06	(0.84- 1.34)
Subtotal 19													
*21	KAWACH	8	f	w	c	2	15	-	-	-	-	1.68	(0.81- 3.47)
25	HE1	21	f	w	e	2	0	33	43	26	83	2.45	(1.30- 4.61)
27	ROSENL	7	m	a	e	2	0	126	254	68	145	1.06	(0.74- 1.51)
27	ROSENL	19	f	a	e	2	0	68	143	57	120	1.00	(0.65- 1.54)
Subtotal 27													
28	PITSAV	8	c	a	c	a	6	-	-	-	-	1.97	(1.16- 3.34)
30	CHEN	9	c	w	c	2	10	-	-	-	-	1.70	(0.90- 3.20)
36	STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64- 1.48)
36	STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60- 1.55)
Subtotal 36													
*38	WEN	20	f	a	e	2	9	-	-	-	-	1.21	(0.74- 2.01)
Partial Totals								528	1637	365	1179		
*prospective study													

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Ys	Ws	Qs	Ps
3	LEE	5	m	w	e	2	0	-0.64	5.62	2.99	0.13
3	LEE	7	f	w	e	2	0	-0.69	4.33	2.63	0.15
Subtotal 3											
*5	SVENDS	3	m	a	c	2	2	0.34	11.84	0.72	0.25
9	JACKSO	7	m	a	c	2	0	0.41	8.80	0.87	0.23
9	JACKSO	5	f	a	c	2	0	0.79	2.76	1.35	0.19
Subtotal 9											
12	DOBSON	7	m	w	c	2	0	-0.11	12.74	0.50	0.70
12	DOBSON	5	f	w	c	2	0	-0.35	3.28	0.62	0.53
Subtotal 12											
17	MUSCAT	3	m	a	e	2	0	0.15	9.68	0.04	0.63
17	MUSCAT	5	f	w	e	2	0	-0.03	4.45	0.07	0.95
Subtotal 17											
*19	STEENL	28	m	w	c	1	12	0.03	182.10	0.67	0.69
*19	STEENL	29	f	w	c	1	13	0.06	70.45	0.07	0.62
Subtotal 19											
*21	KAWACH	8	f	w	c	2	15	0.52	7.26	1.33	0.16
25	HE1	21	f	w	e	2	0	0.90	9.61	6.24	0.01
27	ROSENL	7	m	a	e	2	0	0.06	29.87	0.03	0.76
27	ROSENL	19	f	a	e	2	0	0.00	21.02	0.17	1.00
Subtotal 27											
28	PITSAV	8	c	a	c	a	6	0.68	13.74	4.75	0.01
30	CHEN	9	c	w	c	2	10	0.53	9.55	1.85	0.10
36	STRANG	26	m	a	e	2	0	-0.03	21.65	0.31	0.89
36	STRANG	18	f	a	e	2	0	-0.04	16.85	0.28	0.87
Subtotal 36											
*38	WEN	20	f	a	e	2	9	0.19	15.39	0.16	0.45

 Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 32
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 Overall - unadjusted

Relative risks

	N	20
	NS	13
	Wt	460.97
Het	Chi	25.65
Het	df	19
Het	P	N.S.
Fixed	RR	1.09
	RRl	1.00
	RRu	1.20
	P	(+)
Random	RR	1.13
	RRl	1.00
	RRu	1.28
	P	(+)
Asymm	P	N.S.

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 33
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 By sex - adjusted

combined

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
28	PITSAV 8	c	a	c	a	6	-	-	-	-	1.97 (1.16- 3.34)	
30	CHEN 9	c	w	c	2	10	-	-	-	-	1.70 (0.90- 3.20)	
Partial Totals							0	0	0	0		

*prospective study

male

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
3	LEE 6	m	w	e	2	1	-	-	-	-	0.66 (0.26- 1.66)	
*5	SVENDS 3	m	a	c	2	2	-	-	-	-	1.40 (0.80- 2.50)	
9	JACKSO 8	m	a	c	2	2	-	-	-	-	1.80 (0.94- 3.46)	
12	DOBSON 8	m	w	c	2	2	-	-	-	-	0.95 (0.51- 1.78)	
17	MUSCAT 4	m	a	e	2	3	-	-	-	-	1.20 (0.60- 2.20)	
*19	STEENL 28	m	w	c	1	12	-	-	-	-	1.03 (0.89- 1.19)	
27	ROSENL 8	m	a	e	2	8	-	-	-	-	1.14 (0.78- 1.67)	
36	STRANG 26	m	a	e	2	0	134	347	39	98	0.97 (0.64- 1.48)	
Partial Totals							134	347	39	98		

*prospective study

female

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
3	LEE 8	f	w	e	2	1	-	-	-	-	0.69 (0.26- 1.87)	
9	JACKSO 6	f	a	c	2	2	-	-	-	-	1.55 (0.48- 5.03)	
12	DOBSON 6	f	w	c	2	2	-	-	-	-	0.66 (0.17- 2.62)	
17	MUSCAT 6	f	w	e	2	3	-	-	-	-	1.00 (0.40- 2.50)	
*19	STEENL 29	f	w	c	1	13	-	-	-	-	1.06 (0.84- 1.34)	
*21	KAWACH 8	f	w	c	2	15	-	-	-	-	1.68 (0.81- 3.47)	
25	HEI 22	f	w	e	2	6	-	-	-	-	1.85 (0.86- 4.00)	
27	ROSENL 20	f	a	e	2	8	-	-	-	-	0.94 (0.59- 1.50)	
36	STRANG 18	f	a	e	2	0	52	507	29	272	0.96 (0.60- 1.55)	
*38	WEN 20	f	a	e	2	9	-	-	-	-	1.21 (0.74- 2.01)	
Partial Totals							52	507	29	272		

*prospective study

		combined	male	female	Total
Relative risks					
	N	2	8	10	20
	NS	2	8	10	20
	Wt	23.29	274.55	147.46	445.30
	Het Chi	0.12	5.17	5.77	17.76
	Het df	1	7	9	19
	Het P	N.S.	N.S.	N.S.	N.S.
	Fixed RR	1.85	1.06	1.08	1.10
	RRl	1.24	0.94	0.92	1.00
	RRu	2.78	1.20	1.27	1.21
	P	++	N.S.	N.S.	+
	Random RR	1.85	1.06	1.08	1.10
	RRl	1.24	0.94	0.92	1.00
	RRu	2.78	1.20	1.27	1.21
	P	++	N.S.	N.S.	+
	Asymm P		N.S.	N.S.	N.S.
	Between Chi		6.65	5.79	6.70
	Between df		1	1	2
	Between P		--	-	*

 Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 34
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 By sex - unadjusted

combined

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
28	PITSAV 8	c	a	c	a	6	-	-	-	-	1.97 (1.16- 3.34)	
30	CHEN 9	c	w	c	2	10	-	-	-	-	1.70 (0.90- 3.20)	
Partial Totals							0	0	0	0		

*prospective study

male

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
3	LEE 5	m	w	e	2	0	13	58	17	40	0.53 (0.23- 1.21)	
*5	SVENDS 3	m	a	c	2	2	-	-	-	-	1.40 (0.80- 2.50)	
9	JACKSO 7	m	a	c	2	0	-	-	-	-	1.50 (0.80- 3.00)	
12	DOBSON 7	m	w	c	2	0	27	79	48	126	0.90 (0.52- 1.55)	
17	MUSCAT 3	m	a	e	2	0	44	66	24	42	1.17 (0.62- 2.19)	
*19	STEENL 28	m	w	c	1	12	-	-	-	-	1.03 (0.89- 1.19)	
27	ROSENL 7	m	a	e	2	0	126	254	68	145	1.06 (0.74- 1.51)	
36	STRANG 26	m	a	e	2	0	134	347	39	98	0.97 (0.64- 1.48)	
Partial Totals							344	804	196	451		

*prospective study

female

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
3	LEE 7	f	w	e	2	0	6	45	30	113	0.50 (0.20- 1.29)	
9	JACKSO 5	f	a	c	2	0	-	-	-	-	2.20 (0.70- 7.40)	
12	DOBSON 5	f	w	c	2	0	5	73	12	124	0.71 (0.24- 2.09)	
17	MUSCAT 5	f	w	e	2	0	20	22	15	16	0.97 (0.38- 2.46)	
*19	STEENL 29	f	w	c	1	13	-	-	-	-	1.06 (0.84- 1.34)	
*21	KAWACH 8	f	w	c	2	15	-	-	-	-	1.68 (0.81- 3.47)	
25	HEI 21	f	w	e	2	0	33	43	26	83	2.45 (1.30- 4.61)	
27	ROSENL 19	f	a	e	2	0	68	143	57	120	1.00 (0.65- 1.54)	
36	STRANG 18	f	a	e	2	0	52	507	29	272	0.96 (0.60- 1.55)	
*38	WEN 20	f	a	e	2	9	-	-	-	-	1.21 (0.74- 2.01)	
Partial Totals							184	833	169	728		

*prospective study

Relative risks	combined		male	female	Total
		N	2	8	10
	NS	2	8	10	20
	Wt	23.29	282.29	155.39	460.97
	Het Chi	0.12	5.35	12.86	25.65
	Het df	1	7	9	19
	Het P	N.S.	N.S.	N.S.	N.S.
	Fixed RR	1.85	1.04	1.11	1.09
	RRl	1.24	0.92	0.95	1.00
	RRu	2.78	1.17	1.30	1.20
	P	++	N.S.	N.S.	(+)
	Random RR	1.85	1.04	1.14	1.13
	RRl	1.24	0.92	0.92	1.00
	RRu	2.78	1.17	1.42	1.28
	P	++	N.S.	N.S.	(+)
	Asymm P		N.S.	N.S.	N.S.
	Between Chi		7.25	5.27	7.32
	Between df		1	1	2
	Between P		--	-	*

 Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 35
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 By continent - adjusted

NAmerica

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
								Case	Cont	Case	Cont			
*5	SVENDS	3	m	a	c	2	2	-	-	-	-	1.40	(0.80- 2.50)	
17	MUSCAT	4	m	a	e	2	3	-	-	-	-	1.20	(0.60- 2.20)	
17	MUSCAT	6	f	w	e	2	3	-	-	-	-	1.00	(0.40- 2.50)	
Subtotal 17												1.25	(0.85- 1.84)	
*19	STEENL	28	m	w	c	1	12	-	-	-	-	1.03	(0.89- 1.19)	
*19	STEENL	29	f	w	c	1	13	-	-	-	-	1.06	(0.84- 1.34)	
Subtotal 19												1.04	(0.92- 1.17)	
*21	KAWACH	8	f	w	c	2	15	-	-	-	-	1.68	(0.81- 3.47)	
36	STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64- 1.48)	
36	STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60- 1.55)	
Subtotal 36												0.97	(0.70- 1.33)	
Partial Totals								186	854	68	370			

*prospective study

Europe

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
								Case	Cont	Case	Cont			
3	LEE	6	m	w	e	2	1	-	-	-	-	0.66	(0.26- 1.66)	
3	LEE	8	f	w	e	2	1	-	-	-	-	0.69	(0.26- 1.87)	
Subtotal 3												0.67	(0.34- 1.32)	
27	ROSENL	8	m	a	e	2	8	-	-	-	-	1.14	(0.78- 1.67)	
27	ROSENL	20	f	a	e	2	8	-	-	-	-	0.94	(0.59- 1.50)	
Subtotal 27												1.06	(0.79- 1.42)	
28	PITSAV	8	c	a	c	a	6	-	-	-	-	1.97	(1.16- 3.34)	
30	CHEN	9	c	w	c	2	10	-	-	-	-	1.70	(0.90- 3.20)	
Partial Totals								0	0	0	0			

*prospective study

Asia

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
								Case	Cont	Case	Cont			
25	HE1	22	f	w	e	2	6	-	-	-	-	1.85	(0.86- 4.00)	
*38	WEN	20	f	a	e	2	9	-	-	-	-	1.21	(0.74- 2.01)	
Partial Totals								0	0	0	0			

*prospective study

Other

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
								Case	Cont	Case	Cont			
9	JACKSO	8	m	a	c	2	2	-	-	-	-	1.80	(0.94- 3.46)	
9	JACKSO	6	f	a	c	2	2	-	-	-	-	1.55	(0.48- 5.03)	
Subtotal 9												1.74	(0.98- 3.07)	
12	DOBSON	8	m	w	c	2	2	-	-	-	-	0.95	(0.51- 1.78)	
12	DOBSON	6	f	w	c	2	2	-	-	-	-	0.66	(0.17- 2.62)	
Subtotal 12												0.89	(0.51- 1.57)	
Partial Totals								0	0	0	0			

*prospective study

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 35
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 By continent - adjusted

		NAmerica	Europe	Asia	Other	Total
Relative risks						
	N	8	6	2	4	20
	NS	5	4	2	2	13
	Wt	323.81	75.87	21.89	23.72	445.30
	Het Chi	3.08	8.46	0.82	2.91	17.76
	Het df	7	5	1	3	19
	Het P	N.S.	N.S.	N.S.	N.S.	N.S.
Fixed	RR	1.06	1.19	1.37	1.24	1.10
	RRl	0.95	0.95	0.90	0.83	1.00
	RRu	1.18	1.50	2.09	1.86	1.21
	P	N.S.	N.S.	N.S.	N.S.	+
Random	RR	1.06	1.18	1.37	1.24	1.10
	RRl	0.95	0.86	0.90	0.83	1.00
	RRu	1.18	1.61	2.09	1.86	1.21
	P	N.S.	N.S.	N.S.	N.S.	+
Asymm	P	N.S.	N.S.	N.S.	N.S.	N.S.
Between	Chi		0.93	1.41	0.59	2.48
Between	df		1	1	1	3
Between	P		N.S.	N.S.	N.S.	N.S.

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 36
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 By continent - unadjusted

NAmerica

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
*5	SVENDS 3	m	a	c	2	2	-	-	-	-	1.40 (0.80- 2.50)	
17	MUSCAT 3	m	a	e	2	0	44	66	24	42	1.17 (0.62- 2.19)	
17	MUSCAT 5	f	w	e	2	0	20	22	15	16	0.97 (0.38- 2.46)	
Subtotal 17											1.23 (0.84- 1.80)	
*19	STEENL 28	m	w	c	1	12	-	-	-	-	1.03 (0.89- 1.19)	
*19	STEENL 29	f	w	c	1	13	-	-	-	-	1.06 (0.84- 1.34)	
Subtotal 19											1.04 (0.92- 1.17)	
*21	KAWACH 8	f	w	c	2	15	-	-	-	-	1.68 (0.81- 3.47)	
36	STRANG 26	m	a	e	2	0	134	347	39	98	0.97 (0.64- 1.48)	
36	STRANG 18	f	a	e	2	0	52	507	29	272	0.96 (0.60- 1.55)	
Subtotal 36											0.97 (0.70- 1.33)	
Partial Totals							250	942	107	428		

*prospective study

Europe

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
3	LEE 5	m	w	e	2	0	13	58	17	40	0.53 (0.23- 1.21)	
3	LEE 7	f	w	e	2	0	6	45	30	113	0.50 (0.20- 1.29)	
Subtotal 3											0.52 (0.28- 0.96)	
27	ROSENL 7	m	a	e	2	0	126	254	68	145	1.06 (0.74- 1.51)	
27	ROSENL 19	f	a	e	2	0	68	143	57	120	1.00 (0.65- 1.54)	
Subtotal 27											1.03 (0.79- 1.36)	
28	PITSAV 8	c	a	c	a	6	-	-	-	-	1.97 (1.16- 3.34)	
30	CHEN 9	c	w	c	2	10	-	-	-	-	1.70 (0.90- 3.20)	
Partial Totals							213	500	172	418		

*prospective study

Asia

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
25	HE1 21	f	w	e	2	0	33	43	26	83	2.45 (1.30- 4.61)	
*38	WEN 20	f	a	e	2	9	-	-	-	-	1.21 (0.74- 2.01)	
Partial Totals							33	43	26	83		

*prospective study

Other

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
9	JACKSO 7	m	a	c	2	0	-	-	-	-	1.50 (0.80- 3.00)	
9	JACKSO 5	f	a	c	2	0	-	-	-	-	2.20 (0.70- 7.40)	
Subtotal 9											1.64 (0.92- 2.93)	
12	DOBSON 7	m	w	c	2	0	27	79	48	126	0.90 (0.52- 1.55)	
12	DOBSON 5	f	w	c	2	0	5	73	12	124	0.71 (0.24- 2.09)	
Subtotal 12											0.85 (0.52- 1.39)	
Partial Totals							32	152	60	250		

*prospective study

 Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 36
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 By continent - unadjusted

		NAmerica	Europe	Asia	Other	Total
Relative risks						
	N	8	6	2	4	20
	NS	5	4	2	2	13
	Wt	324.26	84.13	25.00	27.58	460.97
	Het Chi	3.05	12.38	2.94	3.33	25.65
	Het df	7	5	1	3	19
	Het P	N.S.	*	(*)	N.S.	N.S.
Fixed	RR	1.05	1.12	1.59	1.12	1.09
	RRl	0.95	0.90	1.07	0.77	1.00
	RRu	1.18	1.39	2.35	1.63	1.20
	P	N.S.	N.S.	+	N.S.	(+)
Random	RR	1.05	1.08	1.67	1.13	1.13
	RRl	0.95	0.75	0.84	0.76	1.00
	RRu	1.18	1.55	3.34	1.69	1.28
	P	N.S.	N.S.	N.S.	N.S.	(+)
Asymm	P	N.S.	N.S.	N.S.	N.S.	N.S.
Between	Chi		0.24	3.87	0.10	3.96
Between	df		1	1	1	3
Between	P		N.S.	+	N.S.	N.S.

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 37
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 By publication year (grouped) - adjusted

1984-88

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
3 LEE	6	m	w	e	2	1	-	-	-	-	0.66	(0.26- 1.66)
3 LEE	8	f	w	e	2	1	-	-	-	-	0.69	(0.26- 1.87)
Subtotal 3											0.67	(0.34- 1.32)
*5 SVENDS	3	m	a	c	2	2	-	-	-	-	1.40	(0.80- 2.50)
Partial Totals							0	0	0	0		

*prospective study

1989-92

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
9 JACKSO	8	m	a	c	2	2	-	-	-	-	1.80	(0.94- 3.46)
9 JACKSO	6	f	a	c	2	2	-	-	-	-	1.55	(0.48- 5.03)
Subtotal 9											1.74	(0.98- 3.07)
12 DOBSON	8	m	w	c	2	2	-	-	-	-	0.95	(0.51- 1.78)
12 DOBSON	6	f	w	c	2	2	-	-	-	-	0.66	(0.17- 2.62)
Subtotal 12											0.89	(0.51- 1.57)
Partial Totals							0	0	0	0		

*prospective study

1993-96

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
17 MUSCAT	4	m	a	e	2	3	-	-	-	-	1.20	(0.60- 2.20)
17 MUSCAT	6	f	w	e	2	3	-	-	-	-	1.00	(0.40- 2.50)
Subtotal 17											1.13	(0.66- 1.92)
*19 STEENL	28	m	w	c	1	12	-	-	-	-	1.03	(0.89- 1.19)
*19 STEENL	29	f	w	c	1	13	-	-	-	-	1.06	(0.84- 1.34)
Subtotal 19											1.04	(0.92- 1.17)
Partial Totals							0	0	0	0		

*prospective study

1997-00

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*21 KAWACH	8	f	w	c	2	15	-	-	-	-	1.68	(0.81- 3.47)
25 HE1	22	f	w	e	2	6	-	-	-	-	1.85	(0.86- 4.00)
Partial Totals							0	0	0	0		

*prospective study

2001-04

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
27 ROSENL	8	m	a	e	2	8	-	-	-	-	1.14	(0.78- 1.67)
27 ROSENL	20	f	a	e	2	8	-	-	-	-	0.94	(0.59- 1.50)
Subtotal 27											1.06	(0.79- 1.42)
28 PITSAV	8	c	a	c	a	6	-	-	-	-	1.97	(1.16- 3.34)
30 CHEN	9	c	w	c	2	10	-	-	-	-	1.70	(0.90- 3.20)
Partial Totals							0	0	0	0		

*prospective study

2005-

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
36 STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64- 1.48)
36 STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60- 1.55)
Subtotal 36											0.97	(0.70- 1.33)
*38 WEN	20	f	a	e	2	9	-	-	-	-	1.21	(0.74- 2.01)
Partial Totals							186	854	68	370		

*prospective study

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 37
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 By publication year (grouped) - adjusted

		1984-88	1989-92	1993-96	1997-00	2001-04	2005-	Total
Relative risks								
	N	3	4	4	2	4	3	20
	NS	2	2	2	2	3	2	13
	Wt	20.25	23.72	266.22	13.76	67.45	53.88	445.30
	Het Chi	2.63	2.91	0.23	0.03	5.36	0.55	17.76
	Het df	2	3	3	1	3	2	19
	Het P	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.
Fixed	RR	1.03	1.24	1.04	1.76	1.28	1.03	1.10
	RRl	0.67	0.83	0.92	1.04	1.01	0.79	1.00
	RRu	1.60	1.86	1.18	2.98	1.63	1.35	1.21
	P	N.S.	N.S.	N.S.	+	+	N.S.	+
Random	RR	0.98	1.24	1.04	1.76	1.32	1.03	1.10
	RRl	0.58	0.83	0.92	1.04	0.95	0.79	1.00
	RRu	1.65	1.86	1.18	2.98	1.83	1.35	1.21
	P	N.S.	N.S.	N.S.	+	(+)	N.S.	+
Asymm	P	(*)	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.
Between	Chi		0.38	0.00	2.32	0.73	0.00	6.04
Between	df		1	1	1	1	1	5
Between	P		N.S.	N.S.	N.S.	N.S.	N.S.	N.S.

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 38
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 By publication year (grouped) - unadjusted

1984-88

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
3 LEE	5	m	w	e	2	0	13	58	17	40	0.53	(0.23- 1.21)
3 LEE	7	f	w	e	2	0	6	45	30	113	0.50	(0.20- 1.29)
Subtotal 3											0.52	(0.28- 0.96)
*5 SVENDS	3	m	a	c	2	2	-	-	-	-	1.40	(0.80- 2.50)
Partial Totals							19	103	47	153		

*prospective study

1989-92

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
9 JACKSO	7	m	a	c	2	0	-	-	-	-	1.50	(0.80- 3.00)
9 JACKSO	5	f	a	c	2	0	-	-	-	-	2.20	(0.70- 7.40)
Subtotal 9											1.64	(0.92- 2.93)
12 DOBSON	7	m	w	c	2	0	27	79	48	126	0.90	(0.52- 1.55)
12 DOBSON	5	f	w	c	2	0	5	73	12	124	0.71	(0.24- 2.09)
Subtotal 12											0.85	(0.52- 1.39)
Partial Totals							32	152	60	250		

*prospective study

1993-96

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
17 MUSCAT	3	m	a	e	2	0	44	66	24	42	1.17	(0.62- 2.19)
17 MUSCAT	5	f	w	e	2	0	20	22	15	16	0.97	(0.38- 2.46)
Subtotal 17											1.10	(0.65- 1.85)
*19 STEENL	28	m	w	c	1	12	-	-	-	-	1.03	(0.89- 1.19)
*19 STEENL	29	f	w	c	1	13	-	-	-	-	1.06	(0.84- 1.34)
Subtotal 19											1.04	(0.92- 1.17)
Partial Totals							64	88	39	58		

*prospective study

1997-00

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*21 KAWACH	8	f	w	c	2	15	-	-	-	-	1.68	(0.81- 3.47)
25 HE1	21	f	w	e	2	0	33	43	26	83	2.45	(1.30- 4.61)
Partial Totals							33	43	26	83		

*prospective study

2001-04

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
27 ROSENL	7	m	a	e	2	0	126	254	68	145	1.06	(0.74- 1.51)
27 ROSENL	19	f	a	e	2	0	68	143	57	120	1.00	(0.65- 1.54)
Subtotal 27											1.03	(0.79- 1.36)
28 PITSAV	8	c	a	c	a	6	-	-	-	-	1.97	(1.16- 3.34)
30 CHEN	9	c	w	c	2	10	-	-	-	-	1.70	(0.90- 3.20)
Partial Totals							194	397	125	265		

*prospective study

2005-

StN Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
36 STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64- 1.48)
36 STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60- 1.55)
Subtotal 36											0.97	(0.70- 1.33)
*38 WEN	20	f	a	e	2	9	-	-	-	-	1.21	(0.74- 2.01)
Partial Totals							186	854	68	370		

*prospective study

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 38
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 18-MAY-10
 Workers only, if available
 By publication year (grouped) - unadjusted

		1984-88	1989-92	1993-96	1997-00	2001-04	2005-	Total
Relative risks								
	N	3	4	4	2	4	3	20
	NS	2	2	2	2	3	2	13
	Wt	21.78	27.58	266.67	16.87	74.18	53.88	460.97
	Het Chi	5.38	3.33	0.19	0.59	5.61	0.55	25.65
	Het df	2	3	3	1	3	2	19
	Het P	(*)	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.
Fixed	RR	0.89	1.12	1.04	2.08	1.24	1.03	1.09
	RRl	0.58	0.77	0.92	1.29	0.99	0.79	1.00
	RRu	1.35	1.63	1.17	3.36	1.56	1.35	1.20
	P	N.S.	N.S.	N.S.	++	(+)	N.S.	(+)
Random	RR	0.77	1.13	1.04	2.08	1.30	1.03	1.13
	RRl	0.37	0.76	0.92	1.29	0.94	0.79	1.00
	RRu	1.60	1.69	1.17	3.36	1.79	1.35	1.28
	P	N.S.	N.S.	N.S.	++	N.S.	N.S.	(+)
Asymm	P	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.
Between	Chi		0.68	0.51	6.91	1.90	0.35	10.00
Between	df		1	1	1	1	1	5
Between	P		N.S.	N.S.	++	N.S.	N.S.	(*)

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 39
ETS and Heart Disease - Meta-Analysis of Total Exposure, 18-MAY-10
 Overall - adjusted

Overall

StN Ref	NRR	SEX	TIM	TOT	ADJ	Number Exposed		Non-exposed		RR	95.00%CI	
						Case	Cont	Case	Cont			
3 LEE	9	m	c	3	0	15	70	15	27	0.39	(0.17-	0.90)
3 LEE	10	f	c	3	0	13	82	23	75	0.52	(0.24-	1.09)
Subtotal 3												
*5 SVENDS	4	m	c	2	1	-	-	-	-	1.17	(0.62-	1.19)
9 JACKSO	16	m	c	4	4	-	-	-	-	1.14	(0.76-	1.70)
9 JACKSO	14	f	c	4	4	-	-	-	-	1.56	(0.76-	3.20)
Subtotal 9												
12 DOBSON	12	m	c	4	4	-	-	-	-	1.09	(0.72-	1.63)
12 DOBSON	10	f	c	4	4	-	-	-	-	2.24	(1.28-	3.91)
Subtotal 12												
18 TUNSTA	2	c	c	a	4	-	-	-	-	1.34	(1.07-	1.67)
*21 KAWACH	1	f	c	4	15	-	-	-	-	1.71	(1.03-	2.84)
23 MCELDU	4	m	c	4	4	-	-	-	-	0.82	(0.55-	1.22)
23 MCELDU	2	f	c	4	4	-	-	-	-	2.15	(1.18-	3.92)
Subtotal 23												
25 HE1	51	f	e	2	0	48	76	11	50	2.87	(1.36-	6.05)
26 IRIBAR	14	m	c	5	11	-	-	-	-	1.07	(0.96-	1.19)
26 IRIBAR	29	f	c	5	11	-	-	-	-	1.10	(1.01-	1.20)
Subtotal 26												
27 ROSENL	46	c	e	2	8	-	-	-	-	1.18	(0.87-	1.60)
28 PITSAV	4	m	c	4	10	-	-	-	-	1.33	(0.94-	1.88)
28 PITSAV	7	f	c	4	10	-	-	-	-	1.39	(0.87-	2.23)
Subtotal 28												
30 CHEN	4	c	c	a	10	-	-	-	-	1.50	(1.03-	2.20)
31 NISHTA	1	c	e	a	1	-	-	-	-	2.87	(1.28-	6.42)
36 STRANG	12	m	e	3	9	-	-	-	-	1.11	(0.69-	1.77)
36 STRANG	6	f	e	3	9	-	-	-	-	0.58	(0.33-	1.03)
Subtotal 36												
37 TEO	1	c	c	6	6	-	-	-	-	1.37	(1.27-	1.48)
*38 WEN	24	f	e	7	9	-	-	-	-	1.25	(0.69-	2.25)
42 HE2	8	f	t	4	12	-	-	-	-	1.69	(1.31-	2.18)
44 VOZORI	2	c	c	a	7	-	-	-	-	1.00	(0.80-	1.20)
Partial Totals						76	228	49	152			

*prospective study

StN Ref	NRR	SEX	TIM	TOT	ADJ	Ys	Ws	Qs	Ps
3 LEE	9	m	c	3	0	-0.95	5.42	7.12	0.03
3 LEE	10	f	c	3	0	-0.66	6.85	4.99	0.08
Subtotal 3									
*5 SVENDS	4	m	c	2	1	0.16	36.15	0.05	0.35
9 JACKSO	16	m	c	4	4	0.13	23.71	0.09	0.52
9 JACKSO	14	f	c	4	4	0.44	7.44	0.47	0.23
Subtotal 9									
12 DOBSON	12	m	c	4	4	0.09	23.02	0.27	0.68
12 DOBSON	10	f	c	4	4	0.81	12.32	4.62	0.00
Subtotal 12									
18 TUNSTA	2	c	c	a	4	0.29	77.54	0.76	0.01
*21 KAWACH	1	f	c	4	15	0.54	14.94	1.75	0.04
23 MCELDU	4	m	c	4	4	-0.20	24.21	3.73	0.33
23 MCELDU	2	f	c	4	4	0.77	10.66	3.48	0.01
Subtotal 23									
25 HE1	51	f	e	2	0	1.05	6.90	5.11	0.01
26 IRIBAR	14	m	c	5	11	0.07	333.11	5.31	0.22
26 IRIBAR	29	f	c	5	11	0.10	517.16	5.03	0.03
Subtotal 26									
27 ROSENL	46	c	e	2	8	0.17	41.39	0.03	0.29
28 PITSAV	4	m	c	4	10	0.29	31.98	0.27	0.11
28 PITSAV	7	f	c	4	10	0.33	17.34	0.32	0.17
Subtotal 28									
30 CHEN	4	c	c	a	10	0.41	26.68	1.19	0.04
31 NISHTA	1	c	e	a	1	1.05	5.91	4.37	0.01
36 STRANG	12	m	e	3	9	0.10	17.31	0.14	0.66
36 STRANG	6	f	e	3	9	-0.54	11.86	6.47	0.06
Subtotal 36									

HD type: (CVD)-(Stroke) selected in preference to CVD

Values are also shown for:

- 1) TIM Time of exposure = current (c), ever (e), in last 10 years (t)
- 2) TOT Total exposure = any (a), sp/wk (2), home/wk/travel/leisure (3), home/wk (4), home/oth (5), home/work/social (6), spouse/work/child (7)

Table 39
ETS and Heart Disease - Meta-Analysis of Total Exposure, 18-MAY-10
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	TIM	TOT	ADJ	Ys	Ws	Qs	Ps
37	TEO	1	c	c	6	6	0.31	656.19	9.60	0.00
*38	WEN	24	f	e	7	9	0.22	11.00	0.01	0.46
42	HE2	8	f	t	4	12	0.52	59.24	6.48	0.00
44	VOZORI	2	c	c	a	7	0.00	93.46	3.51	1.00

Relative risks

	N	25
	NS	18
	Wt	2071.79
Het	Chi	75.18
Het	df	24
Het	P	***
Fixed	RR	1.21
	RRl	1.16
	RRu	1.27
	P	+++
Random	RR	1.23
	RRl	1.11
	RRu	1.37
	P	+++
Asymm	P	N.S.

HD type: (CVD)-(Stroke) selected in preference to CVD

Values are also shown for:

- 1) TIM Time of exposure = current (c), ever (e), in last 10 years (t)
- 2) TOT Total exposure = any (a), sp/wk (2), home/wk/travel/leisure (3), home/wk (4), home/oth (5), home/work/social (6), spouse/work/child (7)

Table 40
ETS and Heart Disease - Meta-Analysis of Total Exposure, 18-MAY-10
Overall - unadjusted

Overall

StN	Ref	NRR	SEX	TIM	TOT	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
3	LEE	9	m	c	3	0	15	70	15	27	0.39 (0.17-	0.90)
3	LEE	10	f	c	3	0	13	82	23	75	0.52 (0.24-	1.09)
Subtotal 3												
*5	SVENDS	4	m	c	2	1	-	-	-	-	1.17 (0.62-	1.19)
9	JACKSO	15	m	c	4	0	69	138	161	397	1.23 (0.88-	1.74)
9	JACKSO	13	f	c	4	0	15	66	58	336	1.32 (0.70-	2.46)
Subtotal 9												
12	DOBSON	11	m	c	4	0	69	153	189	326	0.78 (0.56-	1.09)
12	DOBSON	9	f	c	4	0	33	168	76	434	1.12 (0.72-	1.75)
Subtotal 12												
18	TUNSTA	1	c	c	a	0	329	1216	99	483	1.32 (1.03-	1.69)
*21	KAWACH	1	f	c	4	15	-	-	-	-	1.71 (1.03-	2.84)
23	MCELDU	3	m	c	4	0	53	172	145	373	0.79 (0.55-	1.14)
23	MCELDU	1	f	c	4	0	31	147	54	479	1.87 (1.16-	3.02)
Subtotal 23												
25	HE1	51	f	e	2	0	48	76	11	50	2.87 (1.36-	6.05)
26	IRIBAR	14	m	c	5	11	-	-	-	-	1.07 (0.96-	1.19)
26	IRIBAR	29	f	c	5	11	-	-	-	-	1.10 (1.01-	1.20)
Subtotal 26												
27	ROSENL	45	c	e	2	0	240	474	77	177	1.16 (0.85-	1.59)
28	PITSAV	1	c	c	4	0	197	167	82	400	5.75 (4.20-	7.88)
30	CHEN	18	c	c	a	0	332	1208	53	261	1.35 (0.98-	1.86)
31	NISHTA	1	c	e	a	1	-	-	-	-	2.87 (1.28-	6.42)
36	STRANG	11	m	e	3	0	128	297	45	148	1.42 (0.96-	2.10)
36	STRANG	5	f	e	3	0	56	519	25	260	1.12 (0.68-	1.84)
Subtotal 36												
37	TEO	1	c	c	6	6	-	-	-	-	1.37 (1.27-	1.48)
*38	WEN	24	f	e	7	9	-	-	-	-	1.25 (0.69-	2.25)
42	HE2	1	f	t	4	0	200	277	231	501	1.57 (1.23-	1.99)
44	VOZORI	1	c	c	a	0	293	11991	1480	34776	0.57 (0.51-	0.65)
Partial Totals							2121	17221	2824	39503		

*prospective study

StN	Ref	NRR	SEX	TIM	TOT	ADJ	Ys	Ws	Qs	Ps
3	LEE	9	m	c	3	0	-0.95	5.42	6.47	0.03
3	LEE	10	f	c	3	0	-0.66	6.85	4.38	0.08
Subtotal 3										
*5	SVENDS	4	m	c	2	1	0.16	36.15	0.01	0.35
9	JACKSO	15	m	c	4	0	0.21	32.82	0.16	0.23
9	JACKSO	13	f	c	4	0	0.28	9.80	0.18	0.39
Subtotal 9										
12	DOBSON	11	m	c	4	0	-0.25	34.03	5.21	0.14
12	DOBSON	9	f	c	4	0	0.11	19.34	0.01	0.61
Subtotal 12										
18	TUNSTA	1	c	c	a	0	0.28	62.37	1.18	0.03
*21	KAWACH	1	f	c	4	15	0.54	14.94	2.35	0.04
23	MCELDU	3	m	c	4	0	-0.23	29.19	4.05	0.21
23	MCELDU	1	f	c	4	0	0.63	16.76	3.96	0.01
Subtotal 23										
25	HE1	51	f	e	2	0	1.05	6.90	5.77	0.01
26	IRIBAR	14	m	c	5	11	0.07	333.11	1.75	0.22
26	IRIBAR	29	f	c	5	11	0.10	517.16	1.03	0.03
Subtotal 26										
27	ROSENL	45	c	e	2	0	0.15	40.14	0.01	0.34
28	PITSAV	1	c	c	4	0	1.75	38.82	100.62	0.00
30	CHEN	18	c	c	a	0	0.30	37.68	1.00	0.06
31	NISHTA	1	c	e	a	1	1.05	5.91	4.94	0.01
36	STRANG	11	m	e	3	0	0.35	24.90	1.09	0.08
36	STRANG	5	f	e	3	0	0.12	15.72	0.01	0.65
Subtotal 36										
37	TEO	1	c	c	6	6	0.31	656.19	20.04	0.00
*38	WEN	24	f	e	7	9	0.22	11.00	0.08	0.46
42	HE2	1	f	t	4	0	0.45	66.96	6.37	0.00
44	VOZORI	1	c	c	a	0	-0.55	238.05	114.95	0.00

HD type: (CVD)-(Stroke) selected in preference to CVD

Values are also shown for:

- 1) TIM Time of exposure = current (c), ever (e), in last 10 years (t)
- 2) TOT Total exposure = any (a), sp/wk (2), home/wk/travel/leisure (3), home/wk (4), home/oth (5), home/work/social (6), spouse/work/child (7)

Table 40
ETS and Heart Disease - Meta-Analysis of Total Exposure, 18-MAY-10
 Overall - unadjusted

Relative risks

	N	24
	NS	18
	Wt	2260.19
Het	Chi	285.60
Het	df	23
Het	P	***
Fixed	RR	1.15
	RRl	1.10
	RRu	1.20
	P	+++
Random	RR	1.26
	RRl	1.06
	RRu	1.49
	P	++
Asymm	P	N.S.

HD type: (CVD)-(Stroke) selected in preference to CVD

Values are also shown for:

- 1) TIM Time of exposure = current (c), ever (e), in last 10 years (t)
- 2) TOT Total exposure = any (a), sp/wk (2), home/wk/travel/leisure (3), home/wk (4), home/oth (5),
 home/work/social (6), spouse/work/child (7)

Table 41
ETS and Heart Disease - Meta-Analysis of ETS Exposure assessed by Biomarker, 18-MAY-10
 By biomarker type - adjusted

Cotinine

StN Ref	NRR	SEX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
18	TUNSTA 10	c	4	-	-	-	-	1.13 (0.93- 1.38)
30	CHEN 8	c	10	-	-	-	-	0.86 (0.64- 1.16)
*32	WHINCU 8	m	16	-	-	-	-	1.67 (1.03- 2.72)
Partial Totals				0	0	0	0		

*prospective study

COHb

StN Ref	NRR	SEX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
*35	HEDBLA 8	m	11	-	-	-	-	2.22 (1.21- 4.09)
Partial Totals				0	0	0	0		

*prospective study

		Cotinine		COHb	Total
Relative risks		N	3	1	4
		NS	3	1	4
		Wt	158.40	10.36	168.76
		Het Chi	5.53	0.00	10.44
		Het df	2	0	3
		Het P	(*)	N.S.	*
Fixed		RR	1.09	2.22	1.14
		RRl	0.93	1.21	0.98
		RRu	1.28	4.08	1.33
		P	N.S.	+	(+)
Random		RR	1.12	2.22	1.27
		RRl	0.83	1.21	0.91
		RRu	1.50	4.08	1.77
		P	N.S.	+	N.S.
Asymm		P	N.S.		N.S.
Between		Chi		4.90	4.90
		df		1	1
Between		P		+	N.S.
					N.S.
					N.S.
					*

 HD type: (CVD)-(Stroke) selected in preference to CVD.

Table 42
ETS and Heart Disease - Meta-Analysis of ETS Exposure assessed by Biomarker, 18-MAY-10
 By biomarker type - unadjusted

Cotinine

StN Ref	NRR	SEX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
18 TUNSTA	9	c	0	299	1120	129	580	1.20	(0.95- 1.51)
30 CHEN	22	c	0	252	939	77	291	1.01	(0.76- 1.35)
*32 WHINCU	4	m	2	-	-	-	-	1.42	(0.91- 2.22)
Partial Totals				551	2059	206	871		

*prospective study

COHb

StN Ref	NRR	SEX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
*35 HEDBLA	4	m	1	-	-	-	-	2.10	(1.18- 3.73)
Partial Totals				0	0	0	0		

*prospective study

Relative risks		Cotinine		COHb	Total
	N	3		1	4
	NS	3		1	4
	Wt	138.85		11.60	150.45
	Het Chi	1.72		0.00	5.47
	Het df	2		0	3
	Het P	N.S.		N.S.	N.S.
Fixed	RR	1.16		2.10	1.22
	RRl	0.98		1.18	1.04
	RRu	1.37		3.73	1.43
	P	(+)		+	+
Random	RR	1.16		2.10	1.26
	RRl	0.98		1.18	1.00
	RRu	1.37		3.73	1.60
	P	(+)		+	(+)
Asymm	P	N.S.			N.S.
Between	Chi			3.76	3.76
Between	df			1	1
Between	P			(+)	N.S. N.S. N.S. (*)

 HD type: (CVD)-(Stroke) selected in preference to CVD.

Table 43
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3														
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9														
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12														
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13														
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14														
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19														
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22														
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23														
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
27	ROENL	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROENL	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33														
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36														
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 43
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 Overall - adjusted

Overall

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed Case	Cont	Non-exposed Case	Cont	RR	95.00%CI
*40 HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04 (0.88- 1.23)
*40 HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98 (0.83- 1.17)
Subtotal 40												1.01 (0.90- 1.14)
*41 HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18 (0.96- 1.44)
*41 HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27 (0.98- 1.66)
Subtotal 41												1.21 (1.03- 1.42)
42 HE2	8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31- 2.18)
43 SULO	2	m	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)
43 SULO	4	f	s	c	n	4	14	-	-	-	-	1.19 (0.25- 5.64)
Subtotal 43												1.58 (0.82- 3.05)
44 VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)
45 DING	2	f	h	e	n	2	11	-	-	-	-	1.52 (1.01- 2.27)
Partial Totals								386	1253	319	777		

*prospective study

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1 HIRAYA	6	f	s	e	f	2	1	0.15	87.29	0.11	0.17
*2 GARLAN	5	f	s	e	f	2	5	0.99	1.81	1.40	0.18
3 LEE	2	m	s	m	n	2	2	0.22	6.59	0.07	0.58
3 LEE	4	f	s	m	n	2	2	-0.07	12.04	0.42	0.80
Subtotal 3								-0.08	18.63	0.48	
4 MARTIN	1	f	s	e	n	2	6	0.96	6.33	4.49	0.02
*5 SVENDS	2	m	s	c	b	2	6	0.48	14.27	1.88	0.07
*6 BUTLER	2	f	s	e	f	2	1	0.07	15.67	0.03	0.79
*8 HOLE	3	m	h	e	f	2	5	0.55	13.29	2.51	0.05
*8 HOLE	2	f	h	e	f	2	5	0.50	7.04	1.06	0.18
Subtotal 8								0.82	20.33	3.57	
9 JACKSO	4	m	h	c	b	2	2	0.06	3.80	0.01	0.91
9 JACKSO	2	f	h	c	b	2	2	1.32	2.76	4.01	0.03
Subtotal 9								1.15	6.56	4.02	
*10 SANDLE	2	m	h	c	f	2	4	0.27	77.28	1.90	0.02
*10 SANDLE	4	f	h	c	f	2	4	0.17	213.52	0.79	0.01
Subtotal 10								0.22	290.80	2.69	
*11 HUMBLE	1	f	s	c	f	8	4	0.46	16.88	2.07	0.06
12 DOBSON	4	m	h	c	b	2	2	-0.03	8.90	0.18	0.93
12 DOBSON	2	f	h	c	b	2	2	0.90	14.40	8.92	0.00
Subtotal 12								0.64	23.30	9.10	
13 LAVECC	2	m	s	e	n	2	0	0.09	5.43	0.00	0.84
13 LAVECC	1	f	s	e	n	2	0	0.24	4.84	0.07	0.60
Subtotal 13								0.10	10.27	0.08	
14 LAYARD	2	m	s	e	f	2	2	-0.03	48.72	1.01	0.83
14 LAYARD	10	f	s	e	f	2	2	-0.01	147.49	2.24	0.90
Subtotal 14								-0.27	196.21	3.25	
*15 LEVOIS	1	m	s	e	f	2	2	-0.03	646.64	13.36	0.44
*15 LEVOIS	6	f	s	e	f	2	2	0.03	1627.60	11.40	0.23
Subtotal 15								-0.23	2274.24	24.76	
17 MUSCAT	1	m	s	e	n	2	0	0.32	8.14	0.36	0.35
17 MUSCAT	2	f	s	e	n	2	0	0.28	5.82	0.16	0.50
Subtotal 17								0.38	13.96	0.53	
18 TUNSTA	2	c	t	c	n	2	4	0.29	77.54	2.50	0.01
*19 STEENL	3	m	s	e	f	2	12	0.09	345.72	0.25	0.11
*19 STEENL	4	f	s	e	f	2	13	0.04	314.64	1.72	0.49
Subtotal 19								-0.10	660.35	1.98	
20 JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.19	0.09
*21 KAWACH	11	f	h	c	b	2	15	0.43	9.45	0.92	0.19
22 CIRUZZ	7	m	s	c	n	2	9	0.17	6.63	0.02	0.67
22 CIRUZZ	8	f	s	c	n	2	9	0.55	8.71	1.65	0.11
Subtotal 22								0.49	15.34	1.66	
23 MCELDU	4	m	t	c	b	2	4	-0.20	24.21	2.35	0.33
23 MCELDU	2	f	t	c	b	2	4	0.77	10.66	4.53	0.01
Subtotal 23								0.34	34.87	6.89	
25 HE1	2	f	s	e	n	2	6	0.47	12.11	1.54	0.10
26 IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.02	0.05

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 43
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 Overall - adjusted

Overall

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
26	IRIBAR 19	f	h	c	n	2	11	0.18	495.01	2.36	0.00
Subtotal 26								0.08	763.97	2.38	
27	ROSENL 2	m	s	e	n	2	8	-0.04	23.37	0.55	0.84
27	ROSENL 14	f	s	e	n	2	8	0.43	17.27	1.68	0.08
Subtotal 27								0.16	40.64	2.24	
28	PITSAV 9	c	h	c	n	a	6	0.29	23.73	0.70	0.16
30	CHEN 10	c	h	c	n	2	10	0.18	11.72	0.06	0.53
31	NISHTA 3	c	s	e	n	1	1	0.87	5.64	3.20	0.04
33	MCGHEE 1	m	h	p	f	2	2	0.26	24.91	0.55	0.19
33	MCGHEE 2	f	h	p	f	2	2	0.33	26.31	1.23	0.09
Subtotal 33								0.37	51.22	1.78	
*34	QURESH 1	f	s	m	b	2	7	0.05	54.13	0.22	0.72
36	STRANG 22	m	h	e	n	2	0	-0.02	21.86	0.37	0.94
36	STRANG 14	f	h	e	n	2	0	0.26	8.82	0.20	0.44
Subtotal 36								0.02	30.68	0.56	
37	TEO 1	c	t	c	n	2	6	0.31	656.19	26.66	0.00
*38	WEN 17	f	s	m	f	2	9	-0.01	37.13	0.56	0.95
*40	HILL1 2	m	h	c	f	2	9	0.04	137.04	0.75	0.65
*40	HILL1 4	f	h	c	f	2	9	-0.02	130.35	2.32	0.82
Subtotal 40								-0.21	267.40	3.07	
*41	HILL2 2	m	h	c	f	2	9	0.17	93.46	0.26	0.11
*41	HILL2 4	f	h	c	f	2	9	0.24	55.32	0.87	0.08
Subtotal 41								0.18	148.79	1.13	
42	HE2 8	f	t	t	n	4	12	0.52	59.24	10.03	0.00
43	SULO 2	m	s	c	n	4	14	0.52	7.26	1.19	0.16
43	SULO 4	f	s	c	n	4	14	0.17	1.58	0.01	0.83
Subtotal 43								0.47	8.84	1.20	
44	VOZORI 2	c	t	c	n	4	7	0.00	93.46	1.20	1.00
45	DING 2	f	h	e	n	2	11	0.42	23.43	2.19	0.04

Relative risks

	N	57
	NS	38
	Wt	6109.82
Het	Chi	132.33
Het	df	56
Het	P	***
Fixed	RR	1.12
	RRl	1.09
	RRu	1.15
	P	+++
Random	RR	1.19
	RRl	1.12
	RRu	1.25
	P	+++
Asymm	P	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 44
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3														
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9														
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12														
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13														
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14														
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19														
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22														
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23														
25	HEL	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
27	ROSENL	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
27	ROSENL	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33														
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36														
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 44
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 Overall - unadjusted

Overall

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*40	HILL1	1	m	h	c	f	2 2	-	-	-	-	1.00 (0.85- 1.18)
*40	HILL1	3	f	h	c	f	2 2	-	-	-	-	0.98 (0.83- 1.15)
Subtotal 40													
*41	HILL2	1	m	h	c	f	2 2	-	-	-	-	1.07 (0.86- 1.32)
*41	HILL2	3	f	h	c	f	2 2	-	-	-	-	1.26 (0.98- 1.63)
Subtotal 41													
42	HE2	1	f	t	t	n	4 0	200	277	231	501	1.57 (1.23- 1.99)
43	SULO	1	m	s	c	n	4 1	-	-	-	-	1.76 (0.98- 3.18)
43	SULO	3	f	s	c	n	4 1	-	-	-	-	1.05 (0.48- 2.30)
Subtotal 43													
44	VOZORI	1	c	t	c	n	4 0	293	11991	1480	34776	0.57 (0.51- 0.65)
45	DING	1	f	h	e	n	2 0	95	65	219	254	1.70 (1.18- 2.44)
Partial Totals								3746	110918	5630	117306		

*prospective study

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1	HIRAYA	3	f	s	e	f	2 0	0.00	90.30	0.35	0.99
*2	GARLAN	1	f	s	e	f	2 0	1.25	1.81	2.57	0.09
3	LEE	1	m	s	m	n	2 0	0.29	7.10	0.37	0.43
3	LEE	3	f	s	m	n	2 0	-0.03	12.62	0.11	0.92
Subtotal 3											
4	MARTIN	1	f	s	e	n	2 6	0.96	6.33	5.03	0.02
*5	SVENDS	1	m	s	c	b	2 0	0.38	15.65	1.59	0.13
*6	BUTLER	1	f	s	e	f	2 0	0.30	15.03	0.87	0.24
*8	HOLE	3	m	h	e	f	2 5	0.55	13.29	3.11	0.05
*8	HOLE	2	f	h	e	f	2 5	0.50	7.04	1.34	0.18
Subtotal 8											
9	JACKSO	3	m	h	c	b	2 0	0.10	3.78	0.00	0.85
9	JACKSO	1	f	h	c	b	2 0	1.39	2.98	5.20	0.02
Subtotal 9											
*10	SANDLE	1	m	h	c	f	2 0	0.14	90.22	0.50	0.19
*10	SANDLE	3	f	h	c	f	2 0	-0.35	262.43	45.69	0.00
Subtotal 10											
*11	HUMBLE	1	f	s	c	f	8 4	0.46	16.88	2.69	0.06
12	DOBSON	3	m	h	c	b	2 0	0.04	11.77	0.01	0.89
12	DOBSON	1	f	h	c	b	2 0	0.47	22.62	3.81	0.02
Subtotal 12											
13	LAVECC	2	m	s	e	n	2 0	0.09	5.43	0.00	0.84
13	LAVECC	1	f	s	e	n	2 0	0.24	4.84	0.15	0.60
Subtotal 13											
14	LAYARD	1	m	s	e	f	2 0	-0.07	52.96	0.92	0.62
14	LAYARD	9	f	s	e	f	2 0	-0.00	155.06	0.65	1.00
Subtotal 14											
*15	LEVOIS	1	m	s	e	f	2 2	-0.03	646.64	5.80	0.44
*15	LEVOIS	6	f	s	e	f	2 2	0.03	1627.60	1.96	0.23
Subtotal 15											
17	MUSCAT	1	m	s	e	n	2 0	0.32	8.14	0.55	0.35
17	MUSCAT	2	f	s	e	n	2 0	0.28	5.82	0.27	0.50
Subtotal 17											
18	TUNSTA	1	c	t	c	n	2 0	0.28	62.37	2.84	0.03
*19	STEENL	3	m	s	e	f	2 12	0.09	345.72	0.17	0.11
*19	STEENL	4	f	s	e	f	2 13	0.04	314.64	0.20	0.49
Subtotal 19											
20	JANGHO	1	f	s	e	n	2 0	0.32	27.39	1.82	0.09
*21	KAWACH	11	f	h	c	b	2 15	0.43	9.45	1.23	0.19
22	CIRUZZ	5	m	s	c	n	2 0	-0.00	8.06	0.04	0.99
22	CIRUZZ	6	f	s	c	n	2 0	0.39	11.59	1.26	0.18
Subtotal 22											
23	MCELDU	3	m	t	c	b	2 0	-0.23	29.19	2.57	0.21
23	MCELDU	1	f	t	c	b	2 0	0.63	16.76	5.29	0.01
Subtotal 23											
25	HE1	1	f	s	e	n	2 0	0.84	17.19	10.36	0.00
26	IRIBAR	4	m	h	c	n	2 11	0.12	268.97	0.90	0.05

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 44
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	6.90	0.00
Subtotal 26									0.18	763.97	7.80	
27	ROSENL	1	m	s	e	n	2	0	-0.05	26.10	0.36	0.79
27	ROSENL	13	f	s	e	n	2	0	0.29	20.97	1.05	0.19
Subtotal 27									0.11	47.07	1.41	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	1.16	0.16
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.16	0.53
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.63	0.04
33	MCGHEE	5	m	h	p	f	2	0	0.24	29.42	0.89	0.20
33	MCGHEE	6	f	h	p	f	2	0	0.27	33.81	1.45	0.11
Subtotal 33									0.38	63.24	2.34	
*34	QURESH	2	f	s	m	b	2	0	0.16	54.27	0.51	0.23
36	STRANG	22	m	h	e	n	2	0	-0.02	21.86	0.14	0.94
36	STRANG	14	f	h	e	n	2	0	0.26	8.82	0.35	0.44
Subtotal 36									0.12	30.68	0.49	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	41.19	0.00
*38	WEN	17	f	s	m	f	2	9	-0.01	37.13	0.21	0.95
*40	HILL1	1	m	h	c	f	2	2	0.00	142.80	0.59	1.00
*40	HILL1	3	f	h	c	f	2	2	-0.02	144.50	1.03	0.81
Subtotal 40									-0.15	287.30	1.62	
*41	HILL2	1	m	h	c	f	2	2	0.07	83.70	0.00	0.54
*41	HILL2	3	f	h	c	f	2	2	0.23	59.36	1.65	0.07
Subtotal 41									0.17	143.06	1.65	
42	HE2	1	f	t	t	n	4	0	0.45	66.96	9.88	0.00
43	SULO	1	m	s	c	n	4	1	0.57	11.09	2.78	0.06
43	SULO	3	f	s	c	n	4	1	0.05	6.26	0.00	0.90
Subtotal 43									0.49	17.35	2.79	
44	VOZORI	1	c	t	c	n	4	0	-0.55	238.05	91.25	0.00
45	DING	1	f	h	e	n	2	0	0.53	29.06	6.24	0.00

Relative risks

	N	57
	NS	38
	Wt	6404.10
Het	Chi	281.66
Het	df	56
Het	P	***
Fixed	RR	1.07
	RRl	1.04
	RRu	1.09
	P	+++
Random	RR	1.17
	RRl	1.09
	RRu	1.26
	P	+++
Asymm	P	*

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 45
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By sex - adjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									0	0	0	0		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSENL	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
Partial Totals									185	416	142	314		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
4	MARTIN	1	f	s	e	n	2	2	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSENL	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 45
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By sex - adjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals									201	837	177	463		

*prospective study

Relative risks	combined	male	female	Total	
	N	6	20	57	
	NS	6	20	57	
	Wt	868.28	1786.51	3455.03	6109.82
	Het Chi	10.19	22.52	69.70	132.33
	Het df	5	19	30	56
	Het P	(*)	N.S.	***	***
	Fixed RR	1.32	1.06	1.10	1.12
	RRl	1.24	1.01	1.07	1.09
	RRu	1.41	1.11	1.14	1.15
	P	+++	+	+++	+++
	Random RR	1.28	1.08	1.23	1.19
	RRl	1.10	1.02	1.14	1.12
	RRu	1.48	1.15	1.32	1.25
	P	++	++	+++	+++
	Asymm P	N.S.	(*)	***	***
	Between Chi		28.28	22.73	29.91
	Between df		1	1	2
	Between P		---	---	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 46
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By sex - unadjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
Partial Totals									622	13207	1579	35259		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSENL	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
Partial Totals									657	2617	1715	6533		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSENL	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 46
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By sex - unadjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
Partial Totals									2467	95094	2336	75514		

*prospective study

		combined	male	female	Total
Relative risks					
	N	6	20	31	57
	NS	6	20	31	57
	Wt	997.70	1821.88	3584.52	6404.10
	Het Chi	138.51	20.62	120.11	281.66
	Het df	5	19	30	56
	Het P	***	N.S.	***	***
	Fixed RR	1.11	1.05	1.06	1.07
	RRl	1.04	1.00	1.03	1.04
	RRu	1.18	1.09	1.10	1.09
	P	+++	(+)	+++	+++
	Random RR	1.20	1.05	1.23	1.17
	RRl	0.77	1.00	1.12	1.09
	RRu	1.87	1.11	1.35	1.26
	P	N.S.	+	+++	+++
	Asymm P	N.S.	(*)	**	*
	Between Chi		2.40	1.46	2.43
	Between df		1	1	2
	Between P		N.S.	N.S.	N.S.

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 47
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By continent - adjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10														
													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14														
													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15														
													1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
													1.36	(0.80- 2.30)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19														
													1.07	(0.99- 1.15)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
													1.17	(1.09- 1.26)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36														
													1.07	(0.75- 1.52)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									282	1093	116	320		
*prospective study														

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3														
													1.03	(0.65- 1.62)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
													1.70	(1.10- 2.63)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13														
													1.17	(0.64- 2.16)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
27	ROENL	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROENL	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27														
													1.17	(0.86- 1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43														
													1.58	(0.82- 3.05)
Partial Totals									41	60	66	157		
*prospective study														

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 47
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By continent - adjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33														
													1.35	(1.02- 1.77)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals									63	100	137	300		
*prospective study														

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9														
													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12														
													1.72	(1.15- 2.59)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22														
													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23														
													1.10	(0.79- 1.53)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40														
													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41														
													1.21	(1.03- 1.42)
Partial Totals									0	0	0	0		
*prospective study														

		NAmerica	Europe	Asia	Other	Total
Relative risks						
	N	22	13	9	13	57
	NS	15	8	8	7	38
	Wt	4442.22	211.71	303.45	1152.45	6109.82
	Het Chi	37.67	6.27	11.10	37.12	132.33
	Het df	21	12	8	12	56
	Het P	*	N.S.	N.S.	***	***
	Fixed RR	1.07	1.30	1.34	1.26	1.12
	RR1	1.04	1.13	1.19	1.19	1.09
	RRu	1.10	1.48	1.50	1.33	1.15
	P	+++	+++	+++	+++	+++
	Random RR	1.09	1.30	1.35	1.24	1.19
	RR1	1.04	1.13	1.18	1.07	1.12
	RRu	1.15	1.48	1.56	1.44	1.25
	P	+++	+++	+++	++	+++
	Asymm P	*	N.S.	N.S.	N.S.	***
	Between Chi		7.73	14.51	24.82	40.16
	Between df		1	1	1	3
	Between P		++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 48
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By continent - unadjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14														
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19														
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36														
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
Partial Totals									1998	38239	3307	90507		

*prospective study

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3														
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13														
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
27	ROENL	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
27	ROENL	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43														
Partial Totals									558	1777	413	1251		

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 48
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By continent - unadjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
Partial Totals									997	70403	1141	23605		
*prospective study														

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													0.99	(0.88- 1.11)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													1.15	(0.97- 1.35)
Partial Totals									193	499	769	1943		
*prospective study														

		NAmerica	Europe	Asia	Other	Total
Relative risks						
	N	22	13	9	13	57
	NS	15	8	8	7	38
	Wt	4661.34	212.56	336.90	1193.30	6404.10
	Het Chi	154.40	6.67	21.18	38.34	281.66
	Het df	21	12	8	12	56
	Het P	***	N.S.	**	***	***
	Fixed RR	1.01	1.27	1.30	1.23	1.07
	RR1	0.98	1.11	1.17	1.16	1.04
	RRu	1.03	1.46	1.45	1.30	1.09
	P	N.S.	+++	+++	+++	+++
	Random RR	1.05	1.27	1.38	1.18	1.17
	RR1	0.95	1.11	1.15	1.03	1.09
	RRu	1.17	1.46	1.66	1.37	1.26
	P	N.S.	+++	+++	+	+++
	Asymm P	N.S.	N.S.	(*)	N.S.	*
	Between Chi		11.48	21.33	38.74	61.07
	Between df		1	1	1	3
	Between P		+++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 49
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By publication year (grouped) - adjusted

1984-88

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3														
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
Partial Totals									0	0	0	0		

*prospective study

1989-92

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9														
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12														
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13														
Partial Totals									41	60	66	157		

*prospective study

1993-96

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14														
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19														
Partial Totals									48	52	66	106		

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 49
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By publication year (grouped) - adjusted

1997-00

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
20	JANGHO 1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH 11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ 7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ 8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													
23	MCELDU 4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU 2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													
25	HE1 2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
Partial Totals								63	100	137	300		

*prospective study

2001-04

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
26	IRIBAR 4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR 19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													
27	ROSENL 2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSENL 14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27													
28	PITSAV 9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN 10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA 3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals								0	0	0	0		

*prospective study

2005-

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
33	MCGHEE 1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE 2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													
*34	QURESH 1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG 22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG 14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													
37	TEO 1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN 17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1 2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1 4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													
*41	HILL2 2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2 4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													
42	HE2 8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO 2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO 4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													
44	VOZORI 2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING 2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals								234	1041	50	214		

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 49
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By publication year (grouped) - adjusted

		1984-88	1989-92	1993-96	1997-00	2001-04	2005-	Total
Relative risks								
	N	7	11	9	7	7	16	57
	NS	6	6	5	5	5	11	38
	Wt	144.00	368.15	3222.30	99.15	845.69	1430.51	6109.82
	Het Chi	7.24	13.86	10.32	9.45	5.91	34.84	132.33
	Het df	6	10	8	6	6	15	56
	Het P	N.S.	N.S.	N.S.	N.S.	N.S.	**	***
Fixed	RR	1.22	1.29	1.03	1.32	1.18	1.24	1.12
	RRl	1.04	1.17	0.99	1.09	1.11	1.17	1.09
	RRu	1.44	1.43	1.07	1.61	1.27	1.30	1.15
	P	+	+++	(+)	++	+++	+++	+++
Random	RR	1.26	1.39	1.04	1.37	1.18	1.19	1.19
	RRl	1.02	1.18	0.99	1.06	1.11	1.08	1.12
	RRu	1.55	1.64	1.08	1.77	1.27	1.32	1.25
	P	+	+++	N.S.	+	+++	+++	+++
Asymm	P	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.	***
Between	Chi		0.31	4.15	0.35	0.14	0.01	50.70
Between	df		1	1	1	1	1	5
Between	P		N.S.	-	N.S.	N.S.	N.S.	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 50
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By publication year (grouped) - unadjusted

1984-88

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*1	HIRAYA 3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN 1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
3	LEE 1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE 3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3													
4	MARTIN 1	f	s	e	n	2	6	-	-	-	-	1.09	(0.70- 1.70)
4	MARTIN 1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS 1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER 1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
Partial Totals								504	81271	276	66291		

*prospective study

1989-92

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*8	HOLE 3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE 2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													
9	JACKSO 3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO 1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													
*10	SANDLE 1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE 3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10													
*11	HUMBLE 1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON 3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON 1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													
13	LAVECC 2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC 1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													
Partial Totals								779	10992	1029	9085		

*prospective study

1993-96

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
14	LAYARD 1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD 9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14													
*15	LEVOIS 1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS 6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													
17	MUSCAT 1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT 2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													
18	TUNSTA 1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL 3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL 4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													
Partial Totals								929	2444	1002	2341		

*prospective study

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 50
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By publication year (grouped) - unadjusted

1997-00

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
20	JANGHO 1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH 11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ 5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ 6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													
23	MCELDU 3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU 1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													
25	HE1 1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
Partial Totals								267	561	667	1664		
*prospective study													

2001-04

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
26	IRIBAR 4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR 19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													
27	ROSENL 1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
27	ROSENL 13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
Subtotal 27													
28	PITSAV 9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN 10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA 3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals								118	232	200	429		
*prospective study													

2005-

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
33	MCGHEE 5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE 6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													
*34	QURESH 2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG 22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG 14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													
37	TEO 1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN 17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1 1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1 3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													
*41	HILL2 1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2 3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													
42	HE2 1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO 1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO 3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43													
44	VOZORI 1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
45	DING 1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
Partial Totals								1149	15418	2456	37496		
*prospective study													

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 50
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By publication year (grouped) - unadjusted

		1984-88	1989-92	1993-96	1997-00	2001-04	2005-	Total
Relative risks								
	N	7	11	9	7	7	16	57
	NS	6	6	5	5	5	11	38
	Wt	148.83	441.28	3218.94	119.63	852.13	1623.29	6404.10
	Het Chi	10.05	50.58	9.01	16.09	5.32	155.56	281.66
	Het df	6	10	8	6	6	15	56
	Het P	N.S.	***	N.S.	*	N.S.	***	***
Fixed	RR	1.15	0.90	1.03	1.35	1.18	1.11	1.07
	RRl	0.98	0.82	0.99	1.13	1.10	1.06	1.04
	RRu	1.35	0.99	1.06	1.61	1.26	1.17	1.09
	P	(+)	-	N.S.	++	+++	+++	+++
Random	RR	1.29	1.29	1.03	1.40	1.18	1.15	1.17
	RRl	1.00	0.96	0.99	1.03	1.10	0.96	1.09
	RRu	1.68	1.74	1.07	1.89	1.26	1.38	1.26
	P	(+)	(+)	N.S.	+	+++	N.S.	+++
Asymm	P	*	**	N.S.	N.S.	N.S.	N.S.	*
Between	Chi		6.40	1.79	1.64	0.09	0.17	35.05
Between	df		1	1	1	1	1	5
Between	P		-	N.S.	N.S.	N.S.	N.S.	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 51
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3														
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9														
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12														
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.21	(0.57- 2.52)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14														
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19														
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22														
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23														
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
27	ROSENL	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSENL	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33														
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36														
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 51
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
Excluding Enstrom
Overall - adjusted

Overall

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
Subtotal 40								-	-	-	-	1.01 (0.90- 1.14)
*41 HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18 (0.96- 1.44)
*41 HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27 (0.98- 1.66)
Subtotal 41												1.21 (1.03- 1.42)
42 HE2	8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31- 2.18)
43 SULO	2	m	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)
43 SULO	4	f	s	c	n	4	14	-	-	-	-	1.19 (0.25- 5.64)
Subtotal 43												1.58 (0.82- 3.05)
44 VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)
45 DING	2	f	h	e	n	2	11	-	-	-	-	1.52 (1.01- 2.27)
Partial Totals								140	314	458	1499		

*prospective study

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1 HIRAYA	6	f	s	e	f	2	1	0.15	87.29	0.05	0.17
*2 GARLAN	4	f	s	c	f	8	1	0.81	1.01	0.48	0.41
3 LEE	2	m	s	m	n	2	2	0.22	6.59	0.05	0.58
3 LEE	4	f	s	m	n	2	2	-0.07	12.04	0.47	0.80
Subtotal 3								-0.11	18.63	0.52	
4 MARTIN	1	f	s	e	n	2	6	0.96	6.33	4.36	0.02
*5 SVENDS	2	m	s	c	b	2	6	0.48	14.27	1.76	0.07
*6 BUTLER	4	f	s	c	f	8	1	0.34	3.77	0.17	0.51
*8 HOLE	3	m	h	e	f	2	5	0.55	13.29	2.38	0.05
*8 HOLE	2	f	h	e	f	2	5	0.50	7.04	0.99	0.18
Subtotal 8								0.80	20.33	3.37	
9 JACKSO	4	m	h	c	b	2	2	0.06	3.80	0.02	0.91
9 JACKSO	2	f	h	c	b	2	2	1.32	2.76	3.93	0.03
Subtotal 9								1.13	6.56	3.95	
*10 SANDLE	2	m	h	c	f	2	4	0.27	77.28	1.62	0.02
*10 SANDLE	4	f	h	c	f	2	4	0.17	213.52	0.51	0.01
Subtotal 10								0.19	290.80	2.13	
*11 HUMBLE	1	f	s	c	f	8	4	0.46	16.88	1.94	0.06
12 DOBSON	4	m	h	c	b	2	2	-0.03	8.90	0.22	0.93
12 DOBSON	2	f	h	c	b	2	2	0.90	14.40	8.65	0.00
Subtotal 12								0.62	23.30	8.86	
13 LAVECC	11	c	s	c	n	8	8	0.19	6.96	0.03	0.62
14 LAYARD	2	m	s	e	f	2	2	-0.03	48.72	1.18	0.83
14 LAYARD	10	f	s	e	f	2	2	-0.01	147.49	2.70	0.90
Subtotal 14								-0.29	196.21	3.88	
*15 LEVOIS	2	m	s	c	f	8	2	-0.02	660.03	13.96	0.60
*15 LEVOIS	7	f	s	c	f	8	2	0.04	1659.41	12.27	0.11
Subtotal 15								-0.23	2319.43	26.22	
17 MUSCAT	1	m	s	e	n	2	0	0.32	8.14	0.32	0.35
17 MUSCAT	2	f	s	e	n	2	0	0.28	5.82	0.14	0.50
Subtotal 17								0.36	13.96	0.47	
18 TUNSTA	2	c	t	c	n	2	4	0.29	77.54	2.17	0.01
*19 STEENL	1	m	s	c	f	8	12	0.20	212.64	1.15	0.00
*19 STEENL	2	f	s	c	f	8	13	0.10	196.22	0.18	0.18
Subtotal 19								0.04	408.86	1.33	
20 JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.06	0.09
*21 KAWACH	11	f	h	c	b	2	15	0.43	9.45	0.85	0.19
22 CIRUZZ	7	m	s	c	n	2	9	0.17	6.63	0.01	0.67
22 CIRUZZ	8	f	s	c	n	2	9	0.55	8.71	1.56	0.11
Subtotal 22								0.46	15.34	1.57	
23 MCELDU	4	m	t	c	b	2	4	-0.20	24.21	2.54	0.33
23 MCELDU	2	f	t	c	b	2	4	0.77	10.66	4.37	0.01
Subtotal 23								0.32	34.87	6.91	
25 HE1	2	f	s	e	n	2	6	0.47	12.11	1.44	0.10
26 IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.00	0.05
26 IRIBAR	19	f	h	c	n	2	11	0.18	495.01	1.61	0.00
Subtotal 26								0.05	763.97	1.62	
27 ROSENL	4	m	s	c	n	8	8	-0.02	13.01	0.28	0.94
27 ROSENL	16	f	s	c	n	8	8	0.95	7.55	5.16	0.01

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 51
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 Overall - adjusted

Overall

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
Subtotal 27								0.68	20.56	5.43	
28	PITSAV 9	c	h	c	n	a	6	0.29	23.73	0.61	0.16
30	CHEN 10	c	h	c	n	2	10	0.18	11.72	0.04	0.53
31	NISHTA 3	c	s	e	n	1	1	0.87	5.64	3.10	0.04
33	MCGHEE 1	m	h	p	f	2	2	0.26	24.91	0.47	0.19
33	MCGHEE 2	f	h	p	f	2	2	0.33	26.31	1.10	0.09
Subtotal 33								0.34	51.22	1.56	
*34	QURESH 1	f	s	m	b	2	7	0.05	54.13	0.32	0.72
36	STRANG 25	m	h	c	n	2	0	-0.35	12.36	2.76	0.22
36	STRANG 17	f	h	c	n	2	0	-0.07	8.71	0.32	0.84
Subtotal 36								-0.66	21.07	3.08	
37	TEO 1	c	t	c	n	2	6	0.31	656.19	23.59	0.00
*38	WEN 18	f	s	c	f	2	9	0.17	32.54	0.08	0.32
*40	HILL1 2	m	h	c	f	2	9	0.04	137.04	1.01	0.65
*40	HILL1 4	f	h	c	f	2	9	-0.02	130.35	2.76	0.82
Subtotal 40								-0.23	267.40	3.77	
*41	HILL2 2	m	h	c	f	2	9	0.17	93.46	0.15	0.11
*41	HILL2 4	f	h	c	f	2	9	0.24	55.32	0.72	0.08
Subtotal 41								0.15	148.79	0.87	
42	HE2 8	f	t	t	n	4	12	0.52	59.24	9.46	0.00
43	SULO 2	m	s	c	n	4	14	0.52	7.26	1.12	0.16
43	SULO 4	f	s	c	n	4	14	0.17	1.58	0.00	0.83
Subtotal 43								0.44	8.84	1.13	
44	VOZORI 2	c	t	c	n	4	7	0.00	93.46	1.47	1.00
45	DING 2	f	h	e	n	2	11	0.42	23.43	2.02	0.04

Relative risks

	N	56
	NS	38
	Wt	5853.23
	Het Chi	131.63
	Het df	55
	Het P	***
Fixed	RR	1.13
	RRl	1.10
	RRu	1.16
	P	+++
Random	RR	1.20
	RRl	1.14
	RRu	1.27
	P	+++
Asymm	P	**

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 52
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
Excluding Enstrom
Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Case	Exposed Cont	Non-exposed Case	Non-exposed Cont	RR	95.00%CI
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3														
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9														
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12														
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
Subtotal 13														
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14														
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19														
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22														
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23														
25	HEL	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
27	ROSENL	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
27	ROSENL	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33														
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36														
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 52
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 Overall - unadjusted

Overall

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*40 HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00 (0.85- 1.18)
*40 HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98 (0.83- 1.15)
Subtotal 40													
*41 HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07 (0.86- 1.32)
*41 HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26 (0.98- 1.63)
Subtotal 41													
42 HE2	1	f	t	t	n	4	0	200	277	231	501	1.57 (1.23- 1.99)
43 SULO	1	m	s	c	n	4	1	-	-	-	-	1.76 (0.98- 3.18)
43 SULO	3	f	s	c	n	4	1	-	-	-	-	1.05 (0.48- 2.30)
Subtotal 43													
44 VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57 (0.51- 0.65)
45 DING	1	f	h	e	n	2	0	95	65	219	254	1.70 (1.18- 2.44)
Partial Totals								3423	101372	5835	118186		
*prospective study													

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1 HIRAYA	3	f	s	e	f	2	0	0.00	90.30	0.46	0.99
*2 GARLAN	2	f	s	c	f	8	0	0.74	1.02	0.45	0.46
3 LEE	1	m	s	m	n	2	0	0.29	7.10	0.34	0.43
3 LEE	3	f	s	m	n	2	0	-0.03	12.62	0.13	0.92
Subtotal 3											
4 MARTIN	1	f	s	e	n	2	6	0.96	6.33	4.93	0.02
*5 SVENDS	1	m	s	c	b	2	0	0.38	15.65	1.50	0.13
*6 BUTLER	3	f	s	c	f	8	0	0.14	3.76	0.02	0.78
*8 HOLE	3	m	h	e	f	2	5	0.55	13.29	3.00	0.05
*8 HOLE	2	f	h	e	f	2	5	0.50	7.04	1.29	0.18
Subtotal 8											
9 JACKSO	3	m	h	c	b	2	0	0.10	3.78	0.00	0.85
9 JACKSO	1	f	h	c	b	2	0	1.39	2.98	5.13	0.02
Subtotal 9											
*10 SANDLE	1	m	h	c	f	2	0	0.14	90.22	0.39	0.19
*10 SANDLE	3	f	h	c	f	2	0	-0.35	262.43	47.68	0.00
Subtotal 10											
*11 HUMBLE	1	f	s	c	f	8	4	0.46	16.88	2.57	0.06
12 DOBSON	3	m	h	c	b	2	0	0.04	11.77	0.01	0.89
12 DOBSON	1	f	h	c	b	2	0	0.47	22.62	3.64	0.02
Subtotal 12											
13 LAVECC	5	m	s	c	n	8	0	0.05	4.41	0.00	0.92
13 LAVECC	3	f	s	c	n	8	0	0.27	3.87	0.15	0.59
Subtotal 13											
14 LAYARD	1	m	s	e	f	2	0	-0.07	52.96	1.05	0.62
14 LAYARD	9	f	s	e	f	2	0	-0.00	155.06	0.84	1.00
Subtotal 14											
*15 LEVOIS	2	m	s	c	f	8	2	-0.02	660.03	5.76	0.60
*15 LEVOIS	7	f	s	c	f	8	2	0.04	1659.41	1.92	0.11
Subtotal 15											
17 MUSCAT	1	m	s	e	n	2	0	0.32	8.14	0.51	0.35
17 MUSCAT	2	f	s	e	n	2	0	0.28	5.82	0.25	0.50
Subtotal 17											
18 TUNSTA	1	c	t	c	n	2	0	0.28	62.37	2.61	0.03
*19 STEENL	1	m	s	c	f	8	12	0.20	212.64	3.36	0.00
*19 STEENL	2	f	s	c	f	8	13	0.10	196.22	0.10	0.18
Subtotal 19											
20 JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.69	0.09
*21 KAWACH	11	f	h	c	b	2	15	0.43	9.45	1.17	0.19
22 CIRUZZ	5	m	s	c	n	2	0	-0.00	8.06	0.05	0.99
22 CIRUZZ	6	f	s	c	n	2	0	0.39	11.59	1.19	0.18
Subtotal 22											
23 MCELDU	3	m	t	c	b	2	0	-0.23	29.19	2.73	0.21
23 MCELDU	1	f	t	c	b	2	0	0.63	16.76	5.13	0.01
Subtotal 23											
25 HE1	1	f	s	e	n	2	0	0.84	17.19	10.12	0.00
26 IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.65	0.05

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 52
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	5.89	0.00
Subtotal 26									0.16	763.97	6.54	
27	ROSENL	3	m	s	c	n	8	0	0.07	14.87	0.00	0.79
27	ROSENL	15	f	s	c	n	8	0	0.76	8.84	4.15	0.02
Subtotal 27									0.68	23.71	4.15	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	1.07	0.16
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.14	0.53
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.55	0.04
33	MCGHEE	5	m	h	p	f	2	0	0.24	29.42	0.80	0.20
33	MCGHEE	6	f	h	p	f	2	0	0.27	33.81	1.33	0.11
Subtotal 33									0.36	63.24	2.13	
*34	QURESH	2	f	s	m	b	2	0	0.16	54.27	0.42	0.23
36	STRANG	25	m	h	c	n	2	0	-0.35	12.36	2.19	0.22
36	STRANG	17	f	h	c	n	2	0	-0.07	8.71	0.17	0.84
Subtotal 36									-0.56	21.07	2.36	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	38.29	0.00
*38	WEN	18	f	s	c	f	2	9	0.17	32.54	0.33	0.32
*40	HILL1	1	m	h	c	f	2	2	0.00	142.80	0.77	1.00
*40	HILL1	3	f	h	c	f	2	2	-0.02	144.50	1.26	0.81
Subtotal 40									-0.17	287.30	2.03	
*41	HILL2	1	m	h	c	f	2	2	0.07	83.70	0.00	0.54
*41	HILL2	3	f	h	c	f	2	2	0.23	59.36	1.48	0.07
Subtotal 41									0.15	143.06	1.48	
42	HE2	1	f	t	t	n	4	0	0.45	66.96	9.43	0.00
43	SULO	1	m	s	c	n	4	1	0.57	11.09	2.69	0.06
43	SULO	3	f	s	c	n	4	1	0.05	6.26	0.00	0.90
Subtotal 43									0.47	17.35	2.69	
44	VOZORI	1	c	t	c	n	4	0	-0.55	238.05	93.91	0.00
45	DING	1	f	h	e	n	2	0	0.53	29.06	6.00	0.00

Relative risks

	N	57
	NS	38
	Wt	6146.17
Het	Chi	284.70
Het	df	56
Het	P	***
Fixed	RR	1.08
	RR1	1.05
	RRu	1.10
	P	+++
Random	RR	1.18
	RR1	1.09
	RRu	1.27
	P	+++
Asymm	P	*

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 53
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By sex - adjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.21	(0.57- 2.52)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									0	0	0	0		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSENL	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
Partial Totals									38	83	225	486		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSENL	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 53
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By sex - adjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals									102	231	233	1013		
*prospective study														

Relative risks		combined	male	female	Total
	N	7	19	30	56
	NS	7	19	30	56
	Wt	875.24	1641.53	3336.47	5853.23
Het	Chi	10.25	26.76	68.84	131.63
Het	df	6	18	29	55
Het	P	N.S.	(*)	***	***
Fixed	RR	1.32	1.08	1.12	1.13
	RR1	1.24	1.03	1.08	1.10
	RRu	1.41	1.13	1.15	1.16
	P	+++	++	+++	+++
Random	RR	1.27	1.11	1.25	1.20
	RR1	1.11	1.03	1.15	1.14
	RRu	1.46	1.20	1.35	1.27
	P	+++	++	+++	+++
Asymm	P	N.S.	N.S.	***	**
Between	Chi		23.94	19.91	25.79
Between	df		1	1	2
Between	P		---	---	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 54
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By sex - unadjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
Partial Totals									622	13207	1579	35259		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSENL	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
Partial Totals									491	2239	1853	6845		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSENL	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 54
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By sex - unadjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94 (0.48- 1.82)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19 (0.84- 1.67)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98 (0.83- 1.15)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26 (0.98- 1.63)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57 (1.23- 1.99)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05 (0.48- 2.30)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70 (1.18- 2.44)
Partial Totals									2310	85926	2403	76082		

*prospective study

		combined	male	female	Total
Relative risks					
	N	6	20	31	57
	NS	6	20	31	57
	Wt	997.70	1680.44	3468.04	6146.17
	Het Chi	138.51	25.44	119.32	284.70
	Het df	5	19	30	56
	Het P	***	N.S.	***	***
	Fixed RR	1.11	1.06	1.07	1.08
	RRl	1.04	1.01	1.04	1.05
	RRu	1.18	1.11	1.11	1.10
	P	+++	+	+++	+++
	Random RR	1.20	1.08	1.24	1.18
	RRl	0.77	1.01	1.12	1.09
	RRu	1.87	1.16	1.36	1.27
	P	N.S.	+	+++	+++
	Asymm P	N.S.	N.S.	**	*
	Between Chi		1.39	0.95	1.44
	Between df		1	1	2
	Between P		N.S.	N.S.	N.S.

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 55
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By continent - adjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10														
													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14														
													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15														
													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
													1.36	(0.80- 2.30)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19														
													1.16	(1.05- 1.28)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
													1.17	(1.09- 1.26)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36														
													0.79	(0.52- 1.22)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									77	214	321	1199		

*prospective study

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3														
													1.03	(0.65- 1.62)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
													1.70	(1.10- 2.63)
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.21	(0.57- 2.52)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
27	ROSENL	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSENL	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27														
													1.40	(0.91- 2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43														
													1.58	(0.82- 3.05)
Partial Totals									0	0	0	0		

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 55
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By continent - adjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33														
													1.35	(1.02- 1.77)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals									63	100	137	300		

*prospective study

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9														
													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12														
													1.72	(1.15- 2.59)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22														
													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23														
													1.10	(0.79- 1.53)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40														
													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41														
													1.21	(1.03- 1.42)
Partial Totals									0	0	0	0		

*prospective study

		NAmerica	Europe	Asia	Other	Total
Relative risks						
	N	22	12	9	13	56
	NS	15	8	8	7	38
	Wt	4213.61	188.31	298.86	1152.45	5853.23
	Het Chi	39.80	7.98	8.01	37.12	131.63
	Het df	21	11	8	12	55
	Het P	**	N.S.	N.S.	***	***
	Fixed RR	1.08	1.34	1.37	1.26	1.13
	RR1	1.05	1.16	1.22	1.19	1.10
	RRu	1.11	1.55	1.53	1.33	1.16
	P	+++	+++	+++	+++	+++
	Random RR	1.11	1.34	1.37	1.24	1.20
	RR1	1.05	1.16	1.22	1.07	1.14
	RRu	1.18	1.55	1.53	1.44	1.27
	P	+++	+++	+++	++	+++
	Asymm P	*	N.S.	N.S.	N.S.	**
	Between Chi		8.52	15.94	21.19	38.72
	Between df		1	1	1	3
	Between P		++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 56
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By continent - unadjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14														
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19														
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36														
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
Partial Totals									1762	28873	3512	91387		

*prospective study

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3														
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
Subtotal 13														
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
27	ROENL	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
27	ROENL	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43														
Partial Totals									471	1597	413	1251		

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 56
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By continent - unadjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
Partial Totals									997	70403	1141	23605		

*prospective study

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													0.99	(0.88- 1.11)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													1.15	(0.97- 1.35)
Partial Totals									193	499	769	1943		

*prospective study

		NAmerica	Europe	Asia	Other	Total
Relative risks						
	N	22	13	9	13	57
	NS	15	8	8	7	38
	Wt	4433.36	187.20	332.31	1193.30	6146.17
	Het Chi	159.11	6.77	18.47	38.34	284.70
	Het df	21	12	8	12	56
	Het P	***	N.S.	*	***	***
	Fixed RR	1.01	1.34	1.33	1.23	1.08
	RRl	0.98	1.16	1.20	1.16	1.05
	RRu	1.04	1.54	1.48	1.30	1.10
	P	N.S.	+++	+++	+++	+++
	Random RR	1.05	1.34	1.41	1.18	1.18
	RRl	0.94	1.16	1.18	1.03	1.09
	RRu	1.17	1.54	1.68	1.37	1.27
	P	N.S.	+++	+++	+	+++
	Asymm P	N.S.	N.S.	(*)	N.S.	*
	Between Chi		13.89	23.45	35.73	62.00
	Between df		1	1	1	3
	Between P		+++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 57
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By publication year (grouped) - adjusted

1984-88

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3														
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
Partial Totals									0	0	0	0		

*prospective study

1989-92

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9														
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12														
13	LAVECC	11	c	s	c	n	8	8	-	-	-	-	1.21	(0.57- 2.52)
Partial Totals									0	0	0	0		

*prospective study

1993-96

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14														
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.86- 1.13)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19														
Partial Totals									48	52	66	106		

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 57
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By publication year (grouped) - adjusted

1997-00

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
20	JANGHO 1	f	s	e	n	2	0	63	100	137	300	1.38 (0.95- 2.01)	
*21	KAWACH 11	f	h	c	b	2	15	-	-	-	-	1.53 (0.81- 2.90)	
22	CIRUZZ 7	m	s	c	n	2	9	-	-	-	-	1.18 (0.55- 2.52)	
22	CIRUZZ 8	f	s	c	n	2	9	-	-	-	-	1.73 (0.89- 3.36)	
Subtotal 22													
23	MCELDU 4	m	t	c	b	2	4	-	-	-	-	0.82 (0.55- 1.22)	
23	MCELDU 2	f	t	c	b	2	4	-	-	-	-	2.15 (1.18- 3.92)	
Subtotal 23													
25	HE1 2	f	s	e	n	2	6	-	-	-	-	1.60 (0.94- 2.90)	
Partial Totals								63	100	137	300		

*prospective study

2001-04

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
26	IRIBAR 4	m	h	c	n	2	11	-	-	-	-	1.13 (1.00- 1.27)	
26	IRIBAR 19	f	h	c	n	2	11	-	-	-	-	1.20 (1.09- 1.30)	
Subtotal 26													
27	ROSENL 4	m	s	c	n	8	8	-	-	-	-	0.98 (0.57- 1.69)	
27	ROSENL 16	f	s	c	n	8	8	-	-	-	-	2.59 (1.27- 5.29)	
Subtotal 27													
28	PITSAV 9	c	h	c	n	a	6	-	-	-	-	1.33 (0.89- 1.99)	
30	CHEN 10	c	h	c	n	2	10	-	-	-	-	1.20 (0.70- 2.20)	
31	NISHTA 3	c	s	e	n	1	1	-	-	-	-	2.38 (1.04- 5.42)	
Partial Totals								0	0	0	0		

*prospective study

2005-

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
33	MCGHEE 1	m	h	p	f	2	2	-	-	-	-	1.30 (0.88- 1.93)	
33	MCGHEE 2	f	h	p	f	2	2	-	-	-	-	1.39 (0.95- 2.04)	
Subtotal 33													
*34	QURESH 1	f	s	m	b	2	7	-	-	-	-	1.05 (0.81- 1.38)	
36	STRANG 25	m	h	c	n	2	0	18	58	177	403	0.71 (0.40- 1.23)	
36	STRANG 17	f	h	c	n	2	0	11	104	78	690	0.94 (0.48- 1.82)	
Subtotal 36													
37	TEO 1	c	t	c	n	2	6	-	-	-	-	1.37 (1.27- 1.48)	
*38	WEN 18	f	s	c	f	2	9	-	-	-	-	1.19 (0.84- 1.67)	
*40	HILL1 2	m	h	c	f	2	9	-	-	-	-	1.04 (0.88- 1.23)	
*40	HILL1 4	f	h	c	f	2	9	-	-	-	-	0.98 (0.83- 1.17)	
Subtotal 40													
*41	HILL2 2	m	h	c	f	2	9	-	-	-	-	1.18 (0.96- 1.44)	
*41	HILL2 4	f	h	c	f	2	9	-	-	-	-	1.27 (0.98- 1.66)	
Subtotal 41													
42	HE2 8	f	t	t	n	4	12	-	-	-	-	1.69 (1.31- 2.18)	
43	SULO 2	m	s	c	n	4	14	-	-	-	-	1.68 (0.81- 3.47)	
43	SULO 4	f	s	c	n	4	14	-	-	-	-	1.19 (0.25- 5.64)	
Subtotal 43													
44	VOZORI 2	c	t	c	n	4	7	-	-	-	-	1.00 (0.80- 1.20)	
45	DING 2	f	h	e	n	2	11	-	-	-	-	1.52 (1.01- 2.27)	
Partial Totals								29	162	255	1093		

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 57
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By publication year (grouped) - adjusted

		1984-88	1989-92	1993-96	1997-00	2001-04	2005-	Total
Relative risks								
	N	7	10	9	7	7	16	56
	NS	6	6	5	5	5	11	38
	Wt	131.31	364.83	3016.01	99.15	825.62	1416.31	5853.23
	Het Chi	6.24	13.73	14.83	9.45	8.81	36.43	131.63
	Het df	6	9	8	6	6	15	55
	Het P	N.S.	N.S.	(*)	N.S.	N.S.	**	***
Fixed	RR	1.24	1.30	1.05	1.32	1.19	1.24	1.13
	RRl	1.05	1.17	1.01	1.09	1.11	1.17	1.10
	RRu	1.47	1.44	1.08	1.61	1.27	1.30	1.16
	P	+	+++	+	++	+++	+++	+++
Random	RR	1.26	1.41	1.07	1.37	1.21	1.19	1.20
	RRl	1.04	1.18	1.00	1.06	1.08	1.07	1.14
	RRu	1.51	1.68	1.14	1.77	1.37	1.32	1.27
	P	+	+++	+	+	++	++	+++
Asymm	P	N.S.	(*)	N.S.	N.S.	N.S.	N.S.	**
Between	Chi		0.17	3.69	0.23	0.20	0.00	42.13
Between	df		1	1	1	1	1	5
Between	P		N.S.	(-)	N.S.	N.S.	N.S.	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 58
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By publication year (grouped) - unadjusted

1984-88

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*1	HIRAYA 3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN 2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
3	LEE 1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE 3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3													
4	MARTIN 1	f	s	e	n	2	6	-	-	-	-	1.09	(0.70- 1.70)
*5	SVENDS 1	m	s	c	b	2	0	21	286	48	959	2.60	(1.20- 5.70)
*6	BUTLER 3	f	s	c	f	8	0	4	2487	60	43053	1.47	(0.89- 2.41)
Partial Totals								473	72784	276	66292	1.15	(0.42- 3.17)

*prospective study

1989-92

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*8	HOLE 3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE 2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													
9	JACKSO 3	m	h	c	b	2	0	-	-	-	-	1.70	(1.10- 2.63)
9	JACKSO 1	f	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
Subtotal 9													
*10	SANDLE 1	m	h	c	f	2	0	122	1248	248	2914	4.00	(1.35- 13.10)
*10	SANDLE 3	f	h	c	f	2	0	551	9551	437	5322	1.94	(0.91- 4.13)
Subtotal 10													
*11	HUMBLE 1	f	s	c	f	8	4	-	-	-	-	1.15	(0.93- 1.41)
12	DOBSON 3	m	h	c	b	2	0	22	34	161	259	0.70	(0.62- 0.79)
12	DOBSON 1	f	h	c	b	2	0	43	99	117	433	0.80	(0.72- 0.88)
Subtotal 12													
13	LAVECC 5	m	s	c	n	8	0	7	17	55	140	1.59	(0.99- 2.57)
13	LAVECC 3	f	s	c	n	8	0	17	20	11	17	1.04	(0.59- 1.84)
Subtotal 13													
Partial Totals								762	10969	1029	9085	1.61	(1.06- 2.43)

*prospective study

1993-96

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
14	LAYARD 1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD 9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14													
*15	LEVOIS 2	m	s	c	f	8	2	-	-	-	-	0.98	(0.86- 1.13)
*15	LEVOIS 7	f	s	c	f	8	2	-	-	-	-	1.02	(0.99- 1.09)
Subtotal 15													
17	MUSCAT 1	m	s	e	n	2	0	20	25	48	83	1.04	(0.98- 1.07)
17	MUSCAT 2	f	s	e	n	2	0	28	27	18	23	1.38	(0.70- 2.75)
Subtotal 17													
18	TUNSTA 1	c	t	c	n	2	0	329	1216	99	483	1.33	(0.59- 2.99)
*19	STEENL 1	m	s	c	f	8	12	-	-	-	-	1.36	(0.80- 2.30)
*19	STEENL 2	f	s	c	f	8	13	-	-	-	-	1.32	(1.03- 1.69)
Subtotal 19													
Partial Totals								929	2444	1002	2341	1.22	(1.07- 1.40)

*prospective study

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 58
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By publication year (grouped) - unadjusted

1997-00

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
20	JANGHO 1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH 11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ 5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ 6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													
23	MCELDU 3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU 1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													
25	HE1 1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
Partial Totals								267	561	667	1664		
*prospective study													

2001-04

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
26	IRIBAR 4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR 19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													
27	ROSENL 3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
27	ROSENL 15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
Subtotal 27													
28	PITSAV 9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN 10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA 3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals								48	75	200	429		
*prospective study													

2005-

StN Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
33	MCGHEE 5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE 6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													
*34	QURESH 2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG 25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG 17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													
37	TEO 1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN 18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1 1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1 3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													
*41	HILL2 1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2 3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													
42	HE2 1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO 1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO 3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43													
44	VOZORI 1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
45	DING 1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
Partial Totals								944	14539	2661	38375		
*prospective study													

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 58
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 18-MAY-10
 Excluding Enstrom
 By publication year (grouped) - unadjusted

		1984-88	1989-92	1993-96	1997-00	2001-04	2005-	Total
Relative risks								
	N	7	11	9	7	7	16	57
	NS	6	6	5	5	5	11	38
	Wt	136.77	439.28	3012.65	119.63	828.77	1609.08	6146.17
	Het Chi	7.64	50.47	13.71	16.09	6.95	157.47	284.70
	Het df	6	10	8	6	6	15	56
	Het P	N.S.	***	(*)	*	N.S.	***	***
Fixed	RR	1.12	0.90	1.04	1.35	1.19	1.11	1.08
	RRl	0.95	0.82	1.01	1.13	1.11	1.06	1.05
	RRu	1.32	0.99	1.08	1.61	1.27	1.17	1.10
	P	N.S.	-	+	++	+++	+++	+++
Random	RR	1.20	1.30	1.06	1.40	1.20	1.14	1.18
	RRl	0.95	0.96	1.00	1.03	1.09	0.94	1.09
	RRu	1.53	1.74	1.13	1.89	1.31	1.37	1.27
	P	N.S.	(+)	(+)	+	+++	N.S.	+++
Asymm	P	N.S.	**	N.S.	N.S.	N.S.	N.S.	*
Between	Chi		4.71	0.60	2.20	0.47	0.01	32.37
Between	df		1	1	1	1	1	5
Between	P		-	N.S.	N.S.	N.S.	N.S.	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

