

Detailed meta-analysis on ETS and Heart Disease
Authors: P.N. Lee, B.A. Forey and J.S. Hamling
02-AUG-13

The output provides full details of a variety of meta-analyses of ETS and heart disease.

For each table, the output shows, for each individual estimate selected for the meta-analysis, the value of that estimate (RR) and its 95% confidence interval. A study may provide multiple estimates relevant to the exposure being considered in the table. Choice of which to include is governed by an order of preference based on one or more characteristics of the estimate. For example, for Table 1 (spouse or nearest equivalent) data for spousal exposure are chosen if available, otherwise household exposure, and failing that total exposure. Similarly, in adjusted analyses, adjusted RRs are used if available, otherwise unadjusted RRs are used (see below).

Tables 1-15 give information for spouse ETS exposure ever (or nearest equivalent)

1. Overall	- adjusted
2. "	- unadjusted
3. By sex	- adjusted
4. "	- unadjusted
5. By continent	- adjusted
6. "	- unadjusted
7. By publication year (grouped)	- adjusted
8. "	- unadjusted
9. By number of heart disease cases (grouped)	- adjusted
10. By study type (case-control, prospective, cross-sectional)	- adjusted
11. By total number of confounders considered in the study (grouped)	- adjusted
12. By any study results available on dose-response or not	- adjusted
13. By spouse the index or not	- adjusted
14. By heart disease type 1 (fatal, non-fatal, both)	- adjusted
15. By heart disease type 2 (IHD, MI, other, mixed)	- adjusted

Tables 16-30 similarly give information for spouse ETS exposure current (or nearest equivalent), with Table 16 corresponding to Table 1, Table 17 to Table 2 and so on.

Tables 31-38 give information for workplace ETS exposure (using data for workers only if available). These tables correspond to the first 8 tables in the list of 15 above.

Tables 39 and 40 give information on total ETS exposure, for adjusted and unadjusted data.

Tables 41 and 42 give information on ETS exposure assessed by biomarker, for adjusted and unadjusted data.

Some tables for spouse ETS exposure ever (or nearest equivalent) are then repeated but excluding study Enstrom in Tables 43-50 (corresponding to Tables 1-8) and similarly for spouse ETS exposure current (or nearest equivalent) in Tables 51-58 (corresponding to Tables 16-23).

The term "relative risk" (RR) is taken to include direct estimates of the relative risks from prospective studies, and indirect estimates (odds ratios) from case-control or cross-sectional studies.

"Adjusted" implies that covariate adjusted estimates are chosen if available with unadjusted estimates used otherwise. Where the source publication provides more than one adjusted estimate, the data chosen are those adjusted for most covariates. "Unadjusted" implies that covariate unadjusted estimates are used if available with adjusted estimates used otherwise.

In all tables, estimates for males and females separately are chosen if available in preference to a combined estimate, and estimates relating to CVD excluding Stroke are chosen in preference to those for CVD. The other variables used in selecting the estimates, and their values for each estimate chosen, are shown in the output and explained in fuller detail in the footnotes to that table. For each estimate, the table also shows:

StN	The study reference number as used in the database from which the output is produced
Ref	The study 6-letter reference on the database
NRR	The number of the estimate within that study on the database
SEX	The sex of the estimate, m = male, f = female or c = combined
ADJ	The number of adjustment factors (excluding sex) in the estimate (20 indicates adjusted for an unknown number of factors)

The estimates are shown in blocks according to the "factor" relevant to that table, e.g. sex for Table 3, continent for Table 5, etc. Note that these factors relate to the study as a whole, with the exception of sex, spouse the index, and heart disease type 1 which relate to the individual estimates.

For Tables 1, 2, 16, 17, 31, 32, 39-44, 51 and 52, which are not subdivided by factor, a second block of output gives further details regarding each estimate:

Ys	= log RR
Ws	= the weight of the study = 1/(variance Ys)
Q	= the deviation of the study estimate from the mean = Ws (Ys - \bar{Y}) where \bar{Y} is the mean of Ys (this is an approximate chisquared on 1 degree of freedom)
P	= the two-tailed probability value.

/cont

For these tables, the output then shows the meta-analysis results, as follows:

N = number of estimates combined
NS = number of studies from which estimates taken
Wt = the sum of the individual estimate weights
Het Chi = heterogeneity chisquared (between estimates)
Het df = heterogeneity degrees of freedom
Het P = heterogeneity probability value, expressed as *** p<0.01; ** p<0.01; * p<0.05; (*) p<0.1;
 NS p>= 0.1
Fixed RR = fixed-effect meta-analysis relative risk estimate
RRl, RRu = the corresponding lower and upper 95% confidence limits
P = the corresponding probability value, expressed as +++, --- p<0.001; ++, -- P<0.01; +, - p<0.05;
 (+), (-) p<0.1; NS P>=0.1, with plus signs indicating significant increases and minus signs
 significant decreases
Random RR = random-effect meta-analysis relative risk estimated, together with corresponding confidence limits
 and probability value
Asymmp = the publication bias probability value based on Egger's test

For the other tables, this information is not only given for all the studies combined, but also by factor level.
Additionally results of heterogeneity tests for variation by factor level are shown.

Between Chi = for the overall data this is the chisquared for heterogeneity, by factor level this is the
 contribution to the overall chisquared from the data for that level
Between df = The degrees of freedom for the test of heterogeneity between factor levels
Between P = Heterogeneity probability value, expressed as for Het P

The methods used for meta-analysis are described in Fleiss and Gross (1991), Journal of Clinical Epidemiology,
44, 127-139. Egger's test is described in Egger et al (1997), BMJ, 315, 629-634.

This document is available at www.pnlee.co.uk, download LEE2013I.pdf. The results are also summarized in the following documents: download LEE2013G.pdf (which includes references to the individual studies, and a description of the type of heart disease studied by each), LEE2013H.pdf and LEE2013J.pdf.

This work was supported by the tobacco industry. The accuracy of the material presented is solely the responsibility of the authors.

Table 1
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWUCH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSEN1	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN1	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27													1.17	(0.86- 1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
Subtotal 29													0.97	(0.91- 1.03)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 1
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									386	1253	319	777		
*prospective study														

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1	HIRAYA	6	f	s	e	f	2	1	0.15	87.29	0.24	0.1655
*2	GARLAN	5	f	s	e	f	2	5	0.99	1.81	1.46	0.1811
3	LEE	2	m	s	m	n	2	2	0.22	6.59	0.09	0.5808
3	LEE	4	f	s	m	n	2	2	-0.07	12.04	0.34	0.8012
Subtotal 3									0.03	18.63	0.44	
4	MARTIN	1	f	s	e	n	2	6	0.96	6.33	4.67	0.0162
*5	SVENDS	2	m	s	c	b	2	6	0.48	14.27	2.06	0.0720
*6	BUTLER	2	f	s	e	f	2	1	0.07	15.67	0.01	0.7889
*8	HOLE	3	m	h	e	f	2	5	0.55	13.29	2.71	0.0457
*8	HOLE	2	f	h	e	f	2	5	0.50	7.04	1.15	0.1838
Subtotal 8									0.53	20.33	3.86	
9	JACKSO	4	m	h	c	b	2	2	0.06	3.80	0.01	0.9095
9	JACKSO	2	f	h	c	b	2	2	1.32	2.76	4.12	0.0285
Subtotal 9									0.59	6.56	4.13	
*10	SANDLE	2	m	h	c	f	2	4	0.27	77.28	2.33	0.0176
*10	SANDLE	4	f	h	c	f	2	4	0.17	213.52	1.28	0.0110
Subtotal 10									0.20	290.80	3.61	
*11	HUMBLE	1	f	s	c	f	8	4	0.46	16.88	2.28	0.0567
12	DOBSON	4	m	h	c	b	2	2	-0.03	8.90	0.14	0.9276
12	DOBSON	2	f	h	c	b	2	2	0.90	14.40	9.30	0.0006
Subtotal 12									0.54	23.30	9.44	
13	LAVECC	2	m	s	e	n	2	0	0.09	5.43	0.00	0.8393
13	LAVECC	1	f	s	e	n	2	0	0.24	4.84	0.10	0.6013
Subtotal 13									0.16	10.27	0.10	
14	LAYARD	2	m	s	e	f	2	2	-0.03	48.72	0.79	0.8316
14	LAYARD	10	f	s	e	f	2	2	-0.01	147.49	1.67	0.9029
Subtotal 14									-0.02	196.21	2.46	
*15	LEVOIS	1	m	s	e	f	2	2	-0.03	646.64	10.43	0.4386
*15	LEVOIS	6	f	s	e	f	2	2	0.03	1627.60	7.30	0.2331
Subtotal 15									0.01	2274.24	17.72	
17	MUSCAT	1	m	s	e	n	2	0	0.32	8.14	0.42	0.3546
17	MUSCAT	2	f	s	e	n	2	0	0.28	5.82	0.20	0.4970
Subtotal 17									0.31	13.96	0.62	
18	TUNSTA	2	c	t	c	n	2	4	0.29	77.54	2.98	0.0100
*19	STEENL	3	m	s	e	f	2	12	0.09	345.72	0.04	0.1091
*19	STEENL	4	f	s	e	f	2	13	0.04	314.64	1.03	0.4866
Subtotal 19									0.06	660.35	1.07	
20	JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.39	0.0922
*21	KAWACH	11	f	h	c	b	2	15	0.43	9.45	1.02	0.1912
22	CIRUZZ	7	m	s	c	n	2	9	0.17	6.63	0.03	0.6699
22	CIRUZZ	8	f	s	c	n	2	9	0.55	8.71	1.78	0.1058

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 1
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
		Subtotal 22							0.38	15.34	1.81	
23	MCELDU	4	m	t	c	b	2	4	-0.20	24.21	2.11	0.3288
23	MCELDU	2	f	t	c	b	2	4	0.77	10.66	4.77	0.0124
		Subtotal 23							0.10	34.87	6.88	
25	HE1	2	f	s	e	n	2	6	0.47	12.11	1.69	0.1020
26	IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.18	0.0450
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	3.64	0.0000
		Subtotal 26							0.16	763.97	3.82	
27	ROSEN1	2	m	s	e	n	2	8	-0.04	23.37	0.44	0.8436
27	ROSEN1	14	f	s	e	n	2	8	0.43	17.27	1.87	0.0772
		Subtotal 27							0.16	40.64	2.31	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	0.84	0.1648
*29	ENSTRO	16	m	s	e	f	2	8	-0.07	302.04	8.64	0.2072
*29	ENSTRO	32	f	s	e	f	2	8	-0.01	597.66	6.79	0.8059
		Subtotal 29							-0.03	899.71	15.42	
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.09	0.5326
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.35	0.0395
33	MCGHEE	1	m	h	p	f	2	2	0.26	24.91	0.69	0.1904
33	MCGHEE	2	f	h	p	f	2	2	0.33	26.31	1.43	0.0912
		Subtotal 33							0.30	51.22	2.11	
*34	QURESH	1	f	s	m	b	2	7	0.05	54.13	0.12	0.7196
36	STRANG	22	m	h	e	n	2	0	-0.02	21.86	0.28	0.9391
36	STRANG	14	f	h	e	n	2	0	0.26	8.82	0.24	0.4361
		Subtotal 36							0.06	30.68	0.52	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	31.27	0.0000
*38	WEN	17	f	s	m	f	2	9	-0.01	37.13	0.42	0.9512
*40	HILL1	2	m	h	c	f	2	9	0.04	137.04	0.45	0.6461
*40	HILL1	4	f	h	c	f	2	9	-0.02	130.35	1.78	0.8176
		Subtotal 40							0.01	267.40	2.23	
*41	HILL2	2	m	h	c	f	2	9	0.17	93.46	0.44	0.1096
*41	HILL2	4	f	h	c	f	2	9	0.24	55.32	1.12	0.0754
		Subtotal 41							0.19	148.79	1.57	
42	HE2	8	f	t	t	n	4	12	0.52	59.24	10.86	0.0001
43	SULO	2	m	s	c	n	4	14	0.52	7.26	1.29	0.1622
43	SULO	4	f	s	c	n	4	14	0.17	1.58	0.01	0.8268
		Subtotal 43							0.46	8.84	1.30	
44	VOZORI	2	c	t	c	n	4	7	0.00	93.46	0.87	1.0000
45	DING	2	f	h	e	n	2	11	0.42	23.43	2.43	0.0427
*46	GALLO	17	c	s	c	f	2	5	0.69	6.48	2.27	0.0798
*48	JEFFER	2	c	s	c	b	2	16	0.88	5.43	3.33	0.0403
*49	HE3	2	m	t	e	f	2	9	0.81	3.29	1.66	0.1433
*49	HE3	4	f	t	e	f	2	9	0.74	3.13	1.30	0.1894
		Subtotal 49							0.78	6.42	2.96	

Relative risks

	N	63										
	NS	42										
	Wt	7027.87										
	Het Chi	158.03										
	Het df	62										
	Het P	***										
	Fixed RR	1.10										
	RR1	1.08										
	RRu	1.13										
	P	+++										
	Random RR	1.18										
	RR1	1.12										
	RRu	1.24										
	P	+++										
	Asymm P	***										

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 2
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3													1.09	(0.70- 1.70)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10													0.80	(0.72- 0.88)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSEN1	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
27	ROSEN1	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
Subtotal 27													1.10	(0.83- 1.47)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	8	m	s	e	f	2	1	-	-	-	-	0.94	(0.85- 1.05)
*29	ENSTRO	24	f	s	e	f	2	1	-	-	-	-	1.01	(0.94- 1.08)
Subtotal 29													0.99	(0.93- 1.05)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 2
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40									0.99		(0.88- 1.11)			
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41									1.15		(0.97- 1.35)			
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43									1.46		(0.91- 2.34)			
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Subtotal 49									1.73		(0.84- 3.60)			
Partial Totals									3778	111529	5639	117605		
*prospective study														

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1	HIRAYA	3	f	s	e	f	2	0	0.00	90.30	0.25	0.9867
*2	GARLAN	1	f	s	e	f	2	0	1.25	1.81	2.61	0.0912
3	LEE	1	m	s	m	n	2	0	0.29	7.10	0.41	0.4340
3	LEE	3	f	s	m	n	2	0	-0.03	12.62	0.09	0.9185
Subtotal 3									0.09	19.72	0.49	
4	MARTIN	1	f	s	e	n	2	6	0.96	6.33	5.14	0.0162
*5	SVENDS	1	m	s	c	b	2	0	0.38	15.65	1.69	0.1296
*6	BUTLER	1	f	s	e	f	2	0	0.30	15.03	0.94	0.2372
*8	HOLE	3	m	h	e	f	2	5	0.55	13.29	3.24	0.0457
*8	HOLE	2	f	h	e	f	2	5	0.50	7.04	1.40	0.1838
Subtotal 8									0.53	20.33	4.64	
9	JACKSO	3	m	h	c	b	2	0	0.10	3.78	0.01	0.8529
9	JACKSO	1	f	h	c	b	2	0	1.39	2.98	5.28	0.0168
Subtotal 9									0.66	6.76	5.28	
*10	SANDLE	1	m	h	c	f	2	0	0.14	90.22	0.64	0.1881
*10	SANDLE	3	f	h	c	f	2	0	-0.35	262.43	43.55	0.0000
Subtotal 10									-0.23	352.64	44.19	
*11	HUMBLE	1	f	s	c	f	8	4	0.46	16.88	2.83	0.0567
12	DOBSON	3	m	h	c	b	2	0	0.04	11.77	0.00	0.8905
12	DOBSON	1	f	h	c	b	2	0	0.47	22.62	4.00	0.0240
Subtotal 12									0.33	34.39	4.00	
13	LAVECC	2	m	s	e	n	2	0	0.09	5.43	0.01	0.8393
13	LAVECC	1	f	s	e	n	2	0	0.24	4.84	0.16	0.6013
Subtotal 13									0.16	10.27	0.17	
14	LAYARD	1	m	s	e	f	2	0	-0.07	52.96	0.79	0.6223
14	LAYARD	9	f	s	e	f	2	0	-0.00	155.06	0.47	0.9954
Subtotal 14									-0.02	208.02	1.26	
*15	LEVOIS	1	m	s	e	f	2	2	-0.03	646.64	4.65	0.4386
*15	LEVOIS	6	f	s	e	f	2	2	0.03	1627.60	1.00	0.2331
Subtotal 15									0.01	2274.24	5.65	
17	MUSCAT	1	m	s	e	n	2	0	0.32	8.14	0.59	0.3546
17	MUSCAT	2	f	s	e	n	2	0	0.28	5.82	0.30	0.4970
Subtotal 17									0.31	13.96	0.89	
18	TUNSTA	1	c	t	c	n	2	0	0.28	62.37	3.11	0.0283
*19	STEENL	3	m	s	e	f	2	12	0.09	345.72	0.35	0.1091
*19	STEENL	4	f	s	e	f	2	13	0.04	314.64	0.07	0.4866
Subtotal 19									0.06	660.35	0.42	
20	JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.96	0.0922
*21	KAWACH	11	f	h	c	b	2	15	0.43	9.45	1.30	0.1912
22	CIRUZZ	5	m	s	c	n	2	0	-0.00	8.06	0.03	0.9912
22	CIRUZZ	6	f	s	c	n	2	0	0.39	11.59	1.34	0.1800

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 2
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
		Subtotal 22							0.23	19.65	1.36	
23	MCELDU	3	m	t	c	b	2	0	-0.23	29.19	2.40	0.2093
23	MCELDU	1	f	t	c	b	2	0	0.63	16.76	5.48	0.0104
		Subtotal 23							0.08	45.95	7.88	
25	HE1	1	f	s	e	n	2	0	0.84	17.19	10.63	0.0005
26	IRIBAR	4	m	h	c	n	2	11	0.12	268.97	1.24	0.0450
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	8.10	0.0000
		Subtotal 26							0.16	763.97	9.34	
27	ROSEN1	1	m	s	e	n	2	0	-0.05	26.10	0.30	0.7851
27	ROSEN1	13	f	s	e	n	2	0	0.29	20.97	1.14	0.1879
		Subtotal 27							0.10	47.07	1.44	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	1.26	0.1648
*29	ENSTRO	8	m	s	e	f	2	1	-0.06	344.13	4.65	0.2510
*29	ENSTRO	24	f	s	e	f	2	1	0.01	797.17	1.57	0.7788
		Subtotal 29							-0.01	1141.29	6.22	
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.19	0.5326
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.72	0.0395
33	MCGHEE	5	m	h	p	f	2	0	0.24	29.42	0.99	0.1963
33	MCGHEE	6	f	h	p	f	2	0	0.27	33.81	1.59	0.1147
		Subtotal 33							0.26	63.24	2.59	
*34	QURESH	2	f	s	m	b	2	0	0.16	54.27	0.62	0.2341
36	STRANG	22	m	h	e	n	2	0	-0.02	21.86	0.11	0.9391
36	STRANG	14	f	h	e	n	2	0	0.26	8.82	0.38	0.4361
		Subtotal 36							0.06	30.68	0.49	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	44.51	0.0000
*38	WEN	17	f	s	m	f	2	9	-0.01	37.13	0.15	0.9512
*40	HILL1	1	m	h	c	f	2	2	0.00	142.80	0.42	1.0000
*40	HILL1	3	f	h	c	f	2	2	-0.02	144.50	0.80	0.8081
		Subtotal 40							-0.01	287.30	1.23	
*41	HILL2	1	m	h	c	f	2	2	0.07	83.70	0.01	0.5359
*41	HILL2	3	f	h	c	f	2	2	0.23	59.36	1.85	0.0750
		Subtotal 41							0.14	143.06	1.87	
42	HE2	1	f	t	t	n	4	0	0.45	66.96	10.40	0.0002
43	SULO	1	m	s	c	n	4	1	0.57	11.09	2.90	0.0598
43	SULO	3	f	s	c	n	4	1	0.05	6.26	0.00	0.9029
		Subtotal 43							0.38	17.35	2.90	
44	VOZORI	1	c	t	c	n	4	0	-0.55	238.05	88.35	0.0000
45	DING	1	f	h	e	n	2	0	0.53	29.06	6.51	0.0044
*46	GALLO	17	c	s	c	f	2	5	0.69	6.48	2.60	0.0798
*48	JEFFER	1	c	s	c	b	2	2	0.77	5.95	3.09	0.0588
*49	HE3	1	m	t	e	f	2	0	0.55	3.82	0.94	0.2811
*49	HE3	3	f	t	e	f	2	0	0.55	3.39	0.83	0.3109
		Subtotal 49							0.55	7.21	1.78	

Relative risks

	N	63										
	NS	42										
	Wt	7565.03										
	Het Chi	295.98										
	Het df	62										
	Het P	***										
	Fixed RR	1.06										
	RR1	1.03										
	RRu	1.08										
	P	+++										
	Random RR	1.16										
	RR1	1.09										
	RRu	1.24										
	P	+++										
	Asymm P	**										

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 3
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By sex - adjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals							0		0	0	0	0		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSEN	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
Partial Totals							185		416	142	314			

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSEN	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 3
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By sex - adjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Partial Totals									201	837	177	463		

*prospective study

combined	male	female
----------	------	--------

Relative risks

N	8	22	33	63
NS	8	22	33	63
Wt	880.19	2091.85	4055.82	7027.87
Het Chi	13.19	28.99	77.11	158.03
Het df	7	21	32	62
Het P	(*)	N.S.	***	***
Fixed RR	1.33	1.04	1.09	1.10
RRl	1.25	1.00	1.05	1.08
RRu	1.42	1.09	1.12	1.13
P	+++	(+)	+++	+++
Random RR	1.32	1.07	1.20	1.18
RRl	1.14	1.01	1.12	1.12
RRu	1.54	1.14	1.29	1.24
P	+++	+	+++	+++
Asymm P	N.S.	*	***	***
Between Chi		37.09	29.88	38.74
Between df		1	1	2
Between P		---	---	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 4
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By sex - unadjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
Partial Totals									622	13207	1579	35259		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSEN	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
*29	ENSTRO	8	m	s	e	f	2	1	-	-	-	-	0.94	(0.85- 1.05)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
Partial Totals									671	2888	1720	6701		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSEN	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
*29	ENSTRO	24	f	s	e	f	2	1	-	-	-	-	1.01	(0.94- 1.08)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 4
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By sex - unadjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Partial Totals									2485	95434	2340	75645		

*prospective study

combined	male	female	Total
----------	------	--------	-------

Relative risks

N	8	22	33	63
NS	8	22	33	63
Wt	1010.13	2169.83	4385.08	7565.03
Het Chi	143.31	24.95	122.76	295.98
Het df	7	21	32	62
Het P	***	N.S.	***	***
Fixed RR	1.12	1.03	1.05	1.06
RRl	1.05	0.99	1.02	1.03
RRu	1.19	1.07	1.09	1.08
P	+++	N.S.	+++	+++
Random RR	1.33	1.04	1.20	1.16
RRl	0.90	0.99	1.10	1.09
RRu	1.98	1.10	1.30	1.24
P	N.S.	N.S.	+++	+++
Asymm P	N.S.	*	**	**
Between Chi		4.95	2.97	4.96
Between df		1	1	2
Between P		-	(-)	(*)

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 5
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By continent - adjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
Subtotal 29													0.97	(0.91- 1.03)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									282	1093	116	320		
*prospective study														

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
27	ROSEN	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27													1.17	(0.86- 1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals									41	60	66	157		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 5
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By continent - adjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									63	100	137	300		
*prospective study														

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
Partial Totals									0	0	0	0		
*prospective study														

NAmerica Europe Asia Other Total

Relative risks

N	24	15	11	13	63
NS	16	10	9	7	42
Wt	5341.92	223.62	309.87	1152.45	7027.87
Het Chi	45.24	9.38	12.59	37.12	158.03
Het df	23	14	10	12	62
Het P	**		N.S.	***	***
Fixed RR	1.05	1.33	1.35	1.26	1.10
RR1	1.02	1.17	1.21	1.19	1.08
RRu	1.08	1.52	1.51	1.33	1.13
P	+++	+++	+++	+++	+++
Random RR	1.07	1.33	1.37	1.24	1.18
RR1	1.02	1.17	1.20	1.07	1.12
RRu	1.13	1.52	1.57	1.44	1.24
P	++	+++	+++	++	+++
Asymm P	*	N.S.	(*)	N.S.	***
Between Chi		12.28	18.62	30.97	53.70
Between df		1	1	1	3
Between P		+++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 6
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By continent - unadjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10													0.80 (0.72- 0.88)	
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14											0.98 (0.86- 1.13)			
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15											1.01 (0.97- 1.06)			
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17											1.36 (0.80- 2.30)			
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19											1.07 (0.99- 1.15)			
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26											1.17 (1.09- 1.26)			
*29	ENSTRO	8	m	s	e	f	2	1	-	-	-	-	0.94	(0.85- 1.05)
*29	ENSTRO	24	f	s	e	f	2	1	-	-	-	-	1.01	(0.94- 1.08)
Subtotal 29											0.99 (0.93- 1.05)			
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36											1.07 (0.75- 1.52)			
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
Partial Totals									1998	38239	3307	90507		
*prospective study														

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3											1.09 (0.70- 1.70)			
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8											1.70 (1.10- 2.63)			
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13											1.17 (0.64- 2.16)			
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
27	ROSEN	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
27	ROSEN	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
Subtotal 27											1.10 (0.83- 1.47)			
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43											1.46 (0.91- 2.34)			
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
Partial Totals									558	1777	413	1251		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 6
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By continent - unadjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Subtotal 49													1.73	(0.84- 3.60)
Partial Totals									1029	71014	1150	23904		
*prospective study														

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													0.99	(0.88- 1.11)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													1.15	(0.97- 1.35)
Partial Totals									193	499	769	1943		
*prospective study														

NAmerica Europe Asia Other Total

Relative risks

N	24	15	11	13	63
NS	16	10	9	7	42
Wt	5802.63	224.99	344.11	1193.30	7565.03
Het Chi	155.90	9.48	21.75	38.34	295.98
Het df	23	14	10	12	62
Het P	***	N.S.	*	***	***
Fixed RR	1.00	1.31	1.31	1.23	1.06
RR1	0.98	1.15	1.18	1.16	1.03
RRu	1.03	1.49	1.46	1.30	1.08
P	N.S.	+++	++	++	++
Random RR	1.03	1.31	1.39	1.18	1.16
RR1	0.95	1.15	1.17	1.03	1.09
RRu	1.13	1.49	1.66	1.37	1.24
P	N.S.	+++	++	+	++
Asymm P	N.S.	N.S.	(*)	N.S.	**
Between Chi	15.54	23.65	41.68	70.51	
Between df	1	1	1	3	
Between P	+++	+++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 7
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By publication year (grouped) - adjusted

1984-89

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
Partial Totals									0	0	0	0		

*prospective study

1990-97

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
Partial Totals									152	212	269	563		

*prospective study

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 7
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By publication year (grouped) - adjusted

1998-04

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSEN1	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN1	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27													1.17	(0.86- 1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
Subtotal 29													0.97	(0.91- 1.03)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals									0	0	0	0		
*prospective study														

2005-07

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
Partial Totals									234	1041	50	214		
*prospective study														

2008 onwards

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									0	0	0	0		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 7
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By publication year (grouped) - adjusted

	1984-89	1990-97	1998-04	2005-07	2008 onwa	Total
Relative risks						
N	13	16	14	11	9	63
NS	9	10	9	7	7	42
Wt	461.70	3309.60	1807.72	1245.54	203.31	7027.87
Het Chi	13.35	28.19	35.12	23.12	16.35	158.03
Het df	12	15	13	10	8	62
Het P	N.S.	*	***	*	*	***
Fixed RR	1.25	1.04	1.07	1.23	1.34	1.10
RRl	1.14	1.01	1.03	1.16	1.17	1.08
RRu	1.37	1.08	1.13	1.30	1.53	1.13
P	+++	+	++	+++	+++	+++
Random RR	1.27	1.09	1.14	1.15	1.54	1.18
RRl	1.13	1.01	1.02	1.04	1.19	1.12
RRu	1.41	1.16	1.27	1.28	1.99	1.24
P	+++	+	+	++	++	+++
Asymm P	*	*	(*)	N.S.	(*)	***
Between Chi		13.35	8.12	0.07	0.70	41.90
Between df		1	1	1	1	4
Between P	---	---	---	N.S.	N.S.	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 8
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By publication year (grouped) - unadjusted

1984-89

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3													1.09	(0.70- 1.70)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10													0.80	(0.72- 0.88)
Partial Totals									1177	92070	961	74527		
*prospective study														

1990-97

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
Partial Totals									1098	2737	1483	3490		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 8
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By publication year (grouped) - unadjusted

1998-04

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSEN1	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
27	ROSEN1	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
Subtotal 27													1.10	(0.83- 1.47)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	8	m	s	e	f	2	1	-	-	-	-	0.94	(0.85- 1.05)
*29	ENSTRO	24	f	s	e	f	2	1	-	-	-	-	1.01	(0.94- 1.08)
Subtotal 29													0.99	(0.93- 1.05)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals									322	693	730	1793		
*prospective study														

2005-07

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													0.99	(0.88- 1.11)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													1.15	(0.97- 1.35)
Partial Totals									561	3085	526	1965		
*prospective study														

2008 onwards

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43													1.46	(0.91- 2.34)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Subtotal 49													1.73	(0.84- 3.60)
Partial Totals									620	12944	1939	35830		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 8
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By publication year (grouped) - unadjusted

	1984-89	1990-97	1998-04	2005-07	2008 onwa	Total
Relative risks						
N	13	16	14	11	9	63
NS	9	10	9	7	7	42
Wt	528.57	3317.33	2076.21	1271.88	371.05	7565.03
Het Chi	55.22	20.56	41.37	25.86	95.10	295.98
Het df	12	15	13	10	8	62
Het P	***	N.S.	***	**	***	***
Fixed RR	0.92	1.04	1.08	1.22	0.83	1.06
RRl	0.84	1.00	1.03	1.15	0.75	1.03
RRu	1.00	1.07	1.12	1.29	0.92	1.08
P	(-)	+	+++	+++	---	+++
Random RR	1.30	1.06	1.15	1.14	1.44	1.16
RRl	1.01	1.00	1.03	1.02	0.89	1.09
RRu	1.66	1.12	1.28	1.28	2.34	1.24
P	+	+	+	+	N.S.	+++
Asymm P	***	**	N.S.	N.S.	*	**
Between Chi		6.58	10.26	29.18	2.07	57.87
Between df		1	1	1	1	4
Between P		+	++	+++	N.S.	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 9
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By number of heart disease cases (grouped) - adjusted

1-99

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									0	0	0	0		
*prospective study														

100-199

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
Partial Totals									89	112	132	263		
*prospective study														

200-999

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
27	ROSEN1	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN1	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27													1.17	(0.86- 1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 9
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By number of heart disease cases (grouped) - adjusted

200-999

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Non-exposed Cont	RR	95.00%CI
		Subtotal 36							-	-	-	-	1.07	(0.75- 1.52)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
		Partial Totals							297	1141	187	514		

*prospective study

1000+

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Non-exposed Cont	RR	95.00%CI
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
		Subtotal 10							-	-	-	-	1.22	(1.09- 1.37)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
		Subtotal 14							-	-	-	-	0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
		Subtotal 15							-	-	-	-	1.01	(0.97- 1.06)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
		Subtotal 19							-	-	-	-	1.07	(0.99- 1.15)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
		Subtotal 26							-	-	-	-	1.17	(1.09- 1.26)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
		Subtotal 29							-	-	-	-	0.97	(0.91- 1.03)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
		Subtotal 40							-	-	-	-	1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
		Subtotal 41							-	-	-	-	1.21	(1.03- 1.42)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
		Partial Totals							0	0	0	0		

*prospective study

1-99 100-199 200-999 1000+ Total

Relative risks

N	9	12	24	18	63
NS	8	7	17	10	42
Wt	72.45	93.60	610.69	6251.12	7027.87
Het Chi	6.70	3.87	35.17	76.70	158.03
Het df	8	11	23	17	62
Het P	N.S.	N.S.	(*)	***	***
Fixed RR	1.69	1.39	1.28	1.08	1.10
RRL	1.35	1.14	1.18	1.05	1.08
RRu	2.13	1.71	1.38	1.10	1.13
P	+++	++	+++	+++	+++
Random RR	1.69	1.39	1.29	1.08	1.18
RRL	1.35	1.14	1.16	1.02	1.12
RRu	2.13	1.71	1.44	1.15	1.24
P	+++	++	+++	++	+++
Asymm P	*	N.S.	N.S.	N.S.	***
Between Chi	1.56	5.11	14.73	35.59	
Between df	1	1	1	1	3
Between P	N.S.	-	---	---	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 10
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By study type - adjusted

case-control

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
27	ROSEN1	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN1	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27													1.17	(0.86- 1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals									386	1253	319	777		

*prospective study

prospective

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 10
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By study type - adjusted

prospective

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
Subtotal 29									0.97		(0.91- 1.03)			
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40									1.01		(0.90- 1.14)			
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41									1.21		(1.03- 1.42)			
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49									2.17		(1.00- 4.70)			
Partial Totals									0	0	0	0		

*prospective study

cross-sectional

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26									1.17		(1.09- 1.26)			
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									0	0	0	0		

*prospective study

case-cont prospecti cross-sec Total

Relative risks

N	30	26	7	63
NS	18	18	6	42
Wt	1199.02	4816.58	1012.26	7027.87
Het Chi	44.95	46.39	15.75	158.03
Het df	29	25	6	62
Het P	*	**	*	***
Fixed RR	1.28	1.04	1.20	1.10
RR1	1.21	1.01	1.13	1.08
RRu	1.36	1.07	1.28	1.13
P	+++	++	+++	+++
Random RR	1.27	1.08	1.25	1.18
RR1	1.15	1.03	1.10	1.12
RRu	1.40	1.14	1.41	1.24
P	+++	++	+++	+++
Asymm P	N.S.	***	N.S.	***
Between Chi	42.12	2.45	50.93	
Between df		1	1	2
Between P	---		N.S.	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 11
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By total number of confounders considered in the study (grouped) - adjusted

0-2

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3									1.03	(0.65- 1.62)				
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14									0.98	(0.86- 1.13)				
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15									1.01	(0.97- 1.06)				
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
31	NISHITA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33									1.35	(1.02- 1.77)				
Partial Totals									63	100	137	300		
*prospective study														

3-4

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10									1.22	(1.09- 1.37)				
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12									1.72	(1.15- 2.59)				
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17									1.36	(0.80- 2.30)				
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23									1.10	(0.79- 1.53)				
Partial Totals									48	52	66	106		
*prospective study														

5+

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8									1.70	(1.10- 2.63)				
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9									1.80	(0.84- 3.87)				
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13									1.17	(0.64- 2.16)				
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19									1.07	(0.99- 1.15)				
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22									1.47	(0.89- 2.42)				
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26									1.17	(1.09- 1.26)				

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 11
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By total number of confounders considered in the study (grouped) - adjusted

5+

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
27	ROSEN1	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN1	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27													1.17	(0.86- 1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
Subtotal 29													0.97	(0.91- 1.03)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									275	1101	116	371		
*prospective study														

0-2 3-4 5+ Total

Relative risks

N	12	10	41	63
NS	8	6	28	42
Wt	2676.30	457.35	3894.21	7027.87
Het Chi	14.31	16.65	100.51	158.03
Het df	11	9	40	62
Het P	N.S.	(*)	***	***
Fixed RR	1.03	1.27	1.14	1.10
RR1	0.99	1.16	1.10	1.08
RRu	1.07	1.39	1.17	1.13
P	N.S.	+++	+++	+++
Random RR	1.04	1.32	1.19	1.18
RR1	0.98	1.13	1.11	1.12
RRu	1.11	1.55	1.27	1.24
P	N.S.	+++	+++	+++
Asymm P	*	N.S.	*	***
Between Chi	17.60	16.76	26.55	
Between df		1	1	2
Between P	+++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 12
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By any study results available on dose-response or not - adjusted

none

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									0	0	0	0		

*prospective study

results given

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 12
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By any study results available on dose-response or not - adjusted

results given

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
		Subtotal 26							-	-	-	-	1.17	(1.09- 1.26)
27	ROSEN1	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN1	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
		Subtotal 27											1.17	(0.86- 1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
		Subtotal 29											0.97	(0.91- 1.03)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
		Subtotal 33											1.35	(1.02- 1.77)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
		Subtotal 36											1.07	(0.75- 1.52)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
		Subtotal 49											2.17	(1.00- 4.70)
		Partial Totals							386	1253	319	777		

*prospective study

none no assoc sig assc results g Total

Relative risks

N	18			45	63
NS	12			30	42
Wt	962.28			6065.58	7027.87
Het Chi	33.09			123.38	158.03
Het df	17			44	62
Het P	*			***	***
Fixed RR	1.14			1.09	1.10
RR1	1.07			1.07	1.08
RRu	1.22			1.12	1.13
P	+++			+++	+++
Random RR	1.19			1.18	1.18
RR1	1.07			1.11	1.12
RRu	1.32			1.25	1.24
P	++			+++	+++
Asymm P	*			**	***
Between Chi				1.56	1.56
Between df				1	1
Between P	N.S.		N.S.	N.S.	N.S.

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 13
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By spouse the index or not - adjusted

Yes

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
27	ROSEN1	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN1	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27													1.17	(0.86- 1.59)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
Subtotal 29													0.97	(0.91- 1.03)
31	NISHITA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals									152	212	269	563		

*prospective study

No

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 13
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By spouse the index or not - adjusted

No

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
		Subtotal 23							-	-	-	-	1.10 (0.79- 1.53)
26	IRIBAR 4	m	h	c	n	2	11						1.13 (1.00- 1.27)
26	IRIBAR 19	f	h	c	n	2	11						1.20 (1.09- 1.30)
		Subtotal 26											1.17 (1.09- 1.26)
28	PITSAV 9	c	h	c	n	a	6		-	-	-	-	1.33 (0.89- 1.99)
30	CHEN 10	c	h	c	n	2	10		-	-	-	-	1.20 (0.70- 2.20)
33	MCGHEE 1	m	h	p	f	2	2		-	-	-	-	1.30 (0.88- 1.93)
33	MCGHEE 2	f	h	p	f	2	2		-	-	-	-	1.39 (0.95- 2.04)
		Subtotal 33											1.35 (1.02- 1.77)
36	STRANG 22	m	h	e	n	2	0		156	370	39	91	0.98 (0.65- 1.50)
36	STRANG 14	f	h	e	n	2	0		78	671	11	123	1.30 (0.67- 2.51)
		Subtotal 36											1.07 (0.75- 1.52)
37	TEO 1	c	t	c	n	2	6		-	-	-	-	1.37 (1.27- 1.48)
*40	HILL1 2	m	h	c	f	2	9		-	-	-	-	1.04 (0.88- 1.23)
*40	HILL1 4	f	h	c	f	2	9		-	-	-	-	0.98 (0.83- 1.17)
		Subtotal 40											1.01 (0.90- 1.14)
*41	HILL2 2	m	h	c	f	2	9		-	-	-	-	1.18 (0.96- 1.44)
*41	HILL2 4	f	h	c	f	2	9		-	-	-	-	1.27 (0.98- 1.66)
		Subtotal 41											1.21 (1.03- 1.42)
42	HE2 8	f	t	t	n	4	12		-	-	-	-	1.69 (1.31- 2.18)
44	VOZORI 2	c	t	c	n	4	7		-	-	-	-	1.00 (0.80- 1.20)
45	DING 2	f	h	e	n	2	11		-	-	-	-	1.52 (1.01- 2.27)
*49	HE3 2	m	t	e	f	2	9		-	-	-	-	2.24 (0.76- 6.59)
*49	HE3 4	f	t	e	f	2	9		-	-	-	-	2.10 (0.69- 6.33)
		Subtotal 49											2.17 (1.00- 4.70)
		Partial Totals							234	1041	50	214		
		*prospective study												

Yes No Total

Relative risks

N	33	30	63
NS	23	19	42
Wt	4428.76	2599.11	7027.87
Het Chi	46.53	57.41	158.03
Het df	32	29	62
Het P	*	**	***
Fixed RR	1.03	1.23	1.10
RR1	1.00	1.19	1.08
RRu	1.06	1.28	1.13
P (+)	+++	+++	
Random RR	1.06	1.24	1.18
RR1	1.01	1.16	1.12
RRu	1.12	1.33	1.24
P +	+++	+++	
Asymm P	***	N.S.	***
Between Chi	54.09	54.09	
Between df	1	1	
Between P	+++	***	

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 14
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By heart disease type 1 - adjusted

Fatal

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
		Subtotal	8										1.70	(1.10- 2.63)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
		Subtotal	10										1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
		Subtotal	14										0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
		Subtotal	15										1.01	(0.97- 1.06)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
		Subtotal	19										1.07	(0.99- 1.15)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
		Subtotal	29										0.97	(0.91- 1.03)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
		Subtotal	33										1.35	(1.02- 1.77)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
		Subtotal	40										1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
		Subtotal	41										1.21	(1.03- 1.42)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
		Subtotal	49										2.17	(1.00- 4.70)
		Partial Totals							0	0	0	0		

*prospective study

Nonfatal

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
		Subtotal	3										1.03	(0.65- 1.62)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
		Subtotal	13										1.17	(0.64- 2.16)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
		Subtotal	17										1.36	(0.80- 2.30)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
		Subtotal	22										1.47	(0.89- 2.42)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
		Subtotal	26										1.17	(1.09- 1.26)
27	ROSEN	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
		Subtotal	27										1.17	(0.86- 1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 14
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By heart disease type 1 - adjusted

Nonfatal

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals									386	1253	319	777		

*prospective study

Both

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals									0	0	0	0		

*prospective study

Fatal	Nonfatal	Both	Total
-------	----------	------	-------

Relative risks

N	26	27	10	63
NS	16	19	7	42
Wt	4980.74	1899.12	148.01	7027.87
Het Chi	42.46	33.25	23.14	158.03
Het df	25	26	9	62
Het P	*	N.S.	**	***
Fixed RR	1.04	1.27	1.29	1.10
RR1	1.01	1.21	1.10	1.08
RRu	1.07	1.33	1.52	1.13
P	++	+++	++	+++
Random RR	1.07	1.27	1.47	1.18
RR1	1.02	1.19	1.10	1.12
RRu	1.12	1.36	1.96	1.24
P	++	+++	++	+++
Asymm P	***	N.S.	(*)	***
Between Chi	55.26	6.95	59.18	
Between df	1	1	2	
Between P	+++	++	***	

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 15
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By heart disease type 2 - adjusted

IHD

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*29	ENSTRO	16	m	s	e	f	2	8	-	-	-	-	0.93	(0.83- 1.04)
*29	ENSTRO	32	f	s	e	f	2	8	-	-	-	-	0.99	(0.92- 1.08)
Subtotal 29													0.97	(0.91- 1.03)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									63	100	137	300		
*prospective study														

MI

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
27	ROSEN1	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN1	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27													1.17	(0.86- 1.59)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals									323	1153	182	477		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 15
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 By heart disease type 2 - adjusted

other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
		Subtotal 10											1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
		Subtotal 15											1.01	(0.97- 1.06)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
		Subtotal 26											1.17	(1.09- 1.26)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
		Partial Totals							0	0	0	0		
		*prospective study												

mixed

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
		Subtotal 8											1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
		Subtotal 9											1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
		Subtotal 12											1.72	(1.15- 2.59)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
		Subtotal 43											1.58	(0.82- 3.05)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
		Partial Totals							0	0	0	0		
		*prospective study												

IHD MI other mixed Total

Relative risks

N	27	15	9	12	63
NS	19	9	6	8	42
Wt	2666.20	813.71	3412.13	135.83	7027.87
Het Chi	50.83	19.11	26.09	15.19	158.03
Het df	26	14	8	11	62
Het P	**	N.S.	**	N.S.	***
Fixed RR	1.06	1.34	1.07	1.41	1.10
RR1	1.02	1.26	1.03	1.19	1.08
RRu	1.11	1.44	1.10	1.66	1.13
P	++	+++	+++	+++	+++
Random RR	1.12	1.30	1.12	1.47	1.18
RR1	1.05	1.12	1.04	1.19	1.12
RRu	1.20	1.51	1.21	1.82	1.24
P	+++	++	++	+++	+++
Asymm P	***	N.S.	(*)	N.S.	***
Between Chi		34.13	0.03	10.03	46.80
Between df		1	1	1	3
Between P		+++	N.S.	++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 16
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3									1.03		(0.65- 1.62)			
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8									1.70		(1.10- 2.63)			
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9									1.80		(0.84- 3.87)			
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10									1.22		(1.09- 1.37)			
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12									1.72		(1.15- 2.59)			
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
Subtotal 13									1.21		(0.57- 2.55)			
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14									0.98		(0.86- 1.13)			
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15									1.02		(0.98- 1.07)			
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17									1.36		(0.80- 2.30)			
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19									1.16		(1.05- 1.28)			
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22									1.47		(0.89- 2.42)			
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23									1.10		(0.79- 1.53)			
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26									1.17		(1.09- 1.26)			
27	ROSEN	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27									1.40		(0.91- 2.16)			
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
Subtotal 29									0.96		(0.89- 1.03)			
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33									1.35		(1.02- 1.77)			
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36									0.79		(0.52- 1.22)			

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 16
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									140	314	458	1499		
*prospective study														

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1	HIRAYA	6	f	s	e	f	2	1	0.15	87.29	0.14	0.1655
*2	GARLAN	4	f	s	c	f	8	1	0.81	1.01	0.50	0.4145
3	LEE	2	m	s	m	n	2	2	0.22	6.59	0.07	0.5808
3	LEE	4	f	s	m	n	2	2	-0.07	12.04	0.40	0.8012
Subtotal 3									0.03	18.63	0.47	
4	MARTIN	1	f	s	e	n	2	6	0.96	6.33	4.54	0.0162
*5	SVENDS	2	m	s	c	b	2	6	0.48	14.27	1.93	0.0720
*6	BUTLER	4	f	s	c	f	8	1	0.34	3.77	0.20	0.5135
*8	HOLE	3	m	h	e	f	2	5	0.55	13.29	2.57	0.0457
*8	HOLE	2	f	h	e	f	2	5	0.50	7.04	1.08	0.1838
Subtotal 8									0.53	20.33	3.65	
9	JACKSO	4	m	h	c	b	2	2	0.06	3.80	0.01	0.9095
9	JACKSO	2	f	h	c	b	2	2	1.32	2.76	4.04	0.0285
Subtotal 9									0.59	6.56	4.05	
*10	SANDLE	2	m	h	c	f	2	4	0.27	77.28	2.02	0.0176
*10	SANDLE	4	f	h	c	f	2	4	0.17	213.52	0.91	0.0110
Subtotal 10									0.20	290.80	2.93	
*11	HUMBLE	1	f	s	c	f	8	4	0.46	16.88	2.13	0.0567
12	DOBSON	4	m	h	c	b	2	2	-0.03	8.90	0.17	0.9276
12	DOBSON	2	f	h	c	b	2	2	0.90	14.40	9.02	0.0006
Subtotal 12									0.54	23.30	9.20	
13	LAVECC	6	m	s	c	n	8	8	0.09	3.68	0.00	0.8687
13	LAVECC	4	f	s	c	n	8	8	0.31	3.25	0.13	0.5795
Subtotal 13									0.19	6.93	0.13	
14	LAYARD	2	m	s	e	f	2	2	-0.03	48.72	0.94	0.8316
14	LAYARD	10	f	s	e	f	2	2	-0.01	147.49	2.07	0.9029
Subtotal 14									-0.02	196.21	3.02	
*15	LEVOIS	2	m	s	c	f	8	2	-0.02	660.03	10.94	0.6037
*15	LEVOIS	7	f	s	c	f	8	2	0.04	1659.41	7.97	0.1101
Subtotal 15									0.02	2319.43	18.91	
17	MUSCAT	1	m	s	e	n	2	0	0.32	8.14	0.38	0.3546
17	MUSCAT	2	f	s	e	n	2	0	0.28	5.82	0.17	0.4970
Subtotal 17									0.31	13.96	0.55	
18	TUNSTA	2	c	t	c	n	2	4	0.29	77.54	2.63	0.0100
*19	STEENL	1	m	s	c	f	8	12	0.20	212.64	1.73	0.0037
*19	STEENL	2	f	s	c	f	8	13	0.10	196.22	0.03	0.1818
Subtotal 19									0.15	408.86	1.77	
20	JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.25	0.0922
*21	KAWACH	11	f	h	c	b	2	15	0.43	9.45	0.95	0.1912
22	CIRUZZ	7	m	s	c	n	2	9	0.17	6.63	0.02	0.6699
22	CIRUZZ	8	f	s	c	n	2	9	0.55	8.71	1.68	0.1058

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 16
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
		Subtotal 22							0.38	15.34	1.70	
23	MCELDU	4	m	t	c	b	2	4	-0.20	24.21	2.28	0.3288
23	MCELDU	2	f	t	c	b	2	4	0.77	10.66	4.60	0.0124
		Subtotal 23							0.10	34.87	6.88	
25	HE1	2	f	s	e	n	2	6	0.47	12.11	1.58	0.1020
26	IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.05	0.0450
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	2.69	0.0000
		Subtotal 26							0.16	763.97	2.75	
27	ROSEN1	4	m	s	c	n	8	8	-0.02	13.01	0.22	0.9419
27	ROSEN1	16	f	s	c	n	8	8	0.95	7.55	5.37	0.0089
		Subtotal 27							0.34	20.56	5.58	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	0.74	0.1648
*29	ENSTRO	15	m	s	c	f	8	8	-0.08	207.79	7.65	0.2294
*29	ENSTRO	31	f	s	c	f	8	8	-0.03	502.87	9.72	0.4946
		Subtotal 29							-0.05	710.67	17.37	
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.06	0.5326
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.24	0.0395
33	MCGHEE	1	m	h	p	f	2	2	0.26	24.91	0.59	0.1904
33	MCGHEE	2	f	h	p	f	2	2	0.33	26.31	1.28	0.0912
		Subtotal 33							0.30	51.22	1.87	
*34	QURESH	1	f	s	m	b	2	7	0.05	54.13	0.19	0.7196
36	STRANG	25	m	h	c	n	2	0	-0.35	12.36	2.57	0.2222
36	STRANG	17	f	h	c	n	2	0	-0.07	8.71	0.27	0.8444
		Subtotal 36							-0.23	21.07	2.83	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	27.92	0.0000
*38	WEN	18	f	s	c	f	2	9	0.17	32.54	0.14	0.3211
*40	HILL1	2	m	h	c	f	2	9	0.04	137.04	0.66	0.6461
*40	HILL1	4	f	h	c	f	2	9	-0.02	130.35	2.16	0.8176
		Subtotal 40							0.01	267.40	2.82	
*41	HILL2	2	m	h	c	f	2	9	0.17	93.46	0.30	0.1096
*41	HILL2	4	f	h	c	f	2	9	0.24	55.32	0.94	0.0754
		Subtotal 41							0.19	148.79	1.25	
42	HE2	8	f	t	t	n	4	12	0.52	59.24	10.26	0.0001
43	SULO	2	m	s	c	n	4	14	0.52	7.26	1.22	0.1622
43	SULO	4	f	s	c	n	4	14	0.17	1.58	0.01	0.8268
		Subtotal 43							0.46	8.84	1.23	
44	VOZORI	2	c	t	c	n	4	7	0.00	93.46	1.10	1.0000
45	DING	2	f	h	e	n	2	11	0.42	23.43	2.25	0.0427
*46	GALLO	17	c	s	c	f	2	5	0.69	6.48	2.18	0.0798
*48	JEFFER	2	c	s	c	b	2	16	0.88	5.43	3.23	0.0403
*49	HE3	2	m	t	e	f	2	9	0.81	3.29	1.60	0.1433
*49	HE3	4	f	t	e	f	2	9	0.74	3.13	1.25	0.1894
		Subtotal 49							0.78	6.42	2.86	

Relative risks

	N	63										
	NS	42										
	Wt	6582.20										
	Het Chi	158.98										
	Het df	62										
	Het P	***										
	Fixed RR	1.11										
	RR1	1.09										
	RRu	1.14										
	P	+++										
	Random RR	1.19										
	RR1	1.13										
	RRu	1.26										
	P	+++										
	Asymm P	***										

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 17
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3													1.09	(0.70- 1.70)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10													0.80	(0.72- 0.88)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
Subtotal 13													1.16	(0.59- 2.30)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSEN	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
27	ROSEN	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
Subtotal 27													1.38	(0.93- 2.07)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	7	m	s	c	f	8	1	-	-	-	-	0.94	(0.83- 1.07)
*29	ENSTRO	23	f	s	c	f	8	1	-	-	-	-	1.01	(0.93- 1.09)
Subtotal 29													0.99	(0.93- 1.06)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 17
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40									0.99		(0.88- 1.11)			
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41									1.15		(0.97- 1.35)			
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43									1.46		(0.91- 2.34)			
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Subtotal 49									1.73		(0.84- 3.60)			
Partial Totals									3455	101983	5844	118485		
*prospective study														

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1	HIRAYA	3	f	s	e	f	2	0	0.00	90.30	0.36	0.9867
*2	GARLAN	2	f	s	c	f	8	0	0.74	1.02	0.46	0.4568
3	LEE	1	m	s	m	n	2	0	0.29	7.10	0.37	0.4340
3	LEE	3	f	s	m	n	2	0	-0.03	12.62	0.11	0.9185
Subtotal 3									0.09	19.72	0.48	
4	MARTIN	1	f	s	e	n	2	6	0.96	6.33	5.02	0.0162
*5	SVENDS	1	m	s	c	b	2	0	0.38	15.65	1.59	0.1296
*6	BUTLER	3	f	s	c	f	8	0	0.14	3.76	0.02	0.7812
*8	HOLE	3	m	h	e	f	2	5	0.55	13.29	3.10	0.0457
*8	HOLE	2	f	h	e	f	2	5	0.50	7.04	1.34	0.1838
Subtotal 8									0.53	20.33	4.44	
9	JACKSO	3	m	h	c	b	2	0	0.10	3.78	0.00	0.8529
9	JACKSO	1	f	h	c	b	2	0	1.39	2.98	5.20	0.0168
Subtotal 9									0.66	6.76	5.20	
*10	SANDLE	1	m	h	c	f	2	0	0.14	90.22	0.49	0.1881
*10	SANDLE	3	f	h	c	f	2	0	-0.35	262.43	45.81	0.0000
Subtotal 10									-0.23	352.64	46.30	
*11	HUMBLE	1	f	s	c	f	8	4	0.46	16.88	2.69	0.0567
12	DOBSON	3	m	h	c	b	2	0	0.04	11.77	0.01	0.8905
12	DOBSON	1	f	h	c	b	2	0	0.47	22.62	3.80	0.0240
Subtotal 12									0.33	34.39	3.81	
13	LAVECC	5	m	s	c	n	8	0	0.05	4.41	0.00	0.9214
13	LAVECC	3	f	s	c	n	8	0	0.27	3.87	0.17	0.5916
Subtotal 13									0.15	8.27	0.17	
14	LAYARD	1	m	s	e	f	2	0	-0.07	52.96	0.93	0.6223
14	LAYARD	9	f	s	e	f	2	0	-0.00	155.06	0.66	0.9954
Subtotal 14									-0.02	208.02	1.59	
*15	LEVOIS	2	m	s	c	f	8	2	-0.02	660.03	4.77	0.6037
*15	LEVOIS	7	f	s	c	f	8	2	0.04	1659.41	1.09	0.1101
Subtotal 15									0.02	2319.43	5.86	
17	MUSCAT	1	m	s	e	n	2	0	0.32	8.14	0.55	0.3546
17	MUSCAT	2	f	s	e	n	2	0	0.28	5.82	0.27	0.4970
Subtotal 17									0.31	13.96	0.82	
18	TUNSTA	1	c	t	c	n	2	0	0.28	62.37	2.83	0.0283
*19	STEENL	1	m	s	c	f	8	12	0.20	212.64	3.82	0.0037
*19	STEENL	2	f	s	c	f	8	13	0.10	196.22	0.18	0.1818
Subtotal 19									0.15	408.86	4.00	
20	JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.81	0.0922
*21	KAWACH	11	f	h	c	b	2	15	0.43	9.45	1.23	0.1912
22	CIRUZZ	5	m	s	c	n	2	0	-0.00	8.06	0.04	0.9912
22	CIRUZZ	6	f	s	c	n	2	0	0.39	11.59	1.25	0.1800

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 17
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
		Subtotal 22							0.23	19.65	1.29	
23	MCELDU	3	m	t	c	b	2	0	-0.23	29.19	2.58	0.2093
23	MCELDU	1	f	t	c	b	2	0	0.63	16.76	5.28	0.0104
		Subtotal 23							0.08	45.95	7.86	
25	HE1	1	f	s	e	n	2	0	0.84	17.19	10.35	0.0005
26	IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.89	0.0450
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	6.84	0.0000
		Subtotal 26							0.16	763.97	7.72	
27	ROSEN1	3	m	s	c	n	8	0	0.07	14.87	0.00	0.7939
27	ROSEN1	15	f	s	c	n	8	0	0.76	8.84	4.25	0.0241
		Subtotal 27							0.33	23.71	4.25	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	1.15	0.1648
*29	ENSTRO	7	m	s	c	f	8	1	-0.06	238.19	3.82	0.3396
*29	ENSTRO	23	f	s	c	f	8	1	0.01	609.73	1.83	0.8059
		Subtotal 29							-0.01	847.92	5.66	
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.16	0.5326
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.63	0.0395
33	MCGHEE	5	m	h	p	f	2	0	0.24	29.42	0.88	0.1963
33	MCGHEE	6	f	h	p	f	2	0	0.27	33.81	1.44	0.1147
		Subtotal 33							0.26	63.24	2.33	
*34	QUARESH	2	f	s	m	b	2	0	0.16	54.27	0.51	0.2341
36	STRANG	25	m	h	c	n	2	0	-0.35	12.36	2.10	0.2222
36	STRANG	17	f	h	c	n	2	0	-0.07	8.71	0.15	0.8444
		Subtotal 36							-0.23	21.07	2.25	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	41.01	0.0000
*38	WEN	18	f	s	c	f	2	9	0.17	32.54	0.39	0.3211
*40	HILL1	1	m	h	c	f	2	2	0.00	142.80	0.60	1.0000
*40	HILL1	3	f	h	c	f	2	2	-0.02	144.50	1.04	0.8081
		Subtotal 40							-0.01	287.30	1.64	
*41	HILL2	1	m	h	c	f	2	2	0.07	83.70	0.00	0.5359
*41	HILL2	3	f	h	c	f	2	2	0.23	59.36	1.64	0.0750
		Subtotal 41							0.14	143.06	1.64	
42	HE2	1	f	t	t	n	4	0	0.45	66.96	9.86	0.0002
43	SULO	1	m	s	c	n	4	1	0.57	11.09	2.78	0.0598
43	SULO	3	f	s	c	n	4	1	0.05	6.26	0.00	0.9029
		Subtotal 43							0.38	17.35	2.78	
44	VOZORI	1	c	t	c	n	4	0	-0.55	238.05	91.40	0.0000
45	DING	1	f	h	e	n	2	0	0.53	29.06	6.23	0.0044
*46	GALLO	17	c	s	c	f	2	5	0.69	6.48	2.52	0.0798
*48	JEFFER	1	c	s	c	b	2	2	0.77	5.95	3.00	0.0588
*49	HE3	1	m	t	e	f	2	0	0.55	3.82	0.90	0.2811
*49	HE3	3	f	t	e	f	2	0	0.55	3.39	0.80	0.3109
		Subtotal 49							0.55	7.21	1.70	

Relative risks

	N	63										
	NS	42										
	Wt	7013.73										
	Het Chi	298.01										
	Het df	62										
	Het P	***										
	Fixed RR	1.07										
	RR1	1.04										
	RRu	1.09										
	P	+++										
	Random RR	1.17										
	RR1	1.09										
	RRu	1.26										
	P	+++										
	Asymm P	*										

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 18
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By sex - adjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals							0		0	0	0	0		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	1	m	s	s	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSEN	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
*29	ENSTRO	15	m	s	s	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
Partial Totals							38		83	225	486			

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSEN	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 18
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By sex - adjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Partial Totals									102	231	233	1013		

*prospective study

combined	male	female
----------	------	--------

Relative risks

N	8	22	33	63
NS	8	22	33	63
Wt	880.19	1856.29	3845.72	6582.20
Het Chi	13.19	33.21	78.90	158.98
Het df	7	21	32	62
Het P	(*)	*	***	***
Fixed RR	1.33	1.06	1.10	1.11
RRl	1.25	1.01	1.06	1.09
RRu	1.42	1.11	1.13	1.14
P	+++	+	+++	+++
Random RR	1.32	1.09	1.22	1.19
RRl	1.14	1.02	1.13	1.13
RRu	1.54	1.18	1.32	1.26
P	+++	+	+++	+++
Asymm P	N.S.	N.S.	***	***
Between Chi		31.19	27.10	33.68
Between df		1	1	2
Between P	---	---	---	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 19
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By sex - unadjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
Partial Totals									622	13207	1579	35259		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSEN	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
*29	ENSTRO	7	m	s	c	f	8	1	-	-	-	-	0.94	(0.83- 1.07)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
Partial Totals									505	2510	1858	7013		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSEN	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
*29	ENSTRO	23	f	s	c	f	8	1	-	-	-	-	1.01	(0.93- 1.09)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 19
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By sex - unadjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Partial Totals									2328	86266	2407	76213		

*prospective study

combined	male	female	Total
----------	------	--------	-------

Relative risks

N	8	22	33	63
NS	8	22	33	63
Wt	1010.13	1922.45	4081.15	7013.73
Het Chi	143.31	29.45	122.05	298.01
Het df	7	21	32	62
Het P	***	N.S.	***	***
Fixed RR	1.12	1.05	1.06	1.07
RRl	1.05	1.00	1.03	1.04
RRu	1.19	1.09	1.10	1.09
P	+++	+	+++	+++
Random RR	1.33	1.07	1.21	1.17
RRl	0.90	1.00	1.11	1.09
RRu	1.98	1.14	1.32	1.26
P	N.S.	(+)	+++	+++
Asymm P	N.S.	N.S.	**	*
Between Chi		3.13	2.13	3.20
Between df		1	1	2
Between P		(-)	N.S.	N.S.

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 20
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By continent - adjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
Subtotal 29													0.96	(0.89- 1.03)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									77	214	321	1199		
*prospective study														

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
Subtotal 13													1.21	(0.57- 2.55)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
27	ROSEN	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27													1.40	(0.91- 2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals									0	0	0	0		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 20
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
By continent - adjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									63	100	137	300		
*prospective study														

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
Partial Totals									0	0	0	0		
*prospective study														

NAmerica Europe Asia Other Total

Relative risks

N	24	15	11	13	63
NS	16	10	9	7	42
Wt	4924.27	200.20	305.28	1152.45	6582.20
Het Chi	49.24	10.78	9.35	37.12	158.98
Het df	23	14	10	12	62
Het P	**		N.S.	***	***
Fixed RR	1.06	1.38	1.38	1.26	1.11
RR1	1.03	1.20	1.24	1.19	1.09
RRu	1.09	1.58	1.55	1.33	1.14
P	+++	+++	+++	+++	+++
Random RR	1.08	1.38	1.38	1.24	1.19
RR1	1.03	1.20	1.24	1.07	1.13
RRu	1.14	1.58	1.55	1.44	1.26
P	++	+++	+++	++	+++
Asymm P	(*)	N.S.	(*)	N.S.	***
Between Chi		13.38	20.38	27.18	52.49
Between df		1	1	1	3
Between P		+++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 21
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By continent - unadjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10													0.80	(0.72- 0.88)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
*29	ENSTRO	7	m	s	c	f	8	1	-	-	-	-	0.94	(0.83- 1.07)
*29	ENSTRO	23	f	s	c	f	8	1	-	-	-	-	1.01	(0.93- 1.09)
Subtotal 29													0.99	(0.93- 1.06)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
Partial Totals									1762	28873	3512	91387		
*prospective study														

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3													1.09	(0.70- 1.70)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
Subtotal 13													1.16	(0.59- 2.30)
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
27	ROSEN	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
27	ROSEN	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
Subtotal 27													1.38	(0.93- 2.07)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43													1.46	(0.91- 2.34)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
Partial Totals									471	1597	413	1251		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 21
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By continent - unadjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Subtotal 49													1.73	(0.84- 3.60)
Partial Totals									1029	71014	1150	23904		
*prospective study														

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													0.99	(0.88- 1.11)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													1.15	(0.97- 1.35)
Partial Totals									193	499	769	1943		
*prospective study														

NAmerica Europe Asia Other Total

Relative risks

N	24	15	11	13	63
NS	16	10	9	7	42
Wt	5281.28	199.63	339.52	1193.30	7013.73
Het Chi	160.35	9.04	18.96	38.34	298.01
Het df	23	14	10	12	62
Het P	***	N.S.	*	***	***
Fixed RR	1.01	1.37	1.34	1.23	1.07
RR1	0.98	1.20	1.21	1.16	1.04
RRu	1.04	1.58	1.49	1.30	1.09
P	N.S.	+++	+++	+++	+++
Random RR	1.03	1.37	1.42	1.18	1.17
RR1	0.94	1.20	1.20	1.03	1.09
RRu	1.13	1.58	1.66	1.37	1.26
P	N.S.	+++	+++	+	+++
Asymm P	N.S.	N.S.	(*)	N.S.	*
Between Chi		18.36	25.83	38.36	71.31
Between df		1	1	1	3
Between P		+++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 22
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By publication year (grouped) - adjusted

1984-89

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
Partial Totals									0	0	0	0		
*prospective study														

1990-97

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
Subtotal 13													1.21	(0.57- 2.55)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
Partial Totals									111	152	203	406		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 22
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By publication year (grouped) - adjusted

1998-04

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSEN1	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN1	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27													1.40	(0.91- 2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
Subtotal 29													0.96	(0.89- 1.03)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals									0	0	0	0		
*prospective study														

2005-07

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
Partial Totals									29	162	255	1093		
*prospective study														

2008 onwards

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									0	0	0	0		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 22
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
By publication year (grouped) - adjusted

	1984-89	1990-97	1998-04	2005-07	2008 onwa	Total
Relative risks						
N	13	16	14	11	9	63
NS	9	10	9	7	7	42
Wt	449.00	3099.96	1598.60	1231.33	203.31	6582.20
Het Chi	12.29	31.74	38.51	24.74	16.35	158.98
Het df	12	15	13	10	8	62
Het P	N.S.	**	***	**	*	***
Fixed RR	1.25	1.06	1.08	1.23	1.34	1.11
RRl	1.14	1.02	1.03	1.16	1.17	1.09
RRu	1.37	1.09	1.14	1.30	1.53	1.14
P	+++	++	++	+++	+++	+++
Random RR	1.26	1.13	1.16	1.15	1.54	1.19
RRl	1.14	1.04	1.02	1.03	1.19	1.13
RRu	1.39	1.22	1.31	1.29	1.99	1.26
P	+++	++	+	+	++	+++
Asymm P	*	*	(*)	(*)	(*)	***
Between Chi		11.32	7.50	0.09	0.60	35.35
Between df		1	1	1	1	4
Between P	---	---	---	N.S.	N.S.	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 23
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By publication year (grouped) - unadjusted

1984-89

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3													1.09	(0.70- 1.70)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10													0.80	(0.72- 0.88)
Partial Totals									1146	83583	961	74528		
*prospective study														

1990-97

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
Subtotal 13													1.16	(0.59- 2.30)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
Partial Totals									1081	2714	1483	3490		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 23
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By publication year (grouped) - unadjusted

1998-04

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSEN1	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
27	ROSEN1	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
Subtotal 27													1.38	(0.93- 2.07)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	7	m	s	c	f	8	1	-	-	-	-	0.94	(0.83- 1.07)
*29	ENSTRO	23	f	s	c	f	8	1	-	-	-	-	1.01	(0.93- 1.09)
Subtotal 29													0.99	(0.93- 1.06)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals									252	536	730	1793		
*prospective study														

2005-07

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													0.99	(0.88- 1.11)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													1.15	(0.97- 1.35)
Partial Totals									356	2206	731	2844		
*prospective study														

2008 onwards

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43													1.46	(0.91- 2.34)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Subtotal 49													1.73	(0.84- 3.60)
Partial Totals									620	12944	1939	35830		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 23
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
By publication year (grouped) - unadjusted

	1984-89	1990-97	1998-04	2005-07	2008 onwa	Total
Relative risks						
N	13	16	14	11	9	63
NS	9	10	9	7	7	42
Wt	516.50	3109.03	1759.48	1257.67	371.05	7013.73
Het Chi	50.51	24.34	40.95	27.52	95.10	298.01
Het df	12	15	13	10	8	62
Het P	***	(*)	***	**	***	***
Fixed RR	0.91	1.05	1.09	1.22	0.83	1.07
RRl	0.83	1.02	1.04	1.15	0.75	1.04
RRu	0.99	1.09	1.15	1.29	0.92	1.09
P	-	++	+++	---	---	+++
Random RR	1.26	1.10	1.18	1.14	1.44	1.17
RRl	0.98	1.03	1.05	1.01	0.89	1.09
RRu	1.61	1.18	1.33	1.28	2.34	1.26
P	(+)	++	++	+	N.S.	+++
Asymm P	**	*	(*)	(*)	*	*
Between Chi		9.80	13.85	31.62	1.55	59.60
Between df		1	1	1	1	4
Between P		++	+++	+++	N.S.	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 24
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By number of heart disease cases (grouped) - adjusted

1-99

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									0	0	0	0		
*prospective study														

100-199

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
Subtotal 13													1.21	(0.57- 2.55)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
Partial Totals									48	52	66	106		
*prospective study														

200-999

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
27	ROSEN	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27													1.40	(0.91- 2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 24
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By number of heart disease cases (grouped) - adjusted

200-999

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Non-exposed Cont	RR	95.00%CI
		Subtotal 36							-	-	-	-	0.79	(0.52- 1.22)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
		Partial Totals							92	262	392	1393		

*prospective study

1000+

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Non-exposed Cont	RR	95.00%CI
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
		Subtotal 10							-	-	-	-	1.22	(1.09- 1.37)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
		Subtotal 14							-	-	-	-	0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
		Subtotal 15							-	-	-	-	1.02	(0.98- 1.07)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
		Subtotal 19							-	-	-	-	1.16	(1.05- 1.28)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
		Subtotal 26							-	-	-	-	1.17	(1.09- 1.26)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
		Subtotal 29							-	-	-	-	0.96	(0.89- 1.03)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
		Subtotal 40							-	-	-	-	1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
		Subtotal 41							-	-	-	-	1.21	(1.03- 1.42)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
		Partial Totals							0	0	0	0		

*prospective study

1-99 100-199 200-999 1000+ Total

Relative risks

N	9	12	24	18	63
NS	8	7	17	10	42
Wt	59.76	90.25	576.41	5855.79	6582.20
Het Chi	2.63	3.72	38.68	76.51	158.98
Het df	8	11	23	17	62
Het P	N.S.	N.S.	*	***	***
Fixed RR	1.87	1.41	1.30	1.09	1.11
RRL	1.45	1.14	1.20	1.06	1.09
RRu	2.41	1.73	1.41	1.12	1.14
P	+++	++	+++	+++	+++
Random RR	1.87	1.41	1.31	1.09	1.19
RRL	1.45	1.14	1.17	1.03	1.13
RRu	2.41	1.73	1.48	1.16	1.26
P	+++	++	+++	++	+++
Asymm P	N.S.	N.S.	N.S.	N.S.	***
Between Chi	2.94	7.24	17.33	37.43	
Between df	1	1	1	3	
Between P	(-)	--	--	--	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 25
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By study type - adjusted

case-control

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
Subtotal 13													1.21	(0.57- 2.55)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
27	ROSEN1	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN1	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27													1.40	(0.91- 2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals									140	314	458	1499		

*prospective study

prospective

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 25
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By study type - adjusted

prospective

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
Subtotal 29									0.96		(0.89- 1.03)			
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40									1.01		(0.90- 1.14)			
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41									1.21		(1.03- 1.42)			
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49									2.17		(1.00- 4.70)			
Partial Totals									0	0	0	0		

*prospective study

cross-sectional

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26									1.17		(1.09- 1.26)			
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									0	0	0	0		

*prospective study

case-cont prospecti cross-sec Total

Relative risks

N	30	26	7	63
NS	18	18	6	42
Wt	1165.98	4403.96	1012.26	6582.20
Het Chi	50.80	49.90	15.75	158.98
Het df	29	25	6	62
Het P	**	**	*	***
Fixed RR	1.29	1.06	1.20	1.11
RR1	1.21	1.02	1.13	1.09
RRu	1.36	1.09	1.28	1.14
P	+++	+++	+++	+++
Random RR	1.28	1.11	1.25	1.19
RR1	1.14	1.05	1.10	1.13
RRu	1.43	1.17	1.41	1.26
P	+++	+++	+++	+++
Asymm P	N.S.	***	N.S.	***
Between Chi	35.92	2.52	42.53	
Between df	1	1	2	
Between P	---	---	N.S.	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 26
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By total number of confounders considered in the study (grouped) - adjusted

0-2

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3									1.03	(0.65- 1.62)				
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14									0.98	(0.86- 1.13)				
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15									1.02	(0.98- 1.07)				
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
31	NISHITA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33									1.35	(1.02- 1.77)				
Partial Totals									63	100	137	300		
*prospective study														

3-4

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10									1.22	(1.09- 1.37)				
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12									1.72	(1.15- 2.59)				
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17									1.36	(0.80- 2.30)				
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23									1.10	(0.79- 1.53)				
Partial Totals									48	52	66	106		
*prospective study														

5+

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8									1.70	(1.10- 2.63)				
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9									1.80	(0.84- 3.87)				
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
Subtotal 13									1.21	(0.57- 2.55)				
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19									1.16	(1.05- 1.28)				
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22									1.47	(0.89- 2.42)				
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26									1.17	(1.09- 1.26)				

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 26
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By total number of confounders considered in the study (grouped) - adjusted

5+

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
27	ROSEN1	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN1	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27													1.40	(0.91- 2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
Subtotal 29													0.96	(0.89- 1.03)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									29	162	255	1093		
*prospective study														

0-2 3-4 5+ Total

Relative risks

N	12	10	41	63
NS	8	6	28	42
Wt	2709.60	457.35	3415.25	6582.20
Het Chi	14.09	16.65	99.63	158.98
Het df	11	9	40	62
Het P	N.S.	(*)	***	***
Fixed RR	1.03	1.27	1.16	1.11
RR1	1.00	1.16	1.12	1.09
RRu	1.07	1.39	1.20	1.14
P	(+)	+++	+++	+++
Random RR	1.05	1.32	1.21	1.19
RR1	0.99	1.13	1.12	1.13
RRu	1.12	1.55	1.30	1.26
P	N.S.	+++	+++	+++
Asymm P	*	N.S.	*	***
Between Chi	16.27	20.37	28.61	
Between df	1	1	2	
Between P	+++	+++	***	

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 27
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By any study results available on dose-response or not - adjusted

none

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									0	0	0	0		

*prospective study

results given

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
Subtotal 13													1.21	(0.57- 2.55)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 27
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By any study results available on dose-response or not - adjusted

results given

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
		Subtotal 26							-	-	-	-	1.17	(1.09- 1.26)
27	ROSEN1	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN1	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
		Subtotal 27											1.40	(0.91- 2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
		Subtotal 29											0.96	(0.89- 1.03)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
		Subtotal 33											1.35	(1.02- 1.77)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
		Subtotal 36											0.79	(0.52- 1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
		Subtotal 49											2.17	(1.00- 4.70)
		Partial Totals							140	314	458	1499		
		*prospective study												

none no assoc sig assc results g Total

Relative risks

N	18			45	63
NS	12			30	42
Wt	949.59			5632.62	6582.20
Het Chi	32.30			125.91	158.98
Het df	17			44	62
Het P	*			***	***
Fixed RR	1.14			1.11	1.11
RR1	1.07			1.08	1.09
RRu	1.22			1.14	1.14
P	+++			+++	+++
Random RR	1.19			1.20	1.19
RR1	1.07			1.12	1.13
RRu	1.32			1.28	1.26
P	++			+++	+++
Asymm P	*			**	***
Between Chi				0.77	0.77
Between df				1	1
Between P	N.S.			N.S.	N.S.

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 28
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By spouse the index or not - adjusted

Yes

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
Subtotal 13													1.21	(0.57- 2.55)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
27	ROSEN	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27													1.40	(0.91- 2.16)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
Subtotal 29													0.96	(0.89- 1.03)
31	NISHITA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals									111	152	203	406		

*prospective study

No

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Case	Exposed Cont	Non-exposed Case	Cont	RR	95.00%CI
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 28
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By spouse the index or not - adjusted

No

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
		Subtotal 23							-	-	-	-	1.10 (0.79-	1.53)
26	IRIBAR 4	m	h	c	n	2	11						1.13 (1.00-	1.27)
26	IRIBAR 19	f	h	c	n	2	11						1.20 (1.09-	1.30)
		Subtotal 26											1.17 (1.09-	1.26)
28	PITSAV 9	c	h	c	n	a	6		-	-	-	-	1.33 (0.89-	1.99)
30	CHEN 10	c	h	c	n	2	10		-	-	-	-	1.20 (0.70-	2.20)
33	MCGHEE 1	m	h	p	f	2	2		-	-	-	-	1.30 (0.88-	1.93)
33	MCGHEE 2	f	h	p	f	2	2		-	-	-	-	1.39 (0.95-	2.04)
		Subtotal 33											1.35 (1.02-	1.77)
36	STRANG 25	m	h	c	n	2	0		18	58	177	403	0.71 (0.40-	1.23)
36	STRANG 17	f	h	c	n	2	0		11	104	78	690	0.94 (0.48-	1.82)
		Subtotal 36											0.79 (0.52-	1.22)
37	TEO 1	c	t	c	n	2	6		-	-	-	-	1.37 (1.27-	1.48)
*40	HILL1 2	m	h	c	f	2	9		-	-	-	-	1.04 (0.88-	1.23)
*40	HILL1 4	f	h	c	f	2	9		-	-	-	-	0.98 (0.83-	1.17)
		Subtotal 40											1.01 (0.90-	1.14)
*41	HILL2 2	m	h	c	f	2	9		-	-	-	-	1.18 (0.96-	1.44)
*41	HILL2 4	f	h	c	f	2	9		-	-	-	-	1.27 (0.98-	1.66)
		Subtotal 41											1.21 (1.03-	1.42)
42	HE2 8	f	t	t	n	4	12		-	-	-	-	1.69 (1.31-	2.18)
44	VOZORI 2	c	t	c	n	4	7		-	-	-	-	1.00 (0.80-	1.20)
45	DING 2	f	h	e	n	2	11		-	-	-	-	1.52 (1.01-	2.27)
*49	HE3 2	m	t	e	f	2	9		-	-	-	-	2.24 (0.76-	6.59)
*49	HE3 4	f	t	e	f	2	9		-	-	-	-	2.10 (0.69-	6.33)
		Subtotal 49											2.17 (1.00-	4.70)
		Partial Totals							29	162	255	1093		

*prospective study

Yes No Total

Relative risks

N	33	30	63
NS	23	19	42
Wt	3992.71	2589.49	6582.20
Het Chi	54.97	60.77	158.98
Het df	32	29	62
Het P	**	***	***
Fixed RR	1.04	1.23	1.11
RR1	1.01	1.19	1.09
RRu	1.08	1.28	1.14
P	++	+++	+++
Random RR	1.11	1.24	1.19
RR1	1.04	1.15	1.13
RRu	1.18	1.33	1.26
P	++	+++	+++
Asymm P	***	N.S.	***
Between Chi	43.24	43.24	
Between df	1	1	
Between P	+++	***	

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 29
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By heart disease type 1 - adjusted

Fatal

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
		Subtotal	8										1.70	(1.10- 2.63)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
		Subtotal	10										1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
		Subtotal	14										0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
		Subtotal	15										1.02	(0.98- 1.07)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
		Subtotal	19										1.16	(1.05- 1.28)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
		Subtotal	29										0.96	(0.89- 1.03)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
		Subtotal	33										1.35	(1.02- 1.77)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
		Subtotal	40										1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
		Subtotal	41										1.21	(1.03- 1.42)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
		Subtotal	49										2.17	(1.00- 4.70)
		Partial Totals							0	0	0	0		
		*prospective study												

Nonfatal

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
		Subtotal	3										1.03	(0.65- 1.62)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
		Subtotal	13										1.21	(0.57- 2.55)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
		Subtotal	17										1.36	(0.80- 2.30)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
		Subtotal	22										1.47	(0.89- 2.42)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
		Subtotal	26										1.17	(1.09- 1.26)
27	ROSEN	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
		Subtotal	27										1.40	(0.91- 2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 29
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By heart disease type 1 - adjusted

Nonfatal

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
Partial Totals									140	314	458	1499		

*prospective study

Both

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals									0	0	0	0		

*prospective study

Fatal	Nonfatal	Both	Total
-------	----------	------	-------

Relative risks

N	26	27	10	63
NS	16	19	7	42
Wt	4568.12	1866.08	148.01	6582.20
Het Chi	46.32	39.13	23.14	158.98
Het df	25	26	9	62
Het P	**	*	**	***
Fixed RR	1.05	1.27	1.29	1.11
RR1	1.02	1.21	1.10	1.09
RRu	1.08	1.33	1.52	1.14
P	+++	+++	++	+++
Random RR	1.09	1.28	1.47	1.19
RR1	1.04	1.18	1.10	1.13
RRu	1.15	1.39	1.96	1.26
P	+++	+++	++	+++
Asymm P	***	N.S.	(*)	***
Between Chi	47.02	6.15	50.39	
Between df		1	1	2
Between P	+++	+		***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 30
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By heart disease type 2 - adjusted

IHD

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*29	ENSTRO	15	m	s	c	f	8	8	-	-	-	-	0.92	(0.80- 1.05)
*29	ENSTRO	31	f	s	c	f	8	8	-	-	-	-	0.97	(0.89- 1.06)
Subtotal 29													0.96	(0.89- 1.03)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									63	100	137	300		
*prospective study														

MI

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
Subtotal 13													1.21	(0.57- 2.55)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
27	ROSEN	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27													1.40	(0.91- 2.16)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals									77	214	321	1199		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 30
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 By heart disease type 2 - adjusted

other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
		Subtotal 10											1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
		Subtotal 15											1.02	(0.98- 1.07)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
		Subtotal 26											1.17	(1.09- 1.26)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
		Partial Totals							0	0	0	0		
		*prospective study												

mixed

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
		Subtotal 8											1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
		Subtotal 9											1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
		Subtotal 12											1.72	(1.15- 2.59)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
		Subtotal 43											1.58	(0.82- 3.05)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
		Partial Totals							0	0	0	0		
		*prospective study												

IHD MI other mixed Total

Relative risks

N	27	15	9	12	63
NS	19	9	6	8	42
Wt	2212.97	780.67	3457.32	131.24	6582.20
Het Chi	53.28	24.73	23.88	11.09	158.98
Het df	26	14	8	11	62
Het P	**	*	**	N.S.	***
Fixed RR	1.08	1.35	1.07	1.49	1.11
RR1	1.04	1.26	1.04	1.26	1.09
RRu	1.13	1.45	1.11	1.77	1.14
P	+++	+++	+++	+++	+++
Random RR	1.15	1.32	1.12	1.49	1.19
RR1	1.07	1.09	1.04	1.26	1.13
RRu	1.23	1.60	1.21	1.77	1.26
P	+++	++	++	+++	+++
Asymm P	***	N.S.	(*)	N.S.	***
Between Chi		27.75	0.10	12.51	45.99
Between df		1	1	1	3
Between P		+++	N.S.	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); and (CVD)-(Stroke) in preference to CVD
- 4) UNX Unexposed to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 31
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Case	Exposed		Non-exposed		RR	95.00%CI
									Cont	Case	Cont	Case		
3	LEE	6	m	w	e	2	1	-	-	-	-	-	0.66	(0.26- 1.66)
3	LEE	8	f	w	e	2	1	-	-	-	-	-	0.69	(0.26- 1.87)
Subtotal 3													0.67	(0.34- 1.32)
*5	SVENDS	3	m	a	c	2	2	-	-	-	-	-	1.40	(0.80- 2.50)
9	JACKSO	8	m	a	c	2	2	-	-	-	-	-	1.80	(0.94- 3.46)
9	JACKSO	6	f	a	c	2	2	-	-	-	-	-	1.55	(0.48- 5.03)
Subtotal 9													1.74	(0.98- 3.07)
12	DOBSON	8	m	w	c	2	2	-	-	-	-	-	0.95	(0.51- 1.78)
12	DOBSON	6	f	w	c	2	2	-	-	-	-	-	0.66	(0.17- 2.62)
Subtotal 12													0.89	(0.51- 1.57)
17	MUSCAT	4	m	a	e	2	3	-	-	-	-	-	1.20	(0.60- 2.20)
17	MUSCAT	6	f	w	e	2	3	-	-	-	-	-	1.00	(0.40- 2.50)
Subtotal 17													1.13	(0.66- 1.92)
*19	STEENL	28	m	w	c	1	12	-	-	-	-	-	1.03	(0.89- 1.19)
*19	STEENL	29	f	w	c	1	13	-	-	-	-	-	1.06	(0.84- 1.34)
Subtotal 19													1.04	(0.92- 1.17)
*21	KAWACH	8	f	w	c	2	15	-	-	-	-	-	1.68	(0.81- 3.47)
25	HE1	22	f	w	e	2	6	-	-	-	-	-	1.85	(0.86- 4.00)
27	ROSEN1	8	m	a	e	2	8	-	-	-	-	-	1.14	(0.78- 1.67)
27	ROSEN1	20	f	a	e	2	8	-	-	-	-	-	0.94	(0.59- 1.50)
Subtotal 27													1.06	(0.79- 1.42)
28	PITSAV	8	c	a	c	a	6	-	-	-	-	-	1.97	(1.16- 3.34)
30	CHEN	9	c	w	c	2	10	-	-	-	-	-	1.70	(0.90- 3.20)
36	STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64- 1.48)	
36	STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60- 1.55)	
Subtotal 36													0.97	(0.70- 1.33)
*38	WEN	20	f	a	e	2	9	-	-	-	-	-	1.21	(0.74- 2.01)
*46	GALLO	5	m	a	c	2	5	-	-	-	-	-	0.93	(0.46- 1.90)
*46	GALLO	6	f	a	c	2	5	-	-	-	-	-	0.76	(0.47- 1.24)
Subtotal 46													0.81	(0.54- 1.21)
Partial Totals								186	854	68	370			

*prospective study

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Ys	Ws	Qs	Ps
3	LEE	6	m	w	e	2	1	-0.42	4.47	1.10	0.3796
3	LEE	8	f	w	e	2	1	-0.37	3.95	0.81	0.4610
Subtotal 3								-0.39	8.42	1.91	
*5	SVENDS	3	m	a	c	2	2	0.34	11.84	0.77	0.2470
9	JACKSO	8	m	a	c	2	2	0.59	9.05	2.32	0.0770
9	JACKSO	6	f	a	c	2	2	0.44	2.78	0.35	0.4646
Subtotal 9								0.55	11.83	2.68	
12	DOBSON	8	m	w	c	2	2	-0.05	9.83	0.17	0.8722
12	DOBSON	6	f	w	c	2	2	-0.42	2.05	0.51	0.5515
Subtotal 12								-0.11	11.89	0.68	
17	MUSCAT	4	m	a	e	2	3	0.18	9.10	0.09	0.5823
17	MUSCAT	6	f	w	e	2	3	0.00	4.58	0.03	1.0000
Subtotal 17								0.12	13.68	0.12	
*19	STEENL	28	m	w	c	1	12	0.03	182.10	0.49	0.6900
*19	STEENL	29	f	w	c	1	13	0.06	70.45	0.04	0.6248
Subtotal 19								0.04	252.55	0.52	
*21	KAWACH	8	f	w	c	2	15	0.52	7.26	1.39	0.1622
25	HE1	22	f	w	e	2	6	0.62	6.50	1.85	0.1167
27	ROSEN1	8	m	a	e	2	8	0.13	26.51	0.07	0.4999
27	ROSEN1	20	f	a	e	2	8	-0.06	17.65	0.36	0.7949
Subtotal 27								0.05	44.16	0.43	
28	PITSAV	8	c	a	c	a	6	0.68	13.74	4.89	0.0120
30	CHEN	9	c	w	c	2	10	0.53	9.55	1.93	0.1011
36	STRANG	26	m	a	e	2	0	-0.03	21.65	0.27	0.8887
36	STRANG	18	f	a	e	2	0	-0.04	16.85	0.24	0.8736
Subtotal 36								-0.03	38.50	0.51	
*38	WEN	20	f	a	e	2	9	0.19	15.39	0.18	0.4546
*46	GALLO	5	m	a	c	2	5	-0.07	7.64	0.18	0.8410
*46	GALLO	6	f	a	c	2	5	-0.27	16.33	2.07	0.2675

Within each study, results are included (in the following order of preference) for:

1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)

3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);

never exposed to ETS type (8), unexposed to hh/work ETS (a)

4) HD type: (CVD)-(Stroke) in preference to CVD

Table 31
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Ys	Ws	Qs	Ps
		Subtotal	46					-0.21	23.96	2.25	

Relative risks

N	22
NS	14
Wt	469.26
Het Chi	20.12
Het df	21
Het P	N.S.
Fixed RR	1.08
RRl	0.99
RRu	1.19
P	(+)
Random RR	1.08
RRl	0.99
RRu	1.19
P	(+)
Asymm P	N.S.

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 32
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
3	LEE	5	m	w	e	2	0	13	58	17	40	0.53	(0.23- 1.21)
3	LEE	7	f	w	e	2	0	6	45	30	113	0.50	(0.20- 1.29)
Subtotal 3												0.52	(0.28- 0.96)
*5	SVENDS	3	m	a	c	2	2	-	-	-	-	1.40	(0.80- 2.50)
9	JACKSO	7	m	a	c	2	0	-	-	-	-	1.50	(0.80- 3.00)
9	JACKSO	5	f	a	c	2	0	-	-	-	-	2.20	(0.70- 7.40)
Subtotal 9												1.64	(0.92- 2.93)
12	DOBSON	7	m	w	c	2	0	27	79	48	126	0.90	(0.52- 1.55)
12	DOBSON	5	f	w	c	2	0	5	73	12	124	0.71	(0.24- 2.09)
Subtotal 12												0.85	(0.52- 1.39)
17	MUSCAT	3	m	a	e	2	0	44	66	24	42	1.17	(0.62- 2.19)
17	MUSCAT	5	f	w	e	2	0	20	22	15	16	0.97	(0.38- 2.46)
Subtotal 17												1.10	(0.65- 1.85)
*19	STEENL	28	m	w	c	1	12	-	-	-	-	1.03	(0.89- 1.19)
*19	STEENL	29	f	w	c	1	13	-	-	-	-	1.06	(0.84- 1.34)
Subtotal 19												1.04	(0.92- 1.17)
*21	KAWACH	8	f	w	c	2	15	-	-	-	-	1.68	(0.81- 3.47)
25	HE1	21	f	w	e	2	0	33	43	26	83	2.45	(1.30- 4.61)
27	ROSENL	7	m	a	e	2	0	126	254	68	145	1.06	(0.74- 1.51)
27	ROSENL	19	f	a	e	2	0	68	143	57	120	1.00	(0.65- 1.54)
Subtotal 27												1.03	(0.79- 1.36)
28	PITSAV	8	c	a	c	a	6	-	-	-	-	1.97	(1.16- 3.34)
30	CHEN	9	c	w	c	2	10	-	-	-	-	1.70	(0.90- 3.20)
36	STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64- 1.48)
36	STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60- 1.55)
Subtotal 36												0.97	(0.70- 1.33)
*38	WEN	20	f	a	e	2	9	-	-	-	-	1.21	(0.74- 2.01)
*46	GALLO	4	c	a	c	2	2	-	-	-	-	0.82	(0.56- 1.22)
Partial Totals								528	1637	365	1179		

*prospective study

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Ys	Ws	Qs	Ps
3	LEE	5	m	w	e	2	0	-0.64	5.62	2.87	0.1294
3	LEE	7	f	w	e	2	0	-0.69	4.33	2.53	0.1519
Subtotal 3								-0.66	9.95	5.40	
*5	SVENDS	3	m	a	c	2	2	0.34	11.84	0.81	0.2470
9	JACKSO	7	m	a	c	2	0	0.41	8.80	0.96	0.2292
9	JACKSO	5	f	a	c	2	0	0.79	2.76	1.41	0.1900
Subtotal 9								0.50	11.56	2.37	
12	DOBSON	7	m	w	c	2	0	-0.11	12.74	0.43	0.6984
12	DOBSON	5	f	w	c	2	0	-0.35	3.28	0.58	0.5315
Subtotal 12								-0.16	16.02	1.01	
17	MUSCAT	3	m	a	e	2	0	0.15	9.68	0.06	0.6316
17	MUSCAT	5	f	w	e	2	0	-0.03	4.45	0.05	0.9482
Subtotal 17								0.10	14.13	0.11	
*19	STEENL	28	m	w	c	1	12	0.03	182.10	0.38	0.6900
*19	STEENL	29	f	w	c	1	13	0.06	70.45	0.02	0.6248
Subtotal 19								0.04	252.55	0.40	
*21	KAWACH	8	f	w	c	2	15	0.52	7.26	1.43	0.1622
25	HE1	21	f	w	e	2	0	0.90	9.61	6.48	0.0055
27	ROSENL	7	m	a	e	2	0	0.06	29.87	0.01	0.7588
27	ROSENL	19	f	a	e	2	0	0.00	21.02	0.12	0.9960
Subtotal 27								0.03	50.89	0.13	
28	PITSAV	8	c	a	c	a	6	0.68	13.74	4.99	0.0120
30	CHEN	9	c	w	c	2	10	0.53	9.55	1.98	0.1011
36	STRANG	26	m	a	e	2	0	-0.03	21.65	0.24	0.8887
36	STRANG	18	f	a	e	2	0	-0.04	16.85	0.22	0.8736
Subtotal 36								-0.03	38.50	0.46	
*38	WEN	20	f	a	e	2	9	0.19	15.39	0.21	0.4546
*46	GALLO	4	c	a	c	2	2	-0.20	25.34	1.90	0.3178

Within each study, results are included (in the following order of preference) for:

1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e);

3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);

never exposed to ETS type (8), unexposed to hh/work ETS (a)

4) HD type: (CVD)-(Stroke) in preference to CVD

Table 32
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 Overall - unadjusted

Relative risks

	N	21
	NS	14
	Wt	486.31
Het	Chi	27.66
Het	df	20
Het	P	N.S.
Fixed	RR	1.08
	RRl	0.99
	RRu	1.18
	P	(+)
Random	RR	1.11
	RRl	0.98
	RRu	1.25
	P	N.S.
Asymm	P	N.S.

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 33
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 By sex - adjusted

combined

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
28	PITSAV	8	c	a	c	a	6	-	-	-	-	1.97	(1.16- 3.34)
30	CHEN	9	c	w	c	2	10	-	-	-	-	1.70	(0.90- 3.20)
Partial Totals								0	0	0	0		

*prospective study

male

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
3	LEE	6	m	w	e	2	1	-	-	-	-	0.66	(0.26- 1.66)
*5	SVENDS	3	m	a	c	2	2	-	-	-	-	1.40	(0.80- 2.50)
9	JACKSO	8	m	a	c	2	2	-	-	-	-	1.80	(0.94- 3.46)
12	DOBSON	8	m	w	c	2	2	-	-	-	-	0.95	(0.51- 1.78)
17	MUSCAT	4	m	a	e	2	3	-	-	-	-	1.20	(0.60- 2.20)
*19	STEENL	28	m	w	c	1	12	-	-	-	-	1.03	(0.89- 1.19)
27	ROSENL	8	m	a	e	2	8	-	-	-	-	1.14	(0.78- 1.67)
36	STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64- 1.48)
*46	GALLO	5	m	a	c	2	5	-	-	-	-	0.93	(0.46- 1.90)
Partial Totals								134	347	39	98		

*prospective study

female

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
3	LEE	8	f	w	e	2	1	-	-	-	-	0.69	(0.26- 1.87)
9	JACKSO	6	f	a	c	2	2	-	-	-	-	1.55	(0.48- 5.03)
12	DOBSON	6	f	w	c	2	2	-	-	-	-	0.66	(0.17- 2.62)
17	MUSCAT	6	f	w	e	2	3	-	-	-	-	1.00	(0.40- 2.50)
*19	STEENL	29	f	w	c	1	13	-	-	-	-	1.06	(0.84- 1.34)
*21	KAWACH	8	f	w	c	2	15	-	-	-	-	1.68	(0.81- 3.47)
25	HE1	22	f	w	e	2	6	-	-	-	-	1.85	(0.86- 4.00)
27	ROSENL	20	f	a	e	2	8	-	-	-	-	0.94	(0.59- 1.50)
36	STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60- 1.55)
*38	WEN	20	f	a	e	2	9	-	-	-	-	1.21	(0.74- 2.01)
*46	GALLO	6	f	a	c	2	5	-	-	-	-	0.76	(0.47- 1.24)
Partial Totals								52	507	29	272		

*prospective study

combined male female Total

Relative risks

N	2	9	11	22
NS	2	9	11	22
Wt	23.29	282.19	163.78	469.26
Het Chi	0.12	5.30	7.63	20.12
Het df	1	8	10	21
Het P	N.S.	N.S.	N.S.	N.S.
Fixed RR	1.85	1.06	1.05	1.08
RR1	1.24	0.94	0.90	0.99
RRu	2.78	1.19	1.22	1.19
P	++	N.S.	N.S.	(+)
Random RR	1.85	1.06	1.05	1.08
RR1	1.24	0.94	0.90	0.99
RRu	2.78	1.19	1.22	1.19
P	++	N.S.	N.S.	(+)
Asymm P	N.S.	N.S.	N.S.	N.S.
Between Chi	6.75	6.67	7.06	
Between df		1	1	2
Between P	--	--	--	*

Within each study, results are included (in the following order of preference) for:

1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)

3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);

never exposed to ETS type (8), unexposed to hh/work ETS (a)

4) HD type: (CVD)-(Stroke) in preference to CVD

Table 34
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 By sex - unadjusted

combined

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
28	PITSAV	8	c	a	c	a	6	-	-	-	-	1.97	(1.16- 3.34)
30	CHEN	9	c	w	c	2	10	-	-	-	-	1.70	(0.90- 3.20)
*46	GALLO	4	c	a	c	2	2	-	-	-	-	0.82	(0.56- 1.22)
Partial Totals								0	0	0	0		

*prospective study

male

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
3	LEE	5	m	w	e	2	0	13	58	17	40	0.53	(0.23- 1.21)
*5	SVENDS	3	m	a	c	2	2	-	-	-	-	1.40	(0.80- 2.50)
9	JACKSO	7	m	a	c	2	0	-	-	-	-	1.50	(0.80- 3.00)
12	DOBSON	7	m	w	c	2	0	27	79	48	126	0.90	(0.52- 1.55)
17	MUSCAT	3	m	a	e	2	0	44	66	24	42	1.17	(0.62- 2.19)
*19	STEENL	28	m	w	c	1	12	-	-	-	-	1.03	(0.89- 1.19)
27	ROSENL	7	m	a	e	2	0	126	254	68	145	1.06	(0.74- 1.51)
36	STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64- 1.48)
Partial Totals								344	804	196	451		

*prospective study

female

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
3	LEE	7	f	w	e	2	0	6	45	30	113	0.50	(0.20- 1.29)
9	JACKSO	5	f	a	c	2	0	-	-	-	-	2.20	(0.70- 7.40)
12	DOBSON	5	f	w	c	2	0	5	73	12	124	0.71	(0.24- 2.09)
17	MUSCAT	5	f	w	e	2	0	20	22	15	16	0.97	(0.38- 2.46)
*19	STEENL	29	f	w	c	1	13	-	-	-	-	1.06	(0.84- 1.34)
*21	KAWACH	8	f	w	c	2	15	-	-	-	-	1.68	(0.81- 3.47)
25	HE1	21	f	w	e	2	0	33	43	26	83	2.45	(1.30- 4.61)
27	ROSENL	19	f	a	e	2	0	68	143	57	120	1.00	(0.65- 1.54)
36	STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60- 1.55)
*38	WEN	20	f	a	e	2	9	-	-	-	-	1.21	(0.74- 2.01)
Partial Totals								184	833	169	728		

*prospective study

combined male female Total

Relative risks

N	3	8	10	21
NS	3	8	10	21
Wt	48.63	282.29	155.39	486.31
Het Chi	8.20	5.35	12.86	27.66
Het df	2	7	9	20
Het P	*	N.S.	N.S.	N.S.
Fixed RR	1.21	1.04	1.11	1.08
RR1	0.92	0.92	0.95	0.99
RRu	1.61	1.17	1.30	1.18
P	N.S.	N.S.	N.S.	(+)
Random RR	1.36	1.04	1.14	1.11
RR1	0.75	0.92	0.92	0.98
RRu	2.47	1.17	1.42	1.25
P	N.S.	N.S.	N.S.	N.S.
Asymm P	N.S.	N.S.	N.S.	N.S.
Between Chi		1.00	0.27	1.24
Between df		1	1	2
Between P		N.S.	N.S.	N.S.

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e);
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 35
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 By continent - adjusted

NAmerica

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*5	SVENDS	3	m	a	c	2	2	-	-	-	-	1.40	(0.80- 2.50)
17	MUSCAT	4	m	a	e	2	3	-	-	-	-	1.20	(0.60- 2.20)
17	MUSCAT	6	f	w	e	2	3	-	-	-	-	1.00	(0.40- 2.50)
Subtotal 17								1.13		(0.66- 1.92)			
*19	STEENL	28	m	w	c	1	12	-	-	-	-	1.03	(0.89- 1.19)
*19	STEENL	29	f	w	c	1	13	-	-	-	-	1.06	(0.84- 1.34)
Subtotal 19								1.04		(0.92- 1.17)			
*21	KAWACH	8	f	w	c	2	15	-	-	-	-	1.68	(0.81- 3.47)
36	STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64- 1.48)
36	STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60- 1.55)
Subtotal 36								0.97		(0.70- 1.33)			
Partial Totals								186	854	68	370		
*prospective study													

Europe

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
3	LEE	6	m	w	e	2	1	-	-	-	-	0.66	(0.26- 1.66)
3	LEE	8	f	w	e	2	1	-	-	-	-	0.69	(0.26- 1.87)
Subtotal 3								0.67		(0.34- 1.32)			
27	ROSEN	8	m	a	e	2	8	-	-	-	-	1.14	(0.78- 1.67)
27	ROSEN	20	f	a	e	2	8	-	-	-	-	0.94	(0.59- 1.50)
Subtotal 27								1.06		(0.79- 1.42)			
28	PITSAV	8	c	a	c	a	6	-	-	-	-	1.97	(1.16- 3.34)
30	CHEN	9	c	w	c	2	10	-	-	-	-	1.70	(0.90- 3.20)
*46	GALLO	5	m	a	c	2	5	-	-	-	-	0.93	(0.46- 1.90)
*46	GALLO	6	f	a	c	2	5	-	-	-	-	0.76	(0.47- 1.24)
Subtotal 46								0.81		(0.54- 1.21)			
Partial Totals								0	0	0	0		
*prospective study													

Asia

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
25	HE1	22	f	w	e	2	6	-	-	-	-	1.85	(0.86- 4.00)
*38	WEN	20	f	a	e	2	9	-	-	-	-	1.21	(0.74- 2.01)
Partial Totals								0	0	0	0		
*prospective study													

Other

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
9	JACKSO	8	m	a	c	2	2	-	-	-	-	1.80	(0.94- 3.46)
9	JACKSO	6	f	a	c	2	2	-	-	-	-	1.55	(0.48- 5.03)
Subtotal 9								1.74		(0.98- 3.07)			
12	DOBSON	8	m	w	c	2	2	-	-	-	-	0.95	(0.51- 1.78)
12	DOBSON	6	f	w	c	2	2	-	-	-	-	0.66	(0.17- 2.62)
Subtotal 12								0.89		(0.51- 1.57)			
Partial Totals								0	0	0	0		
*prospective study													

Within each study, results are included (in the following order of preference) for:

- 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
- 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4); never exposed to ETS type (8), unexposed to hh/work ETS (a)
- 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 35
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 By continent - adjusted

	NAmerica	Europe	Asia	Other	Total
Relative risks					
N	8	8	2	4	22
NS	5	5	2	2	14
Wt	323.81	99.83	21.89	23.72	469.26
Het Chi	3.08	11.40	0.82	2.91	20.12
Het df	7	7	1	3	21
Het P	N.S.	N.S.	N.S.	N.S.	N.S.
Fixed RR	1.06	1.09	1.37	1.24	1.08
RRl	0.95	0.89	0.90	0.83	0.99
RRu	1.18	1.32	2.09	1.86	1.19
P	N.S.	N.S.	N.S.	N.S.	(+)
Random RR	1.06	1.08	1.37	1.24	1.08
RRl	0.95	0.83	0.90	0.83	0.99
RRu	1.18	1.40	2.09	1.86	1.19
P	N.S.	N.S.	N.S.	N.S.	(+)
Asymm P	N.S.	N.S.		N.S.	N.S.
Between Chi		0.07	1.41	0.59	1.90
Between df		1	1	1	3
Between P		N.S.	N.S.	N.S.	N.S.

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 36
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 By continent - unadjusted

NAmerica

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*5	SVENDS	3	m	a	c	2	2	-	-	-	-	1.40	(0.80- 2.50)
17	MUSCAT	3	m	a	e	2	0	44	66	24	42	1.17	(0.62- 2.19)
17	MUSCAT	5	f	w	e	2	0	20	22	15	16	0.97	(0.38- 2.46)
Subtotal 17								1.10		(0.65- 1.85)			
*19	STEENL	28	m	w	c	1	12	-	-	-	-	1.03	(0.89- 1.19)
*19	STEENL	29	f	w	c	1	13	-	-	-	-	1.06	(0.84- 1.34)
Subtotal 19								1.04		(0.92- 1.17)			
*21	KAWACH	8	f	w	c	2	15	-	-	-	-	1.68	(0.81- 3.47)
36	STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64- 1.48)
36	STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60- 1.55)
Subtotal 36								0.97		(0.70- 1.33)			
Partial Totals								250	942	107	428		
*prospective study													

Europe

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
3	LEE	5	m	w	e	2	0	13	58	17	40	0.53	(0.23- 1.21)
3	LEE	7	f	w	e	2	0	6	45	30	113	0.50	(0.20- 1.29)
Subtotal 3								0.52		(0.28- 0.96)			
27	ROSEN	7	m	a	e	2	0	126	254	68	145	1.06	(0.74- 1.51)
27	ROSEN	19	f	a	e	2	0	68	143	57	120	1.00	(0.65- 1.54)
Subtotal 27								1.03		(0.79- 1.36)			
28	PITSAV	8	c	a	c	a	6	-	-	-	-	1.97	(1.16- 3.34)
30	CHEN	9	c	w	c	2	10	-	-	-	-	1.70	(0.90- 3.20)
*46	GALLO	4	c	a	c	2	2	-	-	-	-	0.82	(0.56- 1.22)
Partial Totals								213	500	172	418		
*prospective study													

Asia

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
25	HE1	21	f	w	e	2	0	33	43	26	83	2.45	(1.30- 4.61)
*38	WEN	20	f	a	e	2	9	-	-	-	-	1.21	(0.74- 2.01)
Partial Totals								33	43	26	83		
*prospective study													

Other

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
9	JACKSO	7	m	a	c	2	0	-	-	-	-	1.50	(0.80- 3.00)
9	JACKSO	5	f	a	c	2	0	-	-	-	-	2.20	(0.70- 7.40)
Subtotal 9								1.64		(0.92- 2.93)			
12	DOBSON	7	m	w	c	2	0	27	79	48	126	0.90	(0.52- 1.55)
12	DOBSON	5	f	w	c	2	0	5	73	12	124	0.71	(0.24- 2.09)
Subtotal 12								0.85		(0.52- 1.39)			
Partial Totals								32	152	60	250		
*prospective study													

Within each study, results are included (in the following order of preference) for:

- 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
- 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4); never exposed to ETS type (8), unexposed to hh/work ETS (a)
- 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 36
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 By continent - unadjusted

	NAmerica	Europe	Asia	Other	Total
Relative risks					
N	8	7	2	4	21
NS	5	5	2	2	14
Wt	324.26	109.47	25.00	27.58	486.31
Het Chi	3.05	14.27	2.94	3.33	27.66
Het df	7	6	1	3	20
Het P	N.S.	*	(*)	N.S.	N.S.
Fixed RR	1.05	1.04	1.59	1.12	1.08
RRl	0.95	0.86	1.07	0.77	0.99
RRu	1.18	1.26	2.35	1.63	1.18
P	N.S.	N.S.	+	N.S.	(+)
Random RR	1.05	1.03	1.67	1.13	1.11
RRl	0.95	0.76	0.84	0.76	0.98
RRu	1.18	1.40	3.34	1.69	1.25
P	N.S.	N.S.	N.S.	N.S.	N.S.
Asymm P	N.S.	N.S.		N.S.	N.S.
Between Chi		0.01	3.87	0.10	4.07
Between df		1	1	1	3
Between P		N.S.	+	N.S.	N.S.

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 37
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 By publication year (grouped) - adjusted

1984-89

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
3	LEE	6	m	w	e	2	1	-	-	-	-	0.66	(0.26- 1.66)
3	LEE	8	f	w	e	2	1	-	-	-	-	0.69	(0.26- 1.87)
Subtotal 3												0.67	(0.34- 1.32)
*5	SVENDS	3	m	a	c	2	2	-	-	-	-	1.40	(0.80- 2.50)
9	JACKSO	8	m	a	c	2	2	-	-	-	-	1.80	(0.94- 3.46)
9	JACKSO	6	f	a	c	2	2	-	-	-	-	1.55	(0.48- 5.03)
Subtotal 9												1.74	(0.98- 3.07)
Partial Totals								0	0	0	0		
*prospective study													

1990-97

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
12	DOBSON	8	m	w	c	2	2	-	-	-	-	0.95	(0.51- 1.78)
12	DOBSON	6	f	w	c	2	2	-	-	-	-	0.66	(0.17- 2.62)
Subtotal 12												0.89	(0.51- 1.57)
17	MUSCAT	4	m	a	e	2	3	-	-	-	-	1.20	(0.60- 2.20)
17	MUSCAT	6	f	w	e	2	3	-	-	-	-	1.00	(0.40- 2.50)
Subtotal 17												1.13	(0.66- 1.92)
*19	STEENL	28	m	w	c	1	12	-	-	-	-	1.03	(0.89- 1.19)
*19	STEENL	29	f	w	c	1	13	-	-	-	-	1.06	(0.84- 1.34)
Subtotal 19												1.04	(0.92- 1.17)
*21	KAWACH	8	f	w	c	2	15	-	-	-	-	1.68	(0.81- 3.47)
Partial Totals								0	0	0	0		
*prospective study													

1998-04

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
25	HE1	22	f	w	e	2	6	-	-	-	-	1.85	(0.86- 4.00)
27	ROSEN1	8	m	a	e	2	8	-	-	-	-	1.14	(0.78- 1.67)
27	ROSEN1	20	f	a	e	2	8	-	-	-	-	0.94	(0.59- 1.50)
Subtotal 27												1.06	(0.79- 1.42)
28	PITSAV	8	c	a	c	a	6	-	-	-	-	1.97	(1.16- 3.34)
30	CHEN	9	c	w	c	2	10	-	-	-	-	1.70	(0.90- 3.20)
Partial Totals								0	0	0	0		
*prospective study													

2005-07

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
36	STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64- 1.48)
36	STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60- 1.55)
Subtotal 36												0.97	(0.70- 1.33)
*38	WEN	20	f	a	e	2	9	-	-	-	-	1.21	(0.74- 2.01)
Partial Totals								186	854	68	370		
*prospective study													

2008 onwards

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*46	GALLO	5	m	a	c	2	5	-	-	-	-	0.93	(0.46- 1.90)
*46	GALLO	6	f	a	c	2	5	-	-	-	-	0.76	(0.47- 1.24)
Subtotal 46												0.81	(0.54- 1.21)
Partial Totals								0	0	0	0		
*prospective study													

Within each study, results are included (in the following order of preference) for:

- 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
- 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4); never exposed to ETS type (8), unexposed to hh/work ETS (a)
- 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 37
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 By publication year (grouped) - adjusted

	1984-89	1990-97	1998-04	2005-07	2008 onwa	Total
--	---------	---------	---------	---------	-----------	-------

Relative risks

N	5	7	5	3	2	22
NS	3	4	4	2	1	14
Wt	32.09	285.37	73.95	53.88	23.96	469.26
Het Chi	4.70	2.39	6.16	0.55	0.21	20.12
Het df	4	6	4	2	1	21
Het P	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.
Fixed RR	1.25	1.05	1.32	1.03	0.81	1.08
RRl	0.89	0.93	1.05	0.79	0.54	0.99
RRu	1.77	1.18	1.66	1.35	1.21	1.19
P	N.S.	N.S.	+	N.S.	N.S.	(+)
Random RR	1.23	1.05	1.37	1.03	0.81	1.08
RRl	0.84	0.93	1.02	0.79	0.54	0.99
RRu	1.80	1.18	1.84	1.35	1.21	1.19
P	N.S.	N.S.	+	N.S.	N.S.	(+)
Asymm P	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.
Between Chi		0.90	0.07	0.76	2.59	6.10
Between df		1	1	1	1	4
Between P		N.S.	N.S.	N.S.	N.S.	N.S.

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 38
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 By publication year (grouped) - unadjusted

1984-89

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
3	LEE	5	m	w	e	2	0	13	58	17	40	0.53	(0.23- 1.21)
3	LEE	7	f	w	e	2	0	6	45	30	113	0.50	(0.20- 1.29)
Subtotal 3												0.52	(0.28- 0.96)
*5	SVENDS	3	m	a	c	2	2	-	-	-	-	1.40	(0.80- 2.50)
9	JACKSO	7	m	a	c	2	0	-	-	-	-	1.50	(0.80- 3.00)
9	JACKSO	5	f	a	c	2	0	-	-	-	-	2.20	(0.70- 7.40)
Subtotal 9												1.64	(0.92- 2.93)
Partial Totals								19	103	47	153		
*prospective study													

1990-97

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
12	DOBSON	7	m	w	c	2	0	27	79	48	126	0.90	(0.52- 1.55)
12	DOBSON	5	f	w	c	2	0	5	73	12	124	0.71	(0.24- 2.09)
Subtotal 12												0.85	(0.52- 1.39)
17	MUSCAT	3	m	a	e	2	0	44	66	24	42	1.17	(0.62- 2.19)
17	MUSCAT	5	f	w	e	2	0	20	22	15	16	0.97	(0.38- 2.46)
Subtotal 17												1.10	(0.65- 1.85)
*19	STEENL	28	m	w	c	1	12	-	-	-	-	1.03	(0.89- 1.19)
*19	STEENL	29	f	w	c	1	13	-	-	-	-	1.06	(0.84- 1.34)
Subtotal 19												1.04	(0.92- 1.17)
*21	KAWACH	8	f	w	c	2	15	-	-	-	-	1.68	(0.81- 3.47)
Partial Totals								96	240	99	308		
*prospective study													

1998-04

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
25	HE1	21	f	w	e	2	0	33	43	26	83	2.45	(1.30- 4.61)
27	ROSEN1	7	m	a	e	2	0	126	254	68	145	1.06	(0.74- 1.51)
27	ROSEN1	19	f	a	e	2	0	68	143	57	120	1.00	(0.65- 1.54)
Subtotal 27												1.03	(0.79- 1.36)
28	PITSAV	8	c	a	c	a	6	-	-	-	-	1.97	(1.16- 3.34)
30	CHEN	9	c	w	c	2	10	-	-	-	-	1.70	(0.90- 3.20)
Partial Totals								227	440	151	348		
*prospective study													

2005-07

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
36	STRANG	26	m	a	e	2	0	134	347	39	98	0.97	(0.64- 1.48)
36	STRANG	18	f	a	e	2	0	52	507	29	272	0.96	(0.60- 1.55)
Subtotal 36												0.97	(0.70- 1.33)
*38	WEN	20	f	a	e	2	9	-	-	-	-	1.21	(0.74- 2.01)
Partial Totals								186	854	68	370		
*prospective study													

2008 onwards

StN	Ref	NRR	SEX	WKS	TIM	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
								Case	Cont	Case	Cont		
*46	GALLO	4	c	a	c	2	2	-	-	-	-	0.82	(0.56- 1.22)
Partial Totals								0	0	0	0		
*prospective study													

Within each study, results are included (in the following order of preference) for:

- 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e); 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4); never exposed to ETS type (8), unexposed to hh/work ETS (a)

4) HD type: (CVD)-(Stroke) in preference to CVD

Table 38
ETS and Heart Disease - Meta-Analysis of Workplace Exposure, 02-AUG-13
 Workers only, if available
 By publication year (grouped) - unadjusted

1984-89	1990-97	1998-04	2005-07	2008 onwa	Total
---------	---------	---------	---------	-----------	-------

Relative risks

	N	5	7	5	3	1	21
	NS	3	4	4	2	1	14
	Wt	33.34	289.96	83.79	53.88	25.34	486.31
Het	Chi	8.56	2.62	9.54	0.55	0.00	27.66
Het	df	4	6	4	2	0	20
Het	P	(*)	N.S.	*	N.S.	N.S.	N.S.
Fixed	RR	1.10	1.04	1.34	1.03	0.82	1.08
	RRL	0.78	0.93	1.08	0.79	0.56	0.99
	RRU	1.54	1.17	1.66	1.35	1.21	1.18
	P	N.S.	N.S.	++	N.S.	N.S.	(+)
Random	RR	1.05	1.04	1.46	1.03	0.82	1.11
	RRL	0.62	0.93	1.03	0.79	0.56	0.98
	RRU	1.76	1.17	2.05	1.35	1.21	1.25
	P	N.S.	N.S.	+	N.S.	N.S.	N.S.
Asymm	P	N.S.	N.S.	*	N.S.		N.S.
Between	Chi		0.08	0.96	0.09	1.24	6.38
Between	df		1	1	1	1	4
Between	P		N.S.	N.S.	N.S.	N.S.	N.S.

Within each study, results are included (in the following order of preference) for:
 1) WKS Working status = all (a), workers only (w); 2) TIM Time of exposure = current (c), ever (e)
 3) UNX Unexposed to any ETS (1), to ETS type (2); low exp to any ETS (3), to ETS type (4);
 never exposed to ETS type (8), unexposed to hh/work ETS (a)
 4) HD type: (CVD)-(Stroke) in preference to CVD

Table 39
ETS and Heart Disease - Meta-Analysis of Total Exposure, 02-AUG-13
Overall - adjusted

Overall

StN	Ref	NRR	SEX	TIM	TOT	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
3	LEE	9	m	c	3	0	15	70	15	27	0.39	(0.17- 0.90)
3	LEE	10	f	c	3	0	13	82	23	75	0.52	(0.24- 1.09)
											0.45	(0.26- 0.79)
Subtotal	3											
*5	SVENDS	4	m	c	2	1	-	-	-	-	1.17	(0.62- 1.19)
9	JACKSO	16	m	c	4	4	-	-	-	-	1.14	(0.76- 1.70)
9	JACKSO	14	f	c	4	4	-	-	-	-	1.56	(0.76- 3.20)
Subtotal	9											
12	DOBSON	12	m	c	4	4	-	-	-	-	1.09	(0.72- 1.63)
12	DOBSON	10	f	c	4	4	-	-	-	-	2.24	(1.28- 3.91)
Subtotal	12											
18	TUNSTA	2	c	c	a	4	-	-	-	-	1.34	(1.07- 1.67)
*21	KAWACH	1	f	c	4	15	-	-	-	-	1.71	(1.03- 2.84)
23	MCELDU	4	m	c	4	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	c	4	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal	23											
25	HE1	51	f	e	2	0	48	76	11	50	2.87	(1.36- 6.05)
26	IRIBAR	14	m	c	5	11	-	-	-	-	1.07	(0.96- 1.19)
26	IRIBAR	29	f	c	5	11	-	-	-	-	1.10	(1.01- 1.95)
Subtotal	26											
27	ROSEN	46	c	e	2	8	-	-	-	-	1.18	(0.87- 1.60)
28	PITSAV	4	m	c	4	10	-	-	-	-	1.33	(0.94- 1.88)
28	PITSAV	7	f	c	4	10	-	-	-	-	1.39	(0.87- 2.23)
Subtotal	28											
30	CHEN	4	c	c	a	10	-	-	-	-	1.50	(1.03- 2.20)
31	NISHTA	1	c	e	a	1	-	-	-	-	2.87	(1.28- 6.42)
36	STRANG	12	m	e	3	9	-	-	-	-	1.11	(0.69- 1.77)
36	STRANG	6	f	e	3	9	-	-	-	-	0.58	(0.33- 1.03)
Subtotal	36											
37	TEO	1	c	c	6	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	24	f	e	7	9	-	-	-	-	1.25	(0.69- 2.25)
42	HE2	8	f	t	4	12	-	-	-	-	1.69	(1.31- 2.18)
44	VOZORI	2	c	c	a	7	-	-	-	-	1.00	(0.80- 1.20)
*49	HE3	2	m	e	4	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	e	4	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal	49											
Partial Totals							76	228	49	152		
*prospective study												

StN	Ref	NRR	SEX	TIM	TOT	ADJ	Ys	Ws	Qs	Ps
3	LEE	9	m	c	3	0	-0.95	5.42	7.14	0.0266
3	LEE	10	f	c	3	0	-0.66	6.85	5.01	0.0841
							-0.79	12.27	12.16	
Subtotal	3									
*5	SVENDS	4	m	c	2	1	0.16	36.15	0.05	0.3452
9	JACKSO	16	m	c	4	4	0.13	23.71	0.10	0.5235
9	JACKSO	14	f	c	4	4	0.44	7.44	0.46	0.2253
							0.21	31.14	0.56	
Subtotal	9									
12	DOBSON	12	m	c	4	4	0.09	23.02	0.28	0.6793
12	DOBSON	10	f	c	4	4	0.81	12.32	4.60	0.0046
							0.34	35.34	4.87	
Subtotal	12									
18	TUNSTA	2	c	c	a	4	0.29	77.54	0.73	0.0100
*21	KAWACH	1	f	c	4	15	0.54	14.94	1.74	0.0381
23	MCELDU	4	m	c	4	4	-0.20	24.21	3.76	0.3288
23	MCELDU	2	f	c	4	4	0.77	10.66	3.46	0.0124
							0.10	34.87	7.22	
Subtotal	23									
25	HE1	51	f	e	2	0	1.05	6.90	5.09	0.0056
26	IRIBAR	14	m	c	5	11	0.07	333.11	5.46	0.2169
26	IRIBAR	29	f	c	5	11	0.10	517.16	5.21	0.0302
							0.08	850.27	10.67	
Subtotal	26									
27	ROSEN	46	c	e	2	8	0.17	41.39	0.04	0.2869
28	PITSAV	4	m	c	4	10	0.29	31.98	0.26	0.1068
28	PITSAV	7	f	c	4	10	0.33	17.34	0.31	0.1703
							0.30	49.33	0.57	
Subtotal	28									
30	CHEN	4	c	c	a	10	0.41	26.68	1.17	0.0362
31	NISHTA	1	c	e	a	1	1.05	5.91	4.36	0.0104

HD type: (CVD)-(Stroke) selected in preference to CVD
Values are also shown for:

- 1) TIM Time of exposure = current (c), ever (e), in last 10 years (t)
- 2) TOT Total exposure = any (a), sp/wk (2), home/wk/travel/leisure (3), home/wk (4), home/oth (5), home/work/social (6), spouse/work/child (7)

Table 39
ETS and Heart Disease - Meta-Analysis of Total Exposure, 02-AUG-13
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	TIM	TOT	ADJ	Ys	Ws	Qs	Ps
36	STRANG	12	m	e	3	9	0.10	17.31	0.14	0.6641
36	STRANG	6	f	e	3	9	-0.54	11.86	6.50	0.0607
		Subtotal	36				-0.16	29.18	6.65	
37	TEO	1	c	c	6	6	0.31	656.19	9.31	0.0000
*38	WEN	24	f	e	7	9	0.22	11.00	0.01	0.4593
42	HE2	8	f	t	4	12	0.52	59.24	6.41	0.0001
44	VOZORI	2	c	c	a	7	0.00	93.46	3.58	1.0000
*49	HE3	2	m	e	4	9	0.81	3.29	1.23	0.1433
*49	HE3	4	f	e	4	9	0.74	3.13	0.93	0.1894
		Subtotal	49				0.78	6.42	2.16	

Relative risks

	N	27
	NS	19
	Wt	2078.21
Het	Chi	77.35
Het	df	26
Het	P	***
Fixed	RR	1.22
	RRl	1.16
	RRu	1.27
	P	+++
Random	RR	1.24
	RRl	1.12
	RRu	1.38
	P	+++
Asymm	P	N.S.

HD type: (CVD)-(Stroke) selected in preference to CVD
 Values are also shown for:

- 1) TIM Time of exposure = current (c), ever (e), in last 10 years (t)
- 2) TOT Total exposure = any (a), sp/wk (2), home/wk/travel/leisure (3), home/wk (4), home/oth (5),
 home/work/social (6), spouse/work/child (7)

Table 40
ETS and Heart Disease - Meta-Analysis of Total Exposure, 02-AUG-13
Overall - unadjusted

Overall

StN	Ref	NRR	SEX	TIM	TOT	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
							Case	Cont	Case	Cont		
3	LEE	9	m	c	3	0	15	70	15	27	0.39	(0.17- 0.90)
3	LEE	10	f	c	3	0	13	82	23	75	0.52	(0.24- 1.09)
Subtotal 3											0.45	(0.26- 0.79)
*5	SVENDS	4	m	c	2	1	-	-	-	-	1.17	(0.62- 1.19)
9	JACKSO	15	m	c	4	0	69	138	161	397	1.23	(0.88- 1.74)
9	JACKSO	13	f	c	4	0	15	66	58	336	1.32	(0.70- 2.46)
Subtotal 9											1.25	(0.93- 1.69)
12	DOBSON	11	m	c	4	0	69	153	189	326	0.78	(0.56- 1.09)
12	DOBSON	9	f	c	4	0	33	168	76	434	1.12	(0.72- 1.75)
Subtotal 12											0.89	(0.68- 1.16)
18	TUNSTA	1	c	c	a	0	329	1216	99	483	1.32	(1.03- 1.69)
*21	KAWACH	1	f	c	4	15	-	-	-	-	1.71	(1.03- 2.84)
23	MCELDU	3	m	c	4	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	c	4	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23											1.08	(0.81- 1.45)
25	HE1	51	f	e	2	0	48	76	11	50	2.87	(1.36- 6.05)
26	IRIBAR	14	m	c	5	11	-	-	-	-	1.07	(0.96- 1.19)
26	IRIBAR	29	f	c	5	11	-	-	-	-	1.10	(1.01- 1.20)
Subtotal 26											1.09	(1.02- 1.16)
27	ROSEN	45	c	e	2	0	240	474	77	177	1.16	(0.85- 1.59)
28	PITSAV	1	c	c	4	0	197	167	82	400	5.75	(4.20- 7.88)
30	CHEN	18	c	c	a	0	332	1208	53	261	1.35	(0.98- 1.86)
31	NISHTA	1	c	e	a	1	-	-	-	-	2.87	(1.28- 6.42)
36	STRANG	11	m	e	3	0	128	297	45	148	1.42	(0.96- 2.10)
36	STRANG	5	f	e	3	0	56	519	25	260	1.12	(0.68- 1.84)
Subtotal 36											1.29	(0.95- 1.76)
37	TEO	1	c	c	6	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	24	f	e	7	9	-	-	-	-	1.25	(0.69- 2.25)
42	HE2	1	f	t	4	0	200	277	231	501	1.57	(1.23- 1.99)
44	VOZORI	1	c	c	a	0	293	11991	1480	34776	0.57	(0.51- 0.65)
*49	HE3	1	m	e	4	0	14	271	5	168	1.74	(0.64- 4.73)
*49	HE3	3	f	e	4	0	18	340	4	131	1.73	(0.60- 5.03)
Subtotal 49											1.73	(0.84- 3.60)
Partial Totals							2153	17832	2833	39802		

*prospective study

StN	Ref	NRR	SEX	TIM	TOT	ADJ	Ys	Ws	Qs	Ps
3	LEE	9	m	c	3	0	-0.95	5.42	6.48	0.0266
3	LEE	10	f	c	3	0	-0.66	6.85	4.40	0.0841
Subtotal 3							-0.79	12.27	10.88	
*5	SVENDS	4	m	c	2	1	0.16	36.15	0.01	0.3452
9	JACKSO	15	m	c	4	0	0.21	32.82	0.15	0.2303
9	JACKSO	13	f	c	4	0	0.28	9.80	0.18	0.3892
Subtotal 9							0.22	42.62	0.33	
12	DOBSON	11	m	c	4	0	-0.25	34.03	5.24	0.1429
12	DOBSON	9	f	c	4	0	0.11	19.34	0.01	0.6135
Subtotal 12							-0.12	53.36	5.26	
18	TUNSTA	1	c	c	a	0	0.28	62.37	1.16	0.0283
*21	KAWACH	1	f	c	4	15	0.54	14.94	2.33	0.0381
23	MCELDU	3	m	c	4	0	-0.23	29.19	4.08	0.2093
23	MCELDU	1	f	c	4	0	0.63	16.76	3.94	0.0104
Subtotal 23							0.08	45.95	8.02	
25	HE1	51	f	e	2	0	1.05	6.90	5.76	0.0056
26	IRIBAR	14	m	c	5	11	0.07	333.11	1.81	0.2169
26	IRIBAR	29	f	c	5	11	0.10	517.16	1.10	0.0302
Subtotal 26							0.08	850.27	2.90	
27	ROSEN	45	c	e	2	0	0.15	40.14	0.00	0.3363
28	PITSAV	1	c	c	4	0	1.75	38.82	100.45	0.0000
30	CHEN	18	c	c	a	0	0.30	37.68	0.98	0.0632
31	NISHTA	1	c	e	a	1	1.05	5.91	4.93	0.0104
36	STRANG	11	m	e	3	0	0.35	24.90	1.07	0.0817
36	STRANG	5	f	e	3	0	0.12	15.72	0.01	0.6477
Subtotal 36							0.26	40.62	1.08	
37	TEO	1	c	c	6	6	0.31	656.19	19.74	0.0000

HD type: (CVD)-(Stroke) selected in preference to CVD
Values are also shown for:

- 1) TIM Time of exposure = current (c), ever (e), in last 10 years (t)
- 2) TOT Total exposure = any (a), sp/wk (2), home/wk/travel/leisure (3), home/wk (4), home/oth (5), home/work/social (6), spouse/work/child (7)

Table 40
ETS and Heart Disease - Meta-Analysis of Total Exposure, 02-AUG-13
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	TIM	TOT	ADJ	Ys	Ws	Qs	Ps
*38	WEN	24	f	e	7	9	0.22	11.00	0.07	0.4593
42	HE2	1	f	t	4	0	0.45	66.96	6.32	0.0002
44	VOZORI	1	c	c	a	0	-0.55	238.05	115.38	0.0000
*49	HE3	1	m	e	4	0	0.55	3.82	0.64	0.2811
*49	HE3	3	f	e	4	0	0.55	3.39	0.57	0.3109
Subtotal		49					0.55	7.21	1.21	

Relative risks

N	26
NS	19
Wt	2267.40
Het Chi	286.81
Het df	25
Het P	***
Fixed RR	1.15
RRl	1.11
RRu	1.20
P	+++
Random RR	1.27
RRl	1.07
RRu	1.50
P	++
Asymm P	N.S.

HD type: (CVD)-(Stroke) selected in preference to CVD
 Values are also shown for:

- 1) TIM Time of exposure = current (c), ever (e), in last 10 years (t)
- 2) TOT Total exposure = any (a), sp/wk (2), home/wk/travel/leisure (3), home/wk (4), home/oth (5),
 home/work/social (6), spouse/work/child (7)

Table 41
ETS and Heart Disease - Meta-Analysis of ETS Exposure assessed by Biomarker, 02-AUG-13
 By biomarker type - adjusted

Cotinine

StN	Ref	NRR	SEX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
					Case	Cont	Case	Cont		
18	TUNSTA	10	c	4	-	-	-	-	1.13	(0.93- 1.38)
30	CHEN	8	c	10	-	-	-	-	0.86	(0.64- 1.16)
*32	WHINCU	8	m	16	-	-	-	-	1.67	(1.03- 2.72)
*47	HAMER	3	c	9	-	-	-	-	1.50	(0.85- 2.64)
*48	JEFFER	7	c	16	-	-	-	-	0.94	(0.59- 1.51)
Partial Totals					0	0	0	0		

*prospective study

COHb

StN	Ref	NRR	SEX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
					Case	Cont	Case	Cont		
*35	HEDBLA	8	m	11	-	-	-	-	2.22	(1.21- 4.09)
Partial Totals					0	0	0	0		

*prospective study

Cotinine COHb

Total

Relative risks

N	5	1	6
NS	5	1	6
Wt	187.76	10.36	198.12
Het	Chi	7.12	11.98
Het	df	4	5
Het	P	N.S.	*
Fixed	RR	1.10	1.14
	RR1	0.95	0.99
	RRu	1.27	1.31
	P	N.S.	(+)
Random	RR	1.12	1.22
	RR1	0.90	0.95
	RRu	1.39	1.57
	P	N.S.	N.S.
Asymm	P	N.S.	N.S.
Between	Chi	4.86	4.86
Between	df	1	1
Between	P	+	*
		N.S.	N.S.
		N.S.	N.S.

 HD type: (CVD) - (Stroke) selected in preference to CVD.

Table 42
ETS and Heart Disease - Meta-Analysis of ETS Exposure assessed by Biomarker, 02-AUG-13
 By biomarker type - unadjusted

Cotinine

StN	Ref	NRR	SEX	ADJ	Number	Exposed	Non-exposed		RR	95.00%CI		
					Case	Cont	Case	Cont		()	
18	TUNSTA	9	c	0	299	1120	129	580	1.20	(0.95-	1.51)
30	CHEN	22	c	0	252	939	77	291	1.01	(0.76-	1.35)
*32	WHINCU	4	m	2	-	-	-	-	1.42	(0.91-	2.22)
*47	HAMER	6	c	1	-	-	-	-	1.51	(0.87-	2.63)
*48	JEFFER	3	c	2	-	-	-	-	0.97	(0.61-	1.53)
Partial Totals					551	2059	206	871				

*prospective study

COHb

StN	Ref	NRR	SEX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
					Case	Cont	Case	Cont		
*35	HEDBLA	4	m	1	-	-	-	-	2.10	(1.18- 3.73)
Partial Totals					0	0	0	0		

*prospective study

prospective study

Cotinine COHb Total

Relative risks

N	5	1		6
NS	5	1		6
Wt	169.57	11.60		181.18
Het Chi	3.17	0.00		6.98
Het df	4	0		5
Het P	N.S.	N.S.		N.S.
Fixed RR	1.16	2.10		1.21
RRl	1.00	1.18		1.04
RRu	1.35	3.73		1.40
P	(+)	+		+
Random RR	1.16	2.10		1.23
RRl	1.00	1.18		1.02
RRu	1.35	3.73		1.48
P	(+)	+		+
Asymm P	N.S.			N.S.
Between Chi		3.81		3.81
Between df		1		1
Between P		(+)	N.S.	N.S.
			N.S.	(*)

HD type: (CVD) - (Stroke) selected in preference to CVD.

Table 43
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3									1.03 (0.65- 1.62)					
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8									1.70 (1.10- 2.63)					
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9									1.80 (0.84- 3.87)					
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10									1.22 (1.09- 1.37)					
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12									1.72 (1.15- 2.59)					
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13									1.17 (0.64- 2.16)					
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14									0.98 (0.86- 1.13)					
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15									1.01 (0.97- 1.06)					
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17									1.36 (0.80- 2.30)					
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19									1.07 (0.99- 1.15)					
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22									1.47 (0.89- 2.42)					
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23									1.10 (0.79- 1.53)					
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26									1.17 (1.09- 1.26)					
27	ROSEN	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27									1.17 (0.86- 1.59)					
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33									1.35 (1.02- 1.77)					
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36									1.07 (0.75- 1.52)					
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 43
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
		Subtotal 40											1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
		Subtotal 41											1.21	(1.03- 1.42)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
		Subtotal 43											1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
		Subtotal 49											2.17	(1.00- 4.70)
Partial Totals									386	1253	319	777		
*prospective study														

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps		
													Sub	Co
*1	HIRAYA	6	f	s	e	f	2	1	0.15	87.29	0.10	0.1655		
*2	GARLAN	5	f	s	e	f	2	5	0.99	1.81	1.40	0.1811		
3	LEE	2	m	s	m	n	2	2	0.22	6.59	0.07	0.5808		
3	LEE	4	f	s	m	n	2	2	-0.07	12.04	0.42	0.8012		
		Subtotal 3							0.03	18.63	0.49			
4	MARTIN	1	f	s	e	n	2	6	0.96	6.33	4.47	0.0162		
*5	SVENDS	2	m	s	c	b	2	6	0.48	14.27	1.86	0.0720		
*6	BUTLER	2	f	s	e	f	2	1	0.07	15.67	0.04	0.7889		
*8	HOLE	3	m	h	e	f	2	5	0.55	13.29	2.49	0.0457		
*8	HOLE	2	f	h	e	f	2	5	0.50	7.04	1.05	0.1838		
		Subtotal 8							0.53	20.33	3.54			
9	JACKSO	4	m	h	c	b	2	2	0.06	3.80	0.01	0.9095		
9	JACKSO	2	f	h	c	b	2	2	1.32	2.76	4.00	0.0285		
		Subtotal 9							0.59	6.56	4.01			
*10	SANDLE	2	m	h	c	f	2	4	0.27	77.28	1.85	0.0176		
*10	SANDLE	4	f	h	c	f	2	4	0.17	213.52	0.74	0.0110		
		Subtotal 10							0.20	290.80	2.59			
*11	HUMBLE	1	f	s	c	f	8	4	0.46	16.88	2.05	0.0567		
12	DOBSON	4	m	h	c	b	2	2	-0.03	8.90	0.19	0.9276		
12	DOBSON	2	f	h	c	b	2	2	0.90	14.40	8.87	0.0006		
		Subtotal 12							0.54	23.30	9.06			
13	LAVECC	2	m	s	e	n	2	0	0.09	5.43	0.00	0.8393		
13	LAVECC	1	f	s	e	n	2	0	0.24	4.84	0.07	0.6013		
		Subtotal 13							0.16	10.27	0.08			
14	LAYARD	2	m	s	e	f	2	2	-0.03	48.72	1.03	0.8316		
14	LAYARD	10	f	s	e	f	2	2	-0.01	147.49	2.32	0.9029		
		Subtotal 14							-0.02	196.21	3.35			
*15	LEVOIS	1	m	s	e	f	2	2	-0.03	646.64	13.73	0.4386		
*15	LEVOIS	6	f	s	e	f	2	2	0.03	1627.60	11.95	0.2331		
		Subtotal 15							0.01	2274.24	25.68			
17	MUSCAT	1	m	s	e	n	2	0	0.32	8.14	0.36	0.3546		
17	MUSCAT	2	f	s	e	n	2	0	0.28	5.82	0.16	0.4970		
		Subtotal 17							0.31	13.96	0.52			
18	TUNSTA	2	c	t	c	n	2	4	0.29	77.54	2.44	0.0100		
*19	STEENL	3	m	s	e	f	2	12	0.09	345.72	0.29	0.1091		
*19	STEENL	4	f	s	e	f	2	13	0.04	314.64	1.82	0.4866		
		Subtotal 19							0.06	660.35	2.11			
20	JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.17	0.0922		
*21	KAWACH	11	f	h	c	b	2	15	0.43	9.45	0.91	0.1912		
22	CIRUZZ	7	m	s	c	n	2	9	0.17	6.63	0.02	0.6699		
22	CIRUZZ	8	f	s	c	n	2	9	0.55	8.71	1.63	0.1058		
		Subtotal 22							0.38	15.34	1.65			

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 43
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
Excluding Enstrom
Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
23	MCELDU	4	m	t	c	b	2	4	-0.20	24.21	2.38	0.3288
23	MCELDU	2	f	t	c	b	2	4	0.77	10.66	4.51	0.0124
		Subtotal 23							0.10	34.87	6.89	
25	HE1	2	f	s	e	n	2	6	0.47	12.11	1.52	0.1020
26	IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.01	0.0450
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	2.23	0.0000
		Subtotal 26							0.16	763.97	2.24	
27	ROSEN1	2	m	s	e	n	2	8	-0.04	23.37	0.57	0.8436
27	ROSEN1	14	f	s	e	n	2	8	0.43	17.27	1.66	0.0772
		Subtotal 27							0.16	40.64	2.23	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	0.69	0.1648
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.05	0.5326
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.19	0.0395
33	MCGHEE	1	m	h	p	f	2	2	0.26	24.91	0.54	0.1904
33	MCGHEE	2	f	h	p	f	2	2	0.33	26.31	1.21	0.0912
		Subtotal 33							0.30	51.22	1.74	
*34	QURESH	1	f	s	m	b	2	7	0.05	54.13	0.24	0.7196
36	STRANG	22	m	h	e	n	2	0	-0.02	21.86	0.38	0.9391
36	STRANG	14	f	h	e	n	2	0	0.26	8.82	0.19	0.4361
		Subtotal 36							0.06	30.68	0.57	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	26.13	0.0000
*38	WEN	17	f	s	m	f	2	9	-0.01	37.13	0.58	0.9512
*40	HILL1	2	m	h	c	f	2	9	0.04	137.04	0.79	0.6461
*40	HILL1	4	f	h	c	f	2	9	-0.02	130.35	2.39	0.8176
		Subtotal 40							0.01	267.40	3.18	
*41	HILL2	2	m	h	c	f	2	9	0.17	93.46	0.24	0.1096
*41	HILL2	4	f	h	c	f	2	9	0.24	55.32	0.85	0.0754
		Subtotal 41							0.19	148.79	1.08	
42	HE2	8	f	t	t	n	4	12	0.52	59.24	9.93	0.0001
43	SULO	2	m	s	c	n	4	14	0.52	7.26	1.18	0.1622
43	SULO	4	f	s	c	n	4	14	0.17	1.58	0.01	0.8268
		Subtotal 43							0.46	8.84	1.19	
44	VOZORI	2	c	t	c	n	4	7	0.00	93.46	1.24	1.0000
45	DING	2	f	h	e	n	2	11	0.42	23.43	2.16	0.0427
*46	GALLO	17	c	s	c	f	2	5	0.69	6.48	2.13	0.0798
*48	JEFFER	2	c	s	c	b	2	16	0.88	5.43	3.17	0.0403
*49	HE3	2	m	t	e	f	2	9	0.81	3.29	1.57	0.1433
*49	HE3	4	f	t	e	f	2	9	0.74	3.13	1.23	0.1894
		Subtotal 49							0.78	6.42	2.80	

Relative risks

	N	61										
	NS	41										
	Wt	6128.16										
	Het	Chi	140.46									
	Het	df	60									
	Het	P	***									
	Fixed	RR	1.12									
		RR1	1.09									
		RRu	1.15									
		P	+++									
	Random	RR	1.20									
		RR1	1.13									
		RRu	1.26									
		P	+++									
	Asymm	P	***									

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 44
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3													1.09	(0.70- 1.70)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10													0.80	(0.72- 0.88)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSEN1	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
27	ROSEN1	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
Subtotal 27													1.10	(0.83- 1.47)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 44
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
													0.99	(0.88- 1.11)
													1.07	(0.86- 1.32)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.15	(0.97- 1.35)
													1.05	(0.48- 2.30)
													1.46	(0.91- 2.34)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
													1.46	(0.91- 2.34)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
													1.73	(0.84- 3.60)
									3778	111529	5639	117605		

Partial Totals

*prospective study

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1	HIRAYA	3	f	s	e	f	2	0	0.00	90.30	0.37	0.9867
*2	GARLAN	1	f	s	e	f	2	0	1.25	1.81	2.56	0.0912
3	LEE	1	m	s	m	n	2	0	0.29	7.10	0.37	0.4340
3	LEE	3	f	s	m	n	2	0	-0.03	12.62	0.11	0.9185
									0.09	19.72	0.48	
4	MARTIN	1	f	s	e	n	2	6	0.96	6.33	5.01	0.0162
*5	SVENDS	1	m	s	c	b	2	0	0.38	15.65	1.57	0.1296
*6	BUTLER	1	f	s	e	f	2	0	0.30	15.03	0.86	0.2372
*8	HOLE	3	m	h	e	f	2	5	0.55	13.29	3.09	0.0457
*8	HOLE	2	f	h	e	f	2	5	0.50	7.04	1.33	0.1838
									0.53	20.33	4.42	
9	JACKSO	3	m	h	c	b	2	0	0.10	3.78	0.00	0.8529
9	JACKSO	1	f	h	c	b	2	0	1.39	2.98	5.19	0.0168
									0.66	6.76	5.19	
*10	SANDLE	1	m	h	c	f	2	0	0.14	90.22	0.47	0.1881
*10	SANDLE	3	f	h	c	f	2	0	-0.35	262.43	46.09	0.0000
									-0.23	352.64	46.57	
*11	HUMBLE	1	f	s	c	f	8	4	0.46	16.88	2.67	0.0567
12	DOBSON	3	m	h	c	b	2	0	0.04	11.77	0.01	0.8905
12	DOBSON	1	f	h	c	b	2	0	0.47	22.62	3.77	0.0240
									0.33	34.39	3.78	
13	LAVECC	2	m	s	e	n	2	0	0.09	5.43	0.00	0.8393
13	LAVECC	1	f	s	e	n	2	0	0.24	4.84	0.14	0.6013
									0.16	10.27	0.14	
14	LAYARD	1	m	s	e	f	2	0	-0.07	52.96	0.95	0.6223
14	LAYARD	9	f	s	e	f	2	0	-0.00	155.06	0.69	0.9954
									-0.02	208.02	1.64	
*15	LEVOIS	1	m	s	e	f	2	2	-0.03	646.64	6.03	0.4386
*15	LEVOIS	6	f	s	e	f	2	2	0.03	1627.60	2.17	0.2331
									0.01	2274.24	8.20	
17	MUSCAT	1	m	s	e	n	2	0	0.32	8.14	0.54	0.3546
17	MUSCAT	2	f	s	e	n	2	0	0.28	5.82	0.27	0.4970
									0.31	13.96	0.81	
18	TUNSTA	1	c	t	c	n	2	0	0.28	62.37	2.79	0.0283
*19	STEENL	3	m	s	e	f	2	12	0.09	345.72	0.14	0.1091
*19	STEENL	4	f	s	e	f	2	13	0.04	314.64	0.23	0.4866
									0.06	660.35	0.37	
20	JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.79	0.0922
*21	KAWACH	11	f	h	c	b	2	15	0.43	9.45	1.22	0.1912
22	CIRUZZ	5	m	s	c	n	2	0	-0.00	8.06	0.04	0.9912
22	CIRUZZ	6	f	s	c	n	2	0	0.39	11.59	1.24	0.1800
									0.23	19.65	1.28	

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 44
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
Excluding Enstrom
Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
23	MCELDU	3	m	t	c	b	2	0	-0.23	29.19	2.60	0.2093
23	MCELDU	1	f	t	c	b	2	0	0.63	16.76	5.26	0.0104
		Subtotal 23							0.08	45.95	7.86	
25	HE1	1	f	s	e	n	2	0	0.84	17.19	10.31	0.0005
26	IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.85	0.0450
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	6.69	0.0000
		Subtotal 26							0.16	763.97	7.53	
27	ROSEN1	1	m	s	e	n	2	0	-0.05	26.10	0.37	0.7851
27	ROSEN1	13	f	s	e	n	2	0	0.29	20.97	1.03	0.1879
		Subtotal 27							0.10	47.07	1.40	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	1.14	0.1648
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.16	0.5326
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.62	0.0395
33	MCGHEE	5	m	h	p	f	2	0	0.24	29.42	0.87	0.1963
33	MCGHEE	6	f	h	p	f	2	0	0.27	33.81	1.42	0.1147
		Subtotal 33							0.26	63.24	2.29	
*34	QUARESH	2	f	s	m	b	2	0	0.16	54.27	0.49	0.2341
36	STRANG	22	m	h	e	n	2	0	-0.02	21.86	0.15	0.9391
36	STRANG	14	f	h	e	n	2	0	0.26	8.82	0.34	0.4361
		Subtotal 36							0.06	30.68	0.49	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	40.59	0.0000
*38	WEN	17	f	s	m	f	2	9	-0.01	37.13	0.22	0.9512
*40	HILL1	1	m	h	c	f	2	2	0.00	142.80	0.62	1.0000
*40	HILL1	3	f	h	c	f	2	2	-0.02	144.50	1.08	0.8081
		Subtotal 40							-0.01	287.30	1.70	
*41	HILL2	1	m	h	c	f	2	2	0.07	83.70	0.00	0.5359
*41	HILL2	3	f	h	c	f	2	2	0.23	59.36	1.62	0.0750
		Subtotal 41							0.14	143.06	1.62	
42	HE2	1	f	t	t	n	4	0	0.45	66.96	9.79	0.0002
43	SULO	1	m	s	c	n	4	1	0.57	11.09	2.76	0.0598
43	SULO	3	f	s	c	n	4	1	0.05	6.26	0.00	0.9029
		Subtotal 43							0.38	17.35	2.77	
44	VOZORI	1	c	t	c	n	4	0	-0.55	238.05	91.79	0.0000
45	DING	1	f	h	e	n	2	0	0.53	29.06	6.19	0.0044
*46	GALLO	17	c	s	c	f	2	5	0.69	6.48	2.51	0.0798
*48	JEFFER	1	c	s	c	b	2	2	0.77	5.95	2.99	0.0588
*49	HE3	1	m	t	e	f	2	0	0.55	3.82	0.90	0.2811
*49	HE3	3	f	t	e	f	2	0	0.55	3.39	0.79	0.3109
		Subtotal 49							0.55	7.21	1.69	

Relative risks

	N	61										
	NS	41										
	Wt	6423.74										
	Het	288.87										
	Chi											
	Het	df	60									
	Het	P	***									
	Fixed	RR	1.07									
		RR1	1.04									
		RRu	1.09									
		P	+++									
	Random	RR	1.18									
		RR1	1.10									
		RRu	1.27									
		P	+++									
	Asymm	P	**									

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 45
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By sex - adjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals									0	0	0	0		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSEN1	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
Partial Totals									185	416	142	314		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSEN1	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 45
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By sex - adjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Partial Totals									201	837	177	463		

*prospective study

	combined	male	female	Total
--	----------	------	--------	-------

Relative risks

N	8	21	32	61
NS	8	21	32	61
Wt	880.19	1789.80	3458.16	6128.16
Het Chi	13.19	24.36	70.99	140.46
Het df	7	20	31	60
Het P	(*)	N.S.	***	***
Fixed RR	1.33	1.06	1.10	1.12
RRl	1.25	1.02	1.07	1.09
RRu	1.42	1.11	1.14	1.15
P	+++	++	+++	+++
Random RR	1.32	1.09	1.23	1.20
RRl	1.14	1.02	1.14	1.13
RRu	1.54	1.16	1.33	1.26
P	+++	++	+++	+++
Asymm P	N.S.	*	***	***
Between Chi		29.96	24.56	31.92
Between df		1	1	2
Between P		---	---	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 46
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By sex - unadjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
Partial Totals									622	13207	1579	35259		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSEN1	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
Partial Totals									671	2888	1720	6701		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSEN1	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 46
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By sex - unadjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Partial Totals									2485	95434	2340	75645		

*prospective study

combined	male	female	Total
----------	------	--------	-------

Relative risks

N	8	21	32	61
NS	8	21	32	61
Wt	1010.13	1825.70	3587.91	6423.74
Het Chi	143.31	21.59	120.92	288.87
Het df	7	20	31	60
Het P	***	N.S.	***	***
Fixed RR	1.12	1.05	1.07	1.07
RRl	1.05	1.00	1.03	1.04
RRu	1.19	1.10	1.10	1.09
P	+++	(+)	+++	+++
Random RR	1.33	1.06	1.23	1.18
RRl	0.90	1.00	1.12	1.10
RRu	1.98	1.11	1.35	1.27
P	N.S.	+	+++	+++
Asymm P	N.S.	(*)	**	**
Between Chi		2.98	2.01	3.05
Between df		1	1	2
Between P		(-)	N.S.	N.S.

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 47
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By continent - adjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									282	1093	116	320		
*prospective study														

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
27	ROSEN	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
Subtotal 27													1.17	(0.86- 1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals									41	60	66	157		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 47
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By continent - adjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									63	100	137	300		
*prospective study														

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
Partial Totals									0	0	0	0		
*prospective study														

NAmerica Europe Asia Other Total

Relative risks

N	22	15	11	13	61
NS	15	10	9	7	41
Wt	4442.22	223.62	309.87	1152.45	6128.16
Het Chi	37.67	9.38	12.59	37.12	140.46
Het df	21	14	10	12	60
Het P	*	N.S.	N.S.	***	***
Fixed RR	1.07	1.33	1.35	1.26	1.12
RR1	1.04	1.17	1.21	1.19	1.09
RRu	1.10	1.52	1.51	1.33	1.15
P	+++	+++	+++	+++	+++
Random RR	1.09	1.33	1.37	1.24	1.20
RR1	1.04	1.17	1.20	1.07	1.13
RRu	1.15	1.52	1.57	1.44	1.26
P	+++	+++	+++	++	+++
Asymm P	*	N.S.	(*)	N.S.	***
Between Chi	10.60	16.15	24.82	43.69	
Between df	1	1	1	3	
Between P	++	+++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 48
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By continent - unadjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14														
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19														
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36														
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
Partial Totals									1998	38239	3307	90507		
*prospective study														

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3														
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13														
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
27	ROSEN	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
27	ROSEN	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43														
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
Partial Totals									558	1777	413	1251		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 48
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By continent - unadjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Subtotal 49													1.73	(0.84- 3.60)
Partial Totals									1029	71014	1150	23904		
*prospective study														

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													0.99	(0.88- 1.11)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													1.15	(0.97- 1.35)
Partial Totals									193	499	769	1943		
*prospective study														

NAmerica Europe Asia Other Total

Relative risks

N	22	15	11	13	61
NS	15	10	9	7	41
Wt	4661.34	224.99	344.11	1193.30	6423.74
Het Chi	154.40	9.48	21.75	38.34	288.87
Het df	21	14	10	12	60
Het P	***	N.S.	*	***	***
Fixed RR	1.01	1.31	1.31	1.23	1.07
RR1	0.98	1.15	1.18	1.16	1.04
RRu	1.03	1.49	1.46	1.30	1.09
P	N.S.	+++	+++	+++	+++
Random RR	1.05	1.31	1.39	1.18	1.18
RR1	0.95	1.15	1.17	1.03	1.10
RRu	1.17	1.49	1.66	1.37	1.27
P	N.S.	+++	+++	+	+++
Asymm P	N.S.	(*)	N.S.	N.S.	**
Between Chi	15.02	22.77	38.74	64.90	
Between df		1	1	1	3
Between P	+++	+++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 49
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By publication year (grouped) - adjusted

1984-89

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	5	f	s	e	f	2	5	-	-	-	-	2.70	(0.63- 11.58)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	2	f	s	e	f	2	1	-	-	-	-	1.07	(0.65- 1.75)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
Partial Totals									0	0	0	0		

*prospective study

1990-97

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
Subtotal 13													1.17	(0.64- 2.16)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
Subtotal 15													1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
Subtotal 19													1.07	(0.99- 1.15)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
Partial Totals									152	212	269	563		

*prospective study

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 49
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By publication year (grouped) - adjusted

1998-04

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
		Subtotal 22											1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
		Subtotal 23											1.10	(0.79- 1.53)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
		Subtotal 26											1.17	(1.09- 1.26)
27	ROSEN1	2	m	s	e	n	2	8	-	-	-	-	0.96	(0.64- 1.44)
27	ROSEN1	14	f	s	e	n	2	8	-	-	-	-	1.53	(0.95- 2.44)
		Subtotal 27											1.17	(0.86- 1.59)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
		Partial Totals							0	0	0	0		

*prospective study

2005-07

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
		Subtotal 33											1.35	(1.02- 1.77)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
		Subtotal 36											1.07	(0.75- 1.52)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
		Subtotal 40											1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
		Subtotal 41											1.21	(1.03- 1.42)
		Partial Totals							234	1041	50	214		

*prospective study

2008 onwards

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
		Subtotal 43											1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
		Subtotal 49											2.17	(1.00- 4.70)
		Partial Totals							0	0	0	0		

*prospective study

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 49
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By publication year (grouped) - adjusted

1984-89	1990-97	1998-04	2005-07	2008 onwa	Total
---------	---------	---------	---------	-----------	-------

Relative risks

	N	13	16	12	11	9	61
	NS	9	10	8	7	7	41
	Wt	461.70	3309.60	908.01	1245.54	203.31	6128.16
Het	Chi	13.35	28.19	15.29	23.12	16.35	140.46
Het	df	12	15	11	10	8	60
Het	P	N.S.	*	N.S.	*	*	***
Fixed	RR	1.25	1.04	1.19	1.23	1.34	1.12
	RRL	1.14	1.01	1.12	1.16	1.17	1.09
	RRU	1.37	1.08	1.27	1.30	1.53	1.15
	P	+++	+	+++	+++	+++	+++
Random	RR	1.27	1.09	1.21	1.15	1.54	1.20
	RRL	1.13	1.01	1.09	1.04	1.19	1.13
	RRU	1.41	1.16	1.36	1.28	1.99	1.26
	P	+++	+	+++	++	++	+++
Asymm	P	*	*	N.S.	N.S.	(*)	***
Between	Chi		13.35	0.66	0.07	0.70	44.15
Between	df		1	1	1	1	4
Between	P		---	N.S.	N.S.	N.S.	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 50
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By publication year (grouped) - unadjusted

1984-89

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	1	f	s	e	f	2	0	17	492	2	203	3.51	(0.82- 15.04)
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
		Subtotal 3											1.09	(0.70- 1.70)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	1	f	s	e	f	2	0	20	10579	60	43052	1.36	(0.82- 2.25)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
		Subtotal 8											1.70	(1.10- 2.63)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
		Subtotal 9											1.94	(0.91- 4.13)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
		Subtotal 10											0.80	(0.72- 0.88)
		Partial Totals							1177	92070	961	74527		
		*prospective study												

1990-97

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
		Subtotal 12											1.39	(0.99- 1.93)
13	LAVECC	2	m	s	e	n	2	0	9	21	55	140	1.09	(0.47- 2.53)
13	LAVECC	1	f	s	e	n	2	0	32	39	11	17	1.27	(0.52- 3.09)
		Subtotal 13											1.17	(0.64- 2.16)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
		Subtotal 14											0.98	(0.86- 1.13)
*15	LEVOIS	1	m	s	e	f	2	2	-	-	-	-	0.97	(0.90- 1.05)
*15	LEVOIS	6	f	s	e	f	2	2	-	-	-	-	1.03	(0.98- 1.08)
		Subtotal 15											1.01	(0.97- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
		Subtotal 17											1.36	(0.80- 2.30)
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL	3	m	s	e	f	2	12	-	-	-	-	1.09	(0.98- 1.21)
*19	STEENL	4	f	s	e	f	2	13	-	-	-	-	1.04	(0.93- 1.16)
		Subtotal 19											1.07	(0.99- 1.15)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
		Partial Totals							1098	2737	1483	3490		
		*prospective study												

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 50
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By publication year (grouped) - unadjusted

1998-04

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSEN1	1	m	s	e	n	2	0	53	113	141	285	0.95	(0.65- 1.39)
27	ROSEN1	13	f	s	e	n	2	0	65	119	59	144	1.33	(0.87- 2.05)
Subtotal 27													1.10	(0.83- 1.47)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals									322	693	730	1793		

*prospective study

2005-07

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	22	m	h	e	n	2	0	156	370	39	91	0.98	(0.65- 1.50)
36	STRANG	14	f	h	e	n	2	0	78	671	11	123	1.30	(0.67- 2.51)
Subtotal 36													1.07	(0.75- 1.52)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	17	f	s	m	f	2	9	-	-	-	-	0.99	(0.72- 1.37)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													0.99	(0.88- 1.11)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													1.15	(0.97- 1.35)
Partial Totals									561	3085	526	1965		

*prospective study

2008 onwards

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43													1.46	(0.91- 2.34)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Subtotal 49													1.73	(0.84- 3.60)
Partial Totals									620	12944	1939	35830		

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 50
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Ever (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By publication year (grouped) - unadjusted

1984-89	1990-97	1998-04	2005-07	2008 onwa	Total
---------	---------	---------	---------	-----------	-------

Relative risks

N	13	16	12	11	9	61
NS	9	10	8	7	7	41
Wt	528.57	3317.33	934.92	1271.88	371.05	6423.74
Het Chi	55.22	20.56	22.08	25.86	95.10	288.87
Het df	12	15	11	10	8	60
Het P	***	N.S.	*	**	***	***
Fixed RR	0.92	1.04	1.19	1.22	0.83	1.07
RRl	0.84	1.00	1.12	1.15	0.75	1.04
RRu	1.00	1.07	1.27	1.29	0.92	1.09
P	(-)	+	+++	+++	---	+++
Random RR	1.30	1.06	1.24	1.14	1.44	1.18
RRl	1.01	1.00	1.09	1.02	0.89	1.10
RRu	1.66	1.12	1.42	1.28	2.34	1.27
P	+	+	++	+	N.S.	+++
Asymm P	***	**	N.S.	N.S.	*	**
Between Chi		6.58	22.66	29.18	2.07	70.05
Between df			1	1	1	4
Between P			+++	+++	N.S.	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 51
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3									1.03 (0.65- 1.62)					
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8									1.70 (1.10- 2.63)					
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9									1.80 (0.84- 3.87)					
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10									1.22 (1.09- 1.37)					
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12									1.72 (1.15- 2.59)					
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
Subtotal 13									1.21 (0.57- 2.55)					
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14									0.98 (0.86- 1.13)					
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15									1.02 (0.98- 1.07)					
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17									1.36 (0.80- 2.30)					
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19									1.16 (1.05- 1.28)					
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22									1.47 (0.89- 2.42)					
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23									1.10 (0.79- 1.53)					
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26									1.17 (1.09- 1.26)					
27	ROSEN	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27									1.40 (0.91- 2.16)					
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33									1.35 (1.02- 1.77)					
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36									0.79 (0.52- 1.22)					
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 51
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
													1.01	(0.90- 1.14)
													1.18	(0.96- 1.44)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.21	(1.03- 1.42)
													1.69	(1.31- 2.18)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.58	(0.82- 3.05)
													1.00	(0.80- 1.20)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.52	(1.01- 2.27)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.99	(0.92- 4.29)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	2.41	(1.04- 5.59)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.17	(1.00- 4.70)
Partial Totals									140	314	458	1499		
*prospective study														

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps		
*1	HIRAYA	6	f	s	e	f	2	1	0.15	87.29	0.04	0.1655		
*2	GARLAN	4	f	s	c	f	8	1	0.81	1.01	0.47	0.4145		
3	LEE	2	m	s	m	n	2	2	0.22	6.59	0.05	0.5808		
3	LEE	4	f	s	m	n	2	2	-0.07	12.04	0.48	0.8012		
									0.03	18.63	0.53			
									0.96	6.33	4.34	0.0162		
4	MARTIN	1	f	s	e	n	2	6	0.48	14.27	1.74	0.0720		
*5	SVENDS	2	m	s	c	b	2	6	0.34	3.77	0.17	0.5135		
*6	BUTLER	4	f	s	c	f	8	1	0.55	13.29	2.35	0.0457		
*8	HOLE	3	m	h	e	f	2	5	0.50	7.04	0.98	0.1838		
*8	HOLE	2	f	h	e	f	2	5	0.53	20.33	3.34			
									0.06	3.80	0.02	0.9095		
9	JACKSO	4	m	h	c	b	2	2	1.32	2.76	3.92	0.0285		
9	JACKSO	2	f	h	c	b	2	2	0.59	6.56	3.93			
									0.27	77.28	1.58	0.0176		
*10	SANDLE	2	m	h	c	f	2	4	0.17	213.52	0.47	0.0110		
*10	SANDLE	4	f	h	c	f	2	4	0.20	290.80	2.04			
									0.46	16.88	1.91	0.0567		
*11	HUMBLE	1	f	s	c	f	8	4	-0.03	8.90	0.22	0.9276		
12	DOBSON	4	m	h	c	b	2	2	0.90	14.40	8.60	0.0006		
12	DOBSON	2	f	h	c	b	2	2	0.54	23.30	8.82			
									0.09	3.68	0.01	0.8687		
13	LAVECC	6	m	s	c	n	8	8	0.31	3.25	0.11	0.5795		
13	LAVECC	4	f	s	c	n	8	8	0.19	6.93	0.11			
									0.32	27.39	1.04	0.0922		
14	LAYARD	2	m	s	e	f	2	2	-0.01	147.49	2.78	0.9029		
14	LAYARD	10	f	s	e	f	2	2	-0.02	196.21	3.99			
									0.44	660.03	14.35	0.6037		
*15	LEVOIS	2	m	s	c	f	8	2	0.04	1659.41	12.85	0.1101		
*15	LEVOIS	7	f	s	c	f	8	2	0.02	2319.43	27.20			
									0.28	5.82	0.14	0.4970		
									0.31	13.96	0.46			
18	TUNSTA	2	c	t	c	n	2	4	0.29	77.54	2.12	0.0100		
*19	STEENL	1	m	s	c	f	8	12	0.20	212.64	1.09	0.0037		
*19	STEENL	2	f	s	c	f	8	13	0.10	196.22	0.20	0.1818		
									0.15	408.86	1.29			
20	JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.04	0.0922		
*21	KAWACH	11	f	h	c	b	2	15	0.43	9.45	0.84	0.1912		
22	CIRUZZ	7	m	s	c	n	2	9	0.17	6.63	0.01	0.6699		
22	CIRUZZ	8	f	s	c	n	2	9	0.55	8.71	1.54	0.1058		
									0.38	15.34	1.55			

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 51
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 Overall - adjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
23	MCELDU	4	m	t	c	b	2	4	-0.20	24.21	2.57	0.3288
23	MCELDU	2	f	t	c	b	2	4	0.77	10.66	4.34	0.0124
		Subtotal 23							0.10	34.87	6.91	
25	HE1	2	f	s	e	n	2	6	0.47	12.11	1.42	0.1020
26	IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.01	0.0450
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	1.50	0.0000
		Subtotal 26							0.16	763.97	1.51	
27	ROSEN	4	m	s	c	n	8	8	-0.02	13.01	0.28	0.9419
27	ROSEN	16	f	s	c	n	8	8	0.95	7.55	5.13	0.0089
		Subtotal 27							0.34	20.56	5.41	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	0.59	0.1648
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.04	0.5326
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.09	0.0395
33	MCGHEE	1	m	h	p	f	2	2	0.26	24.91	0.45	0.1904
33	MCGHEE	2	f	h	p	f	2	2	0.33	26.31	1.07	0.0912
		Subtotal 33							0.30	51.22	1.53	
*34	QURESH	1	f	s	m	b	2	7	0.05	54.13	0.33	0.7196
36	STRANG	25	m	h	c	n	2	0	-0.35	12.36	2.78	0.2222
36	STRANG	17	f	h	c	n	2	0	-0.07	8.71	0.33	0.8444
		Subtotal 36							-0.23	21.07	3.11	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	23.09	0.0000
*38	WEN	18	f	s	c	f	2	9	0.17	32.54	0.07	0.3211
*40	HILL	2	m	h	c	f	2	9	0.04	137.04	1.06	0.6461
*40	HILL	4	f	h	c	f	2	9	-0.02	130.35	2.83	0.8176
		Subtotal 40							0.01	267.40	3.90	
*41	HILL	2	m	h	c	f	2	9	0.17	93.46	0.14	0.1096
*41	HILL	4	f	h	c	f	2	9	0.24	55.32	0.69	0.0754
		Subtotal 41							0.19	148.79	0.83	
42	HE2	8	f	t	t	n	4	12	0.52	59.24	9.36	0.0001
43	SULO	2	m	s	c	n	4	14	0.52	7.26	1.11	0.1622
43	SULO	4	f	s	c	n	4	14	0.17	1.58	0.00	0.8268
		Subtotal 43							0.46	8.84	1.12	
44	VOZORI	2	c	t	c	n	4	7	0.00	93.46	1.51	1.0000
45	DING	2	f	h	e	n	2	11	0.42	23.43	1.99	0.0427
*46	GALLO	17	c	s	c	f	2	5	0.69	6.48	2.04	0.0798
*48	JEFFER	2	c	s	c	b	2	16	0.88	5.43	3.08	0.0403
*49	HE3	2	m	t	e	f	2	9	0.81	3.29	1.52	0.1433
*49	HE3	4	f	t	e	f	2	9	0.74	3.13	1.18	0.1894
		Subtotal 49							0.78	6.42	2.70	

Relative risks

	N	61										
	NS	41										
	Wt	5871.54										
	Het	Chi	139.56									
	Het	df	60									
	Het	P	***									
	Fixed	RR	1.14									
		RR1	1.11									
		RRu	1.17									
		P	+++									
	Random	RR	1.21									
		RR1	1.15									
		RRu	1.28									
		P	+++									
	Asymm	P	***									

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 52
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3													1.09	(0.70- 1.70)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10													0.80	(0.72- 0.88)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
Subtotal 13													1.16	(0.59- 2.30)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSEN	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
27	ROSEN	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
Subtotal 27													1.38	(0.93- 2.07)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 52
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
													0.99	(0.88- 1.11)
													1.07	(0.86- 1.32)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.15	(0.97- 1.35)
													1.05	(0.48- 2.30)
													1.46	(0.91- 2.34)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
													1.46	(0.91- 2.34)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
													1.73	(0.84- 3.60)
Subtotal 49														
Partial Totals									3455	101983	5844	118485		
*prospective study														

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
*1	HIRAYA	3	f	s	e	f	2	0	0.00	90.30	0.49	0.9867
*2	GARLAN	2	f	s	c	f	8	0	0.74	1.02	0.45	0.4568
3	LEE	1	m	s	m	n	2	0	0.29	7.10	0.34	0.4340
3	LEE	3	f	s	m	n	2	0	-0.03	12.62	0.14	0.9185
									0.09	19.72	0.48	
4	MARTIN	1	f	s	e	n	2	6	0.96	6.33	4.91	0.0162
*5	SVENDS	1	m	s	c	b	2	0	0.38	15.65	1.49	0.1296
*6	BUTLER	3	f	s	c	f	8	0	0.14	3.76	0.02	0.7812
*8	HOLE	3	m	h	e	f	2	5	0.55	13.29	2.97	0.0457
*8	HOLE	2	f	h	e	f	2	5	0.50	7.04	1.28	0.1838
									0.53	20.33	4.25	
9	JACKSO	3	m	h	c	b	2	0	0.10	3.78	0.00	0.8529
9	JACKSO	1	f	h	c	b	2	0	1.39	2.98	5.12	0.0168
									0.66	6.76	5.12	
*10	SANDLE	1	m	h	c	f	2	0	0.14	90.22	0.36	0.1881
*10	SANDLE	3	f	h	c	f	2	0	-0.35	262.43	48.10	0.0000
									-0.23	352.64	48.46	
*11	HUMBLE	1	f	s	c	f	8	4	0.46	16.88	2.55	0.0567
12	DOBSON	3	m	h	c	b	2	0	0.04	11.77	0.01	0.8905
12	DOBSON	1	f	h	c	b	2	0	0.47	22.62	3.61	0.0240
									0.33	34.39	3.62	
13	LAVECC	5	m	s	c	n	8	0	0.05	4.41	0.00	0.9214
13	LAVECC	3	f	s	c	n	8	0	0.27	3.87	0.15	0.5916
									0.15	8.27	0.15	
14	LAYARD	1	m	s	e	f	2	0	-0.07	52.96	1.08	0.6223
14	LAYARD	9	f	s	e	f	2	0	-0.00	155.06	0.89	0.9954
									-0.02	208.02	1.97	
*15	LEVOIS	2	m	s	c	f	8	2	-0.02	660.03	6.00	0.6037
*15	LEVOIS	7	f	s	c	f	8	2	0.04	1659.41	2.14	0.1101
									0.02	2319.43	8.14	
17	MUSCAT	1	m	s	e	n	2	0	0.32	8.14	0.51	0.3546
17	MUSCAT	2	f	s	e	n	2	0	0.28	5.82	0.25	0.4970
									0.31	13.96	0.75	
18	TUNSTA	1	c	t	c	n	2	0	0.28	62.37	2.56	0.0283
*19	STEENL	1	m	s	c	f	8	12	0.20	212.64	3.26	0.0037
*19	STEENL	2	f	s	c	f	8	13	0.10	196.22	0.08	0.1818
									0.15	408.86	3.34	
20	JANGHO	1	f	s	e	n	2	0	0.32	27.39	1.67	0.0922
*21	KAWACH	11	f	h	c	b	2	15	0.43	9.45	1.16	0.1912
22	CIRUZZ	5	m	s	c	n	2	0	-0.00	8.06	0.05	0.9912
22	CIRUZZ	6	f	s	c	n	2	0	0.39	11.59	1.18	0.1800
									0.23	19.65	1.23	

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 52
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 Overall - unadjusted

Overall

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Ys	Ws	Qs	Ps
23	MCELDU	3	m	t	c	b	2	0	-0.23	29.19	2.76	0.2093
23	MCELDU	1	f	t	c	b	2	0	0.63	16.76	5.09	0.0104
		Subtotal 23							0.08	45.95	7.85	
25	HE1	1	f	s	e	n	2	0	0.84	17.19	10.07	0.0005
26	IRIBAR	4	m	h	c	n	2	11	0.12	268.97	0.60	0.0450
26	IRIBAR	19	f	h	c	n	2	11	0.18	495.01	5.69	0.0000
		Subtotal 26							0.16	763.97	6.29	
27	ROSEN1	3	m	s	c	n	8	0	0.07	14.87	0.00	0.7939
27	ROSEN1	15	f	s	c	n	8	0	0.76	8.84	4.13	0.0241
		Subtotal 27							0.33	23.71	4.13	
28	PITSAV	9	c	h	c	n	a	6	0.29	23.73	1.05	0.1648
30	CHEN	10	c	h	c	n	2	10	0.18	11.72	0.13	0.5326
31	NISHTA	3	c	s	e	n	1	1	0.87	5.64	3.54	0.0395
33	MCGHEE	5	m	h	p	f	2	0	0.24	29.42	0.78	0.1963
33	MCGHEE	6	f	h	p	f	2	0	0.27	33.81	1.30	0.1147
		Subtotal 33							0.26	63.24	2.08	
*34	QURESH	2	f	s	m	b	2	0	0.16	54.27	0.41	0.2341
36	STRANG	25	m	h	c	n	2	0	-0.35	12.36	2.20	0.2222
36	STRANG	17	f	h	c	n	2	0	-0.07	8.71	0.17	0.8444
		Subtotal 36							-0.23	21.07	2.38	
37	TEO	1	c	t	c	n	2	6	0.31	656.19	37.70	0.0000
*38	WEN	18	f	s	c	f	2	9	0.17	32.54	0.32	0.3211
*40	HILL1	1	m	h	c	f	2	2	0.00	142.80	0.81	1.0000
*40	HILL1	3	f	h	c	f	2	2	-0.02	144.50	1.31	0.8081
		Subtotal 40							-0.01	287.30	2.12	
*41	HILL2	1	m	h	c	f	2	2	0.07	83.70	0.00	0.5359
*41	HILL2	3	f	h	c	f	2	2	0.23	59.36	1.44	0.0750
		Subtotal 41							0.14	143.06	1.45	
42	HE2	1	f	t	t	n	4	0	0.45	66.96	9.33	0.0002
43	SULO	1	m	s	c	n	4	1	0.57	11.09	2.66	0.0598
43	SULO	3	f	s	c	n	4	1	0.05	6.26	0.00	0.9029
		Subtotal 43							0.38	17.35	2.67	
44	VOZORI	1	c	t	c	n	4	0	-0.55	238.05	94.47	0.0000
45	DING	1	f	h	e	n	2	0	0.53	29.06	5.95	0.0044
*46	GALLO	17	c	s	c	f	2	5	0.69	6.48	2.44	0.0798
*48	JEFFER	1	c	s	c	b	2	2	0.77	5.95	2.91	0.0588
*49	HE3	1	m	t	e	f	2	0	0.55	3.82	0.87	0.2811
*49	HE3	3	f	t	e	f	2	0	0.55	3.39	0.77	0.3109
		Subtotal 49							0.55	7.21	1.63	

Relative risks

	N	61										
	NS	41										
	Wt	6165.81										
	Het	291.70										
	Het df	60										
	Het P	***										
	Fixed RR	1.08										
	RR1	1.05										
	RRu	1.11										
	P	+++										
	Random RR	1.19										
	RR1	1.11										
	RRu	1.28										
	P	+++										
	Asymm P	*										

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 53
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By sex - adjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Exposed	Case	Non-exposed		
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals									0	0	0	0		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Exposed	Case	Non-exposed		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSEN1	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
Partial Totals									38	83	225	486		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Exposed	Case	Non-exposed		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSEN1	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 53
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By sex - adjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Partial Totals									102	231	233	1013		

*prospective study

	combined	male	female	Total
--	----------	------	--------	-------

Relative risks

N	8	21	32	61
NS	8	21	32	61
Wt	880.19	1648.50	3342.84	5871.54
Het Chi	13.19	28.53	70.21	139.56
Het df	7	20	31	60
Het P	(*)	(*)	***	***
Fixed RR	1.33	1.08	1.12	1.14
RRl	1.25	1.03	1.08	1.11
RRu	1.42	1.13	1.16	1.17
P	+++	++	+++	+++
Random RR	1.32	1.12	1.25	1.21
RRl	1.14	1.04	1.16	1.15
RRu	1.54	1.21	1.35	1.28
P	+++	++	+++	+++
Asymm P	N.S.	N.S.	***	***
Between Chi		25.48	21.60	27.64
Between df		1	1	2
Between P		---	---	***

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 54
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By sex - unadjusted

combined

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
Partial Totals									622	13207	1579	35259		

*prospective study

male

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
27	ROSENL	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
Partial Totals									505	2510	1858	7013		

*prospective study

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
27	ROSENL	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 54
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By sex - unadjusted

female

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Partial Totals									2328	86266	2407	76213		

*prospective study

	combined	male	female	Total
--	----------	------	--------	-------

Relative risks

N	8	21	32	61
NS	8	21	32	61
Wt	1010.13	1684.26	3471.43	6165.81
Het Chi	143.31	26.36	120.09	291.70
Het df	7	20	31	60
Het P	***	N.S.	***	***
Fixed RR	1.12	1.06	1.07	1.08
RRl	1.05	1.01	1.04	1.05
RRu	1.19	1.11	1.11	1.11
P	+++	+	+++	+++
Random RR	1.33	1.09	1.24	1.19
RRl	0.90	1.01	1.13	1.11
RRu	1.98	1.16	1.37	1.28
P	N.S.	+	+++	+++
Asymm P	N.S.	N.S.	**	*
Between Chi		1.82	1.39	1.93
Between df		1	1	2
Between P		N.S.	N.S.	N.S.

 Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 55
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By continent - adjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
Partial Totals									77	214	321	1199		
*prospective study														

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
Subtotal 13													1.21	(0.57- 2.55)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
27	ROSEN	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
Subtotal 27													1.40	(0.91- 2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
Subtotal 43													1.58	(0.82- 3.05)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
Partial Totals									0	0	0	0		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 55
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By continent - adjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
Subtotal 33													1.35	(1.02- 1.77)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
Subtotal 49													2.17	(1.00- 4.70)
Partial Totals									63	100	137	300		
*prospective study														

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
Subtotal 22													1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
Subtotal 23													1.10	(0.79- 1.53)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
Subtotal 40													1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
Subtotal 41													1.21	(1.03- 1.42)
Partial Totals									0	0	0	0		
*prospective study														

NAmerica Europe Asia Other Total

Relative risks

N	22	15	11	13	61
NS	15	10	9	7	41
Wt	4213.61	200.20	305.28	1152.45	5871.54
Het Chi	39.80	10.78	9.35	37.12	139.56
Het df	21	14	10	12	60
Het P	**	N.S.	N.S.	***	***
Fixed RR	1.08	1.38	1.38	1.26	1.14
RR1	1.05	1.20	1.24	1.19	1.11
RRu	1.11	1.58	1.55	1.33	1.17
P	+++	+++	+++	+++	+++
Random RR	1.11	1.38	1.38	1.24	1.21
RR1	1.05	1.20	1.24	1.07	1.15
RRu	1.18	1.58	1.55	1.44	1.28
P	+++	+++	+++	++	+++
Asymm P	*	N.S.	(*)	N.S.	***
Between Chi		11.58	17.60	21.19	42.50
Between df		1	1	1	3
Between P		+++	+++	+++	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 56
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By continent - unadjusted

NAmerica

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10														
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14														
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15														
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17														
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19														
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26														
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36														
44	VOZORI	1	c	t	c	n	4	0	293	11991	1480	34776	0.57	(0.51- 0.65)
Partial Totals									1762	28873	3512	91387		
*prospective study														

Europe

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3														
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8														
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
Subtotal 13														
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
27	ROSEN	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
27	ROSEN	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
Subtotal 27														
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
43	SULO	1	m	s	c	n	4	1	-	-	-	-	1.76	(0.98- 3.18)
43	SULO	3	f	s	c	n	4	1	-	-	-	-	1.05	(0.48- 2.30)
Subtotal 43														
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	1	c	s	c	b	2	2	-	-	-	-	2.17	(0.97- 4.84)
Partial Totals									471	1597	413	1251		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 56
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By continent - unadjusted

Asia

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
42	HE2	1	f	t	t	n	4	0	200	277	231	501	1.57	(1.23- 1.99)
45	DING	1	f	h	e	n	2	0	95	65	219	254	1.70	(1.18- 2.44)
*49	HE3	1	m	t	e	f	2	0	14	271	5	168	1.74	(0.64- 4.73)
*49	HE3	3	f	t	e	f	2	0	18	340	4	131	1.73	(0.60- 5.03)
Subtotal 49													1.73	(0.84- 3.60)
Partial Totals									1029	71014	1150	23904		
*prospective study														

Other

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													0.99	(0.88- 1.11)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													1.15	(0.97- 1.35)
Partial Totals									193	499	769	1943		
*prospective study														

NAmerica Europe Asia Other Total

Relative risks

N	22	15	11	13	61
NS	15	10	9	7	41
Wt	4433.36	199.63	339.52	1193.30	6165.81
Het Chi	159.11	9.04	18.96	38.34	291.70
Het df	21	14	10	12	60
Het P	***	N.S.	*	***	***
Fixed RR	1.01	1.37	1.34	1.23	1.08
RR1	0.98	1.20	1.21	1.16	1.05
RRu	1.04	1.58	1.49	1.30	1.11
P	N.S.	+++	+++	+++	+++
Random RR	1.05	1.37	1.42	1.18	1.19
RR1	0.94	1.20	1.20	1.03	1.11
RRu	1.17	1.58	1.66	1.37	1.28
P	N.S.	+++	+++	+	+++
Asymm P	N.S.	(*)	N.S.	*	*
Between Chi	17.82	24.90	35.73	66.23	
Between df	1	1	1	3	
Between P	+++	+++	+++	***	

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 57
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By publication year (grouped) - adjusted

1984-89

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	6	f	s	e	f	2	1	-	-	-	-	1.16	(0.94- 1.43)
*2	GARLAN	4	f	s	c	f	8	1	-	-	-	-	2.25	(0.32- 15.74)
3	LEE	2	m	s	m	n	2	2	-	-	-	-	1.24	(0.58- 2.67)
3	LEE	4	f	s	m	n	2	2	-	-	-	-	0.93	(0.53- 1.64)
Subtotal 3													1.03	(0.65- 1.62)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	2	m	s	c	b	2	6	-	-	-	-	1.61	(0.96- 2.71)
*6	BUTLER	4	f	s	c	f	8	1	-	-	-	-	1.40	(0.51- 3.84)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	4	m	h	c	b	2	2	-	-	-	-	1.06	(0.39- 2.91)
9	JACKSO	2	f	h	c	b	2	2	-	-	-	-	3.74	(1.15- 12.19)
Subtotal 9													1.80	(0.84- 3.87)
*10	SANDLE	2	m	h	c	f	2	4	-	-	-	-	1.31	(1.05- 1.64)
*10	SANDLE	4	f	h	c	f	2	4	-	-	-	-	1.19	(1.04- 1.36)
Subtotal 10													1.22	(1.09- 1.37)
Partial Totals									0	0	0	0		

*prospective study

1990-97

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	4	m	h	c	b	2	2	-	-	-	-	0.97	(0.50- 1.86)
12	DOBSON	2	f	h	c	b	2	2	-	-	-	-	2.46	(1.47- 4.13)
Subtotal 12													1.72	(1.15- 2.59)
13	LAVECC	6	m	s	c	n	8	8	-	-	-	-	1.09	(0.39- 3.01)
13	LAVECC	4	f	s	c	n	8	8	-	-	-	-	1.36	(0.46- 4.05)
Subtotal 13													1.21	(0.57- 2.55)
14	LAYARD	2	m	s	e	f	2	2	-	-	-	-	0.97	(0.73- 1.28)
14	LAYARD	10	f	s	e	f	2	2	-	-	-	-	0.99	(0.84- 1.16)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	2	c	t	c	n	2	4	-	-	-	-	1.34	(1.07- 1.67)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
Partial Totals									111	152	203	406		

*prospective study

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 57
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By publication year (grouped) - adjusted

1998-04

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
22	CIRUZZ	7	m	s	c	n	2	9	-	-	-	-	1.18	(0.55- 2.52)
22	CIRUZZ	8	f	s	c	n	2	9	-	-	-	-	1.73	(0.89- 3.36)
		Subtotal 22											1.47	(0.89- 2.42)
23	MCELDU	4	m	t	c	b	2	4	-	-	-	-	0.82	(0.55- 1.22)
23	MCELDU	2	f	t	c	b	2	4	-	-	-	-	2.15	(1.18- 3.92)
		Subtotal 23											1.10	(0.79- 1.53)
25	HE1	2	f	s	e	n	2	6	-	-	-	-	1.60	(0.94- 2.90)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
		Subtotal 26											1.17	(1.09- 1.26)
27	ROSEN1	4	m	s	c	n	8	8	-	-	-	-	0.98	(0.57- 1.69)
27	ROSEN1	16	f	s	c	n	8	8	-	-	-	-	2.59	(1.27- 5.29)
		Subtotal 27											1.40	(0.91- 2.16)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
		Partial Totals							0	0	0	0		

*prospective study

2005-07

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
33	MCGHEE	1	m	h	p	f	2	2	-	-	-	-	1.30	(0.88- 1.93)
33	MCGHEE	2	f	h	p	f	2	2	-	-	-	-	1.39	(0.95- 2.04)
		Subtotal 33											1.35	(1.02- 1.77)
*34	QURESH	1	f	s	m	b	2	7	-	-	-	-	1.05	(0.81- 1.38)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
		Subtotal 36											0.79	(0.52- 1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	2	m	h	c	f	2	9	-	-	-	-	1.04	(0.88- 1.23)
*40	HILL1	4	f	h	c	f	2	9	-	-	-	-	0.98	(0.83- 1.17)
		Subtotal 40											1.01	(0.90- 1.14)
*41	HILL2	2	m	h	c	f	2	9	-	-	-	-	1.18	(0.96- 1.44)
*41	HILL2	4	f	h	c	f	2	9	-	-	-	-	1.27	(0.98- 1.66)
		Subtotal 41											1.21	(1.03- 1.42)
		Partial Totals							29	162	255	1093		

*prospective study

2008 onwards

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
42	HE2	8	f	t	t	n	4	12	-	-	-	-	1.69	(1.31- 2.18)
43	SULO	2	m	s	c	n	4	14	-	-	-	-	1.68	(0.81- 3.47)
43	SULO	4	f	s	c	n	4	14	-	-	-	-	1.19	(0.25- 5.64)
		Subtotal 43											1.58	(0.82- 3.05)
44	VOZORI	2	c	t	c	n	4	7	-	-	-	-	1.00	(0.80- 1.20)
45	DING	2	f	h	e	n	2	11	-	-	-	-	1.52	(1.01- 2.27)
*46	GALLO	17	c	s	c	f	2	5	-	-	-	-	1.99	(0.92- 4.29)
*48	JEFFER	2	c	s	c	b	2	16	-	-	-	-	2.41	(1.04- 5.59)
*49	HE3	2	m	t	e	f	2	9	-	-	-	-	2.24	(0.76- 6.59)
*49	HE3	4	f	t	e	f	2	9	-	-	-	-	2.10	(0.69- 6.33)
		Subtotal 49											2.17	(1.00- 4.70)
		Partial Totals							0	0	0	0		

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 57
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
Excluding Enstrom
By publication year (grouped) - adjusted

	1984-89	1990-97	1998-04	2005-07	2008 onwa	Total
--	---------	---------	---------	---------	-----------	-------

Relative risks

N	13	16	12	11	9	61
NS	9	10	8	7	7	41
Wt	449.00	3099.96	887.93	1231.33	203.31	5871.54
Het Chi	12.29	31.74	18.16	24.74	16.35	139.56
Het df	12	15	11	10	8	60
Het P	N.S.	**	(*)	**	*	***
Fixed RR	1.25	1.06	1.20	1.23	1.34	1.14
RRl	1.14	1.02	1.12	1.16	1.17	1.11
RRu	1.37	1.09	1.28	1.30	1.53	1.17
P	+++	++	+++	+++	+++	+++
Random RR	1.26	1.13	1.25	1.15	1.54	1.21
RRl	1.14	1.04	1.10	1.03	1.19	1.15
RRu	1.39	1.22	1.42	1.29	1.99	1.28
P	+++	++	+++	+	++	+++
Asymm P	*	*	N.S.	(*)	(*)	***
Between Chi		11.32	0.64	0.09	0.60	36.28
Between df		1	1	1	1	4
Between P		---	N.S.	N.S.	N.S.	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 58
 ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By publication year (grouped) - unadjusted

1984-89

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*1	HIRAYA	3	f	s	e	f	2	0	376	69645	118	21895	1.00	(0.82- 1.23)
*2	GARLAN	2	f	s	c	f	8	0	2	97	2	203	2.09	(0.30- 14.64)
3	LEE	1	m	s	m	n	2	0	15	40	26	93	1.34	(0.64- 2.80)
3	LEE	3	f	s	m	n	2	0	55	229	22	89	0.97	(0.56- 1.69)
Subtotal 3													1.09	(0.70- 1.70)
4	MARTIN	1	f	s	e	n	2	6	-	-	-	-	2.60	(1.20- 5.70)
*5	SVENDS	1	m	s	c	b	2	0	21	286	48	959	1.47	(0.89- 2.41)
*6	BUTLER	3	f	s	c	f	8	0	4	2487	60	43053	1.15	(0.42- 3.17)
*8	HOLE	3	m	h	e	f	2	5	-	-	-	-	1.73	(1.01- 2.96)
*8	HOLE	2	f	h	e	f	2	5	-	-	-	-	1.65	(0.79- 3.46)
Subtotal 8													1.70	(1.10- 2.63)
9	JACKSO	3	m	h	c	b	2	0	-	-	-	-	1.10	(0.40- 3.00)
9	JACKSO	1	f	h	c	b	2	0	-	-	-	-	4.00	(1.35- 13.10)
Subtotal 9													1.94	(0.91- 4.13)
*10	SANDLE	1	m	h	c	f	2	0	122	1248	248	2914	1.15	(0.93- 1.41)
*10	SANDLE	3	f	h	c	f	2	0	551	9551	437	5322	0.70	(0.62- 0.79)
Subtotal 10													0.80	(0.72- 0.88)
Partial Totals									1146	83583	961	74528		
*prospective study														

1990-97

StN	Ref	NRR	SEX	EXP	TIM	TYP	UNX	ADJ	Number Exposed		Non-exposed		RR	95.00%CI
									Case	Cont	Case	Cont		
*11	HUMBLE	1	f	s	c	f	8	4	-	-	-	-	1.59	(0.99- 2.57)
12	DOBSON	3	m	h	c	b	2	0	22	34	161	259	1.04	(0.59- 1.84)
12	DOBSON	1	f	h	c	b	2	0	43	99	117	433	1.61	(1.06- 2.43)
Subtotal 12													1.39	(0.99- 1.93)
13	LAVECC	5	m	s	c	n	8	0	7	17	55	140	1.05	(0.41- 2.67)
13	LAVECC	3	f	s	c	n	8	0	17	20	11	17	1.31	(0.48- 3.56)
Subtotal 13													1.16	(0.59- 2.30)
14	LAYARD	1	m	s	e	f	2	0	97	215	378	783	0.93	(0.71- 1.22)
14	LAYARD	9	f	s	e	f	2	0	455	961	459	969	1.00	(0.85- 1.17)
Subtotal 14													0.98	(0.86- 1.13)
*15	LEVOIS	2	m	s	c	f	8	2	-	-	-	-	0.98	(0.91- 1.06)
*15	LEVOIS	7	f	s	c	f	8	2	-	-	-	-	1.04	(0.99- 1.09)
Subtotal 15													1.02	(0.98- 1.07)
17	MUSCAT	1	m	s	e	n	2	0	20	25	48	83	1.38	(0.70- 2.75)
17	MUSCAT	2	f	s	e	n	2	0	28	27	18	23	1.33	(0.59- 2.99)
Subtotal 17													1.36	(0.80- 2.30)
18	TUNSTA	1	c	t	c	n	2	0	329	1216	99	483	1.32	(1.03- 1.69)
*19	STEENL	1	m	s	c	f	8	12	-	-	-	-	1.22	(1.07- 1.40)
*19	STEENL	2	f	s	c	f	8	13	-	-	-	-	1.10	(0.96- 1.27)
Subtotal 19													1.16	(1.05- 1.28)
20	JANGHO	1	f	s	e	n	2	0	63	100	137	300	1.38	(0.95- 2.01)
*21	KAWACH	11	f	h	c	b	2	15	-	-	-	-	1.53	(0.81- 2.90)
Partial Totals									1081	2714	1483	3490		
*prospective study														

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 58
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
 Excluding Enstrom
 By publication year (grouped) - unadjusted

1998-04

StN	Ref	NRR							Number	Exposed	Non-exposed		RR	95.00%CI
			SEX	EXP	TIM	TYP	UNX	ADJ			Case	Cont	Case	Cont
22	CIRUZZ	5	m	s	c	n	2	0	15	22	141	206	1.00	(0.50- 1.99)
22	CIRUZZ	6	f	s	c	n	2	0	29	25	151	193	1.48	(0.83- 2.64)
Subtotal 22													1.26	(0.81- 1.96)
23	MCELDU	3	m	t	c	b	2	0	53	172	145	373	0.79	(0.55- 1.14)
23	MCELDU	1	f	t	c	b	2	0	31	147	54	479	1.87	(1.16- 3.02)
Subtotal 23													1.08	(0.81- 1.45)
25	HE1	1	f	s	e	n	2	0	76	95	39	113	2.32	(1.44- 3.72)
26	IRIBAR	4	m	h	c	n	2	11	-	-	-	-	1.13	(1.00- 1.27)
26	IRIBAR	19	f	h	c	n	2	11	-	-	-	-	1.20	(1.09- 1.30)
Subtotal 26													1.17	(1.09- 1.26)
27	ROSEN1	3	m	s	c	n	8	0	27	51	141	285	1.07	(0.64- 1.78)
27	ROSEN1	15	f	s	c	n	8	0	21	24	59	144	2.14	(1.10- 4.13)
Subtotal 27													1.38	(0.93- 2.07)
28	PITSAV	9	c	h	c	n	a	6	-	-	-	-	1.33	(0.89- 1.99)
30	CHEN	10	c	h	c	n	2	10	-	-	-	-	1.20	(0.70- 2.20)
31	NISHTA	3	c	s	e	n	1	1	-	-	-	-	2.38	(1.04- 5.42)
Partial Totals									252	536	730	1793		

*prospective study

prospective study

2005-07

StN	Ref	NRR							Number Exposed		Non-exposed		RR	95.00%CI
			SEX	EXP	TIM	TYP	UNX	ADJ	Case	Cont	Case	Cont		
33	MCGHEE	5	m	h	p	f	2	0	74	71	285	347	1.27	(0.88- 1.82)
33	MCGHEE	6	f	h	p	f	2	0	113	150	112	195	1.31	(0.94- 1.84)
Subtotal 33													1.29	(1.01- 1.65)
*34	QURESH	2	f	s	m	b	2	0	140	1823	79	1209	1.18	(0.90- 1.53)
36	STRANG	25	m	h	c	n	2	0	18	58	177	403	0.71	(0.40- 1.23)
36	STRANG	17	f	h	c	n	2	0	11	104	78	690	0.94	(0.48- 1.82)
Subtotal 36													0.79	(0.52- 1.22)
37	TEO	1	c	t	c	n	2	6	-	-	-	-	1.37	(1.27- 1.48)
*38	WEN	18	f	s	c	f	2	9	-	-	-	-	1.19	(0.84- 1.67)
*40	HILL1	1	m	h	c	f	2	2	-	-	-	-	1.00	(0.85- 1.18)
*40	HILL1	3	f	h	c	f	2	2	-	-	-	-	0.98	(0.83- 1.15)
Subtotal 40													0.99	(0.88- 1.11)
*41	HILL2	1	m	h	c	f	2	2	-	-	-	-	1.07	(0.86- 1.32)
*41	HILL2	3	f	h	c	f	2	2	-	-	-	-	1.26	(0.98- 1.63)
Subtotal 41													1.15	(0.97- 1.35)
Partial Totals									356	2206	731	2844		

*prospective study

Within each study, results are included (in the following order of preference) for

- Within each study, results are included (in the following order of preference) for:

 - 1) EXP Exposure = spouse (s), household (h), total (t)
 - 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
 - 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
 - 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

Table 58
ETS and Heart Disease - Meta-Analysis of Spouse Exposure Current (or nearest equivalent), 02-AUG-13
Excluding Enstrom
By publication year (grouped) - unadjusted

	1984-89	1990-97	1998-04	2005-07	2008 onwa	Total
--	---------	---------	---------	---------	-----------	-------

Relative risks

N	13	16	12	11	9	61
NS	9	10	8	7	7	41
Wt	516.50	3109.03	911.55	1257.67	371.05	6165.81
Het Chi	50.51	24.34	23.57	27.52	95.10	291.70
Het df	12	15	11	10	8	60
Het P	***	(*)	*	**	***	***
Fixed RR	0.91	1.05	1.20	1.22	0.83	1.08
RRl	0.83	1.02	1.13	1.15	0.75	1.05
RRu	0.99	1.09	1.28	1.29	0.92	1.11
P	-	++	+++	+++	---	+++
Random RR	1.26	1.10	1.28	1.14	1.44	1.19
RRl	0.98	1.03	1.11	1.01	0.89	1.11
RRu	1.61	1.18	1.48	1.28	2.34	1.28
P	(+)	++	+++	+	N.S.	+++
Asymm P	**	*	N.S.	(*)	*	*
Between Chi		9.80	25.78	31.62	1.55	70.66
Between df		1	1	1	1	4
Between P		++	+++	+++	N.S.	***

Within each study, results are included (in the following order of preference) for:

- 1) EXP Exposure = spouse (s), household (h), total (t)
- 2) TIM Time of exposure = current (c), ever (e), during marriage (m), in the past (p), in last 10 years (t)
- 3) TYP Disease type = both (b), fatal (f), non-fatal (n); also (CVD)-(Stroke) in preference to CVD.
- 4) UNX Unexp. to ETS (1), to ETS type (2), low exp to ETS type (4), never to type (8), to hh/work ETS (a)

